### अनुबंध|Contract

GM(MM)

CM(F)



**अनुबंध क्रमांक|Contract No:** GEMC-511687735126578

अनुबंध तिथि | Generated Date : 07-Oct-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4938773</u>

अनुसूची नाम|Schedule Name:Schedule 3,Schedule 4,Schedule 2,Schedule 1

संगठन विवरण|Organisation Details

प्ररूप|Type : Central PSU
मंत्रालय|Ministry : Ministry of Coal
विभाग|Department : COAL INDIA LIMITED
संगठन का नाम|Organisation Name : WESTERN COALFIELDS LIMITED
कार्यालय क्षेत्र|Office Zone: WCL NAGPUR MAHARASHTRA

खरीदार विवरण|Buyer Details

पद|Designation : Manager MM संपर्क नंबर|Contact No. : 0712-2511381-5824 ईमेल आईडी|Email ID : shshaik@coalindia.in जीएसटीआईएन|GSTIN : 27AAACW1578L1ZW

पता|Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति|IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका| Payment Mode: Offline

पद | Designation : Dy Manager Fin ईमेल आईडी | Email ID : mukesh.alluri@coalindia.in जीएसटीआईएन | GSTIN : 27AAACW1578L1ZW

WCL Hqrs, Coal Estate, Civil Lines, पता|Address:

NAGPUR CITY, MAHARASHTRA-440001, India

गळा

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 8MV4240011521763 कंपनी का नाम|Company Name : ARB CONVEYORS LIMITED

संपर्क नंबर|Contact No.: 09872087004

ईमेल आईडी|Email ID : gm.sales@arbconveyors.in

पता| Address : ground floor,VILLAGE SANGAL SOHAL,KAPURTHALA ROAD,JALANDHAR,

प्रमान् Aduless . Jalandhar, PUNJAB-144002, -एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-PB-10-0082109 जीएसटीआईएन|GSTIN: 03AAWCA8488P1ZJ (R) , (M)

खरीदार द्वारा मूल्यांकित एमआईआई स्थिति | MII Status as

evaluated by buyer :

Verified

खरीदार द्वारा सत्यापित एमएसएमई स्थिति |MSME Status as

verified by buyer :

Not Verified

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

### उत्पाद विवरण|Product Details

# आइटम विवरण Item Description	आइटम विवेरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
उद्याद का नाम   Product Name: ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month ब्रांड Brand: ARB PLUS ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्थांच Category Name & Quadrant: Conveyor and Elevator Textile Belting (Fire Resistant Belting for Surface Application) as per IS 1891 (Q3) मॉडल Model: 8004 एचएसएन कोड HSN Code: HSN not specified by seller	3,200	meter	2,340	जीएसटी  GST (18%): 1,142,237.288 जीएसटी उपकर 1  GST Cess 1 (0%): 0 जीएसटी उपकर 2  GST Cess 2 (0 per accounting unit): 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%): 1,142,237.288 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (100%): 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (100%): 0	7,488,000
उद्याद का नाम   Product Name : ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month ब्रांड Brand : ARB PLUS ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM	1,000	meter	2,891	जीएसटी  GST (18%) : 441,000 जीएसटी उपकर 1  GST Cess 1 (0%) : 0 जीएसटी उपकर 2  GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%) : 441,000	2,891,000

	श्रेणी का नाम और चतुर्याश   Category Name & Quadrant : Conveyor and Elevator Textile Belting (Fire Resistant Belting for Surface Application) as per IS 1891 (Q3) मॉडल  Model: 80004 एचएसएन कोड  HSN Code: HSN not specified by seller				जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (100%): 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (100%): 0	
3	उत्पाद का नाम  Product Name : ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month ais   Brand : ARB PLUS ais प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है  Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्याश  Category Name & Quadrant : Conveyor and Elevator Textile Belting (Fire Resistant Belting for Surface Application) as per IS 1891 (Q3) मॉडल   Model: 6304 एचएसएन कोड HSN Code: HSN not specified by seller	1,200	meter	2,010	जीएसटी  GST (18%) : 367,932.203 जीएसटी उपकर 1  GST Cess 1 (0%) : 0 जीएसटी उपकर 2  GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टेक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%) : 367,932.203 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (100%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (100%) : 0	2,412,000
4	उत्पाद का नाम  Product Name : ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty NA Month ब्रांड   Brand : ARB PLUS ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति  Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है  Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थाश  Category Name & Quadrant : Conveyor and Elevator Textile Belting (Fire Resistant Belting for Surface Application) as per IS 1891 (Q3) मॉडल  Model: 4003 एचएसएन कोड  HSN Code: HSN not specified by seller	200	meter	1,235	जीएसटी  GST (18%): 37,677.966 जीएसटी उपकर 1  GST Cess 1 (0%): 0 जीएसटी उपकर 2  GST Cess 2 (0 per accounting unit): 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%): 37,677.966 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (100%): 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (100%): 0	247,000
कुल	न ऑर्डर मूल्य  Total Order Value (in INR)					13,038,000

### परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
		ARB PLUS Conveyor And	1	1,600	07-Oct-2024	06-Dec-2024
		Warranty 24 Month 78L1ZW ARB PLUS Conveyor And	2	1,600	07-Dec-2024	04-Feb-2025
			1	600	07-Oct-2024	06-Dec-2024
	पद  Designation : - ईमेल आईडी Email ID : shailesh.nimbale@nic.in संपर्क Contact : 07239-241341-		2	400	07-Dec-2024	04-Feb-2025
1	जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : WCL Central Stores, Urjagram, Tadali- 442406,		1	600	07-Oct-2024	06-Dec-2024
	CHANDRAPUR, MAHARASHTRA-442406, India  Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month  ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting (Fire Resistant Belting For Surface Application), Warranty NA Month	2	600	07-Dec-2024	04-Feb-2025	
		1	200	07-Oct-2024	06-Dec-2024	

# Product Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month

	विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Item	Item	Conveyor and Elevator Textile Belting (Fire Resistant Belting For Surface Application)
	Specification	Conformity to Specification	IS:1891 (Part-I/1994 & part V/1993), and standards as recommended in DGMS circular dated 06.09.2001
		Product is BIS marked	No
	Grade	Grade of Rubber Cover	Fire Resistant anti-static (FRAS)
		Type Number of Belt	800

Design	Minimum Troughing Angle (in °C)	20°C
	Fabric Designation	Nylon/Nylon (NN)
	Cotton Carcass	Frictioned
	Ducks of Types	28
	Type of Ply Fabric	Woven fabric
Material	Material of Cover	Rubber
	Type of Carcass Protection Layer	Open Mesh Fabric
	Type of Edge	Open Edges For External Plies
	Material of Top cover Belt	Natural Rubber (NR)(Fire Resistant Belting)
	Material of Bottom cover Belt	Natural Rubber (NR)(Fire Resistant Belting)
	Width of Belt (In MM)	1200
	Top Cover Thickness of Belt (In MM)	5
	Bottom Cover Thickness of Belt (In MM)	3
Dimension	Single Ply Carcass Thickness (In MM)	1
	Number of Fabric Ply (In MM)	1
	Carcass Thickness in Belt (In MM)	1.1
	Length of Conveyor Belt(In Metre)	200
Warranty	Warranty (In month)	24
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	No
	Test Report No	NA
Test Report	Test Report Date	NA
	Name of the Lab	NA NA
	Address of the Lab	NA NA
	Test Report to be furnished to the buyer on demand	NA

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

# खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month

विनिर्देश Specification	मूल्य Value
Belt Specifications [This is specific requirement which shall override golden parameter mentioned above]	Width of belt: 1200mm Minimum tensile strength: 800KN/m Minimum number of plies: 4 Face cover thickness: 5mm Back cover thickness: 3mm
Minimum Troughing Angle (in C) [This is specific requirement which shall override golden parameter mentioned above]	20-35
Bidder to refer	ATC for detailed technical specifications and parameters, including document to be submitted along with the bid/offer, document to be submitted along with the supply, etc. and submit bid documents accordingly

## Product Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Item	Item	Conveyor and Elevator Textile Belting (Fire Resistant Belting For Surface Application)
Specification	Conformity to Specification	IS:1891 (Part-I/1994 & part V/1993), and standards as recommended in DGMS circular dated 06.09.2001
	Product is BIS marked	No
Grade	Grade of Rubber Cover	Fire Resistant anti-static (FRAS)
Grade	Type Number of Belt	800
Design	Minimum Troughing Angle (in °C)	35°C

	Fabric Designation	Nylon/Nylon (NN)
	Cotton Carcass	NA
	Ducks of Types	NA
	Type of Ply Fabric	Woven fabric
Material	Material of Cover	Rubber
	Type of Carcass Protection Layer	Open Mesh Fabric
	Type of Edge	Open Edges For Internal Plies
	Material of Top cover Belt	Natural Rubber (NR)(Fire Resistant Belting)
	Material of Bottom cover Belt	Natural Rubber (NR)(Fire Resistant Belting)
	Width of Belt (In MM)	1200
	Top Cover Thickness of Belt (In MM)	6
	Bottom Cover Thickness of Belt (In MM)	3
Dimension	Single Ply Carcass Thickness (In MM)	1.5
	Number of Fabric Ply (In MM)	4
	Carcass Thickness in Belt (In MM)	5.8
	Length of Conveyor Belt(In Metre)	200
Warranty	Warranty (In month)	24
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	No
	Test Report No	NA
Test Report	Test Report Date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	yes

হিম্মণী Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

# खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month

विनिर्देश Specification	मूल्य Value
Belt Specifications [This is specific requirement which shall override golden parameter mentioned above]	Width of belt: 1400mm Minimum tensile strength: 800KN/m Minimum number of plies: 4 Face cover thickness: 5mm Back cover thickness: 3mm
Width of Belt (In MM) [This is specific requirement which shall override golden parameter mentioned above]	1400
Minimum Troughing Angle (in C) [This is specific requirement which shall override golden parameter mentioned above]	20-35
Bidder to refer	ATC for detailed technical specifications and parameters, including document to be submitted along with the bid/offer, document to be submitted along with the supply, etc. and submit bid documents accordingly
Top Cover Thickness of Belt (In MM) [This is specific requirement which shall override golden parameter mentioned above]	5

## Product Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Item	Item	Conveyor and Elevator Textile Belting (Fire Resistant Belting For Surface Application)
Specification	Conformity to Specification	IS 1891 (Part 5) latest
Specification	Product is BIS marked	No
Grade	Grade of Rubber Cover	Fire Resistant anti-static (FRAS)

	Type Number of Belt	630
Design	Minimum Troughing Angle (in °C)	35°C
	Fabric Designation	Nylon/Nylon (NN)
	Cotton Carcass	Frictioned
	Ducks of Types	28
	Type of Ply Fabric	Woven fabric
Material	Material of Cover	Rubber
	Type of Carcass Protection Layer	Open Mesh Fabric
	Type of Edge	Open Edges For External Plies
	Material of Top cover Belt	Natural Rubber (NR)(Fire Resistant Belting)
	Material of Bottom cover Belt	Natural Rubber (NR)(Fire Resistant Belting)
	Width of Belt (In MM)	1000
	Top Cover Thickness of Belt (In MM)	5
	Bottom Cover Thickness of Belt (In MM)	3
Dimension	Single Ply Carcass Thickness (In MM)	0.5
	Number of Fabric Ply (In MM)	4
	Carcass Thickness in Belt (In MM)	0.9
	Length of Conveyor Belt(In Metre)	200
Warranty	Warranty (In month)	24
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	No
	Test Report No	NA
Test Report	Test Report Date	NA NA
•	Name of the Lab	AN
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	NA

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

# खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month

विनिर्देश Specification	मूल्य Value
Belt Specifications [This is specific requirement which shall override golden parameter mentioned above]	Width of belt: 1000mm Minimum tensile strength: 630KN/m Minimum number of plies: 4 Face cover thickness: 5mm Back cover thickness: 3mm
Minimum Troughing Angle (in C) [This is specific requirement which shall override golden parameter mentioned above]	20-35
Top Cover Thickness Of Belt (In MM) [This is specific requirement which shall override golden parameter mentioned above]	5
Conformity to Specification [This is specific requirement which shall override golden parameter mentioned above]	IS:1891 (Part-I/1994 & Part V/1993), And Standards As Recommended In DGMS Circular Dated 06.09.2001, IS 1891 (Part 5) Latest
Bidder to refer	ATC for detailed technical specifications and parameters, including document to be submitted along with the bid/offer, document to be submitted along with the supply, etc. and submit bid documents accordingly

## Product Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty NA Month

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Item	Item	Conveyor and Elevator Textile Belting (Fire Resistant Belting For Surface Application)
		IS:1891 (Part-I/1994 & part V/1993), and standards as recommended in

Specification	Conformity to Specification	DGMS circular dated 06.09.2001
	Product is BIS marked	Yes
Grade	Grade of Rubber Cover	Fire Resistant anti-static (FRAS)
	Type Number of Belt	400
Design	Minimum Troughing Angle (in °C)	35°C
Material	Fabric Designation	Nylon/Nylon (NN)
	Cotton Carcass	NA
	Ducks of Types	NA
	Type of Ply Fabric	Woven fabric
	Material of Cover	Rubber
	Type of Carcass Protection Layer	Open Mesh Fabric
	Type of Edge	Open Edges For External Plies
	Material of Top cover Belt	fire resistant, antistatic (FRAS) grade
	Material of Bottom cover Belt	fire resistant, antistatic (FRAS) grade
	Width of Belt (In MM)	800
Dimension	Top Cover Thickness of Belt (In MM)	5
	Bottom Cover Thickness of Belt (In MM)	3
	Single Ply Carcass Thickness (In MM)	1
	Number of Fabric Ply (In MM)	3
	Carcass Thickness in Belt (In MM)	3.3
	Length of Conveyor Belt(In Metre)	200
Warranty	Warranty (In month)	NA
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	Yes
	Test Report No	TC771920000001122F
Test Report	Test Report Date	19.10.2020
	Name of the Lab	IRMRA
	Address of the Lab	THANE
	Test Report to be furnished to the buyer on demand	Yes

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

# खरीदार परिभाषित अर्तिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for ARB PLUS Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty NA Month

विनिर्देश Specification	मूल्य Value	
Belt Specifications [This is specific requirement which shall override golden parameter mentioned above]	Width of belt: 800mm Minimum tensile strength: 400KN/m Minimum number of plies: 3 Face cover thickness: 5mm Back cover thickness: 3mm	
Type Number of Belt [This is specific requirement which shall override golden parameter mentioned above]	400	
Minimum Troughing Angle (in C) [This is specific requirement which shall override golden parameter mentioned above]	20-35	
Bidder to refer	ATC for detailed technical specifications and parameters, including document to be submitted along with the bid/offer, document to be submitted along with the supply, etc. and submit bid documents accordingly.	

## ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	ICICI
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा |The bidder shall furnish ePBG as applicable as per bid's terms and conditions

### आरसीएम/एफसीएम के संबंध में सामान्य खंड | General Clauses w.r.t RCM/FCM

- 1. Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA, unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- 2. For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- 3. For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST cess will be the liability of buyer.
- 4. For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer. Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- 5. For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

### नियम और शर्तें|Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

### 2. Buyer Added Bid Specific Terms and Conditions-

#### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2.2 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 2.4 Scope of Supply.

Scope of supply (Bid price to include all cost components): Only supply of Goods

#### 2.5 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. <u>Click here to view the file</u>

#### 2.6 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

### WESTERN COALFIELDS LTD

Account No.

10205966091 IESC Code

SBIN0009060

Bank Name

STATE BANK OF INDIA

Branch address

ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

#### 2.7 Purchase Preference (Centre):

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

#### 2.8 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

#### 1) Instruction to MSE Bidders:

If the MSE bidder wants to avail MSE purchase preference then bidder has to registered their status as MSE on GeM portal and also will have to claim purchase preference on GeM portal while participating in bid, in case bidder failed to claim MSE purchase preference on GeM portal then they will not get benefit of MSE purchase preference.

- 2) Bidder to submit the following commercial documents along with their offer / bid document s in addition to documents sought in technical specification:
- 1. Local content certificate as per Annexure "A".
- 2. Documents in support of Eligibility (documents as applicable for Manufacturer / Indian Agent including Annexure "B" and Annexure "C", as the case may be).
- 3. Non-Banning Certificate/Declaration as per Annexure "D".

4. Undertaking of Price Fall Clause as per Annexure "F".	I			
5. Lowest price Certificate as per Annexure "G".				
6. Pre-Contract Integrity Pact.				
2.9 Buyer Added Bid Specific ATC:				
Buyer uploaded ATC document <u>Click here to view the file</u> .				
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।				
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.				