अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687716217687

अनुबंध तिथि। Generated Date: 12-Aug-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4841259</u>

अनुसूची नाम|Schedule Name:Schedule 11,Schedule 8,Schedule 9,Schedule 4,Schedule 3,Schedule 1,Schedule 6

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU मंत्रालय|Ministry: Ministry of Coal विभाग | Department : COAL INDIA LIMITED संगठन का नाम|Organisation Name : WESTERN COALFIELDS LIMITED कार्यालय क्षेत्र|Office Zone: WCL NAGPUR MAHARASHTRA

खरीदार विवरण|Buyer Details

पद|Designation : Manager MM संपर्क नंबर।Contact No. : 0712-2511383-5824 ईमेल आईडी|Email ID : sachin.khodke@nic.in जीएसटीआईएन|GSTIN: 27AAACW1578L1ZW

WCL Hqrs, Coal Estate, Civil Lines, पता|Address : NAGPUR, MAHARASHTRA-440001, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम| CMD WCL

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम| Designation of Financial Approval: Role: PAO

भुगतान का तरीका| Payment Mode:

पद|Designation : Dy Manager Fin ईमेल आईडी|Email ID: mukesh.alluri@coalindia.in जीएसटीआईएन|GSTIN : 27AAACW1578L1ZW

WCL Hgrs. Coal Estate, Civil Lines. पता|Address:

भुगतान प्राधिकरण विवरण | Paying Authority Details

NAGPUR CITY, MAHARASHTRA-440001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : B272200001119263

कंपनी का नाम|Company Name : FLONEX OIL TECHNOLOGIES PRIVATE LIMITED

संपर्क नंबर | Contact No. : 06397208205

ईमेल आईडी|Email ID : b2g.sales1@flonexgroup.com

Plot No.67, Sector 3, Transport Nagar, Agra,

DF

Agra, UTTAR PRADESH-282007, -एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-UP-01-0001846

एमएसई सामाजिक श्रेणी|MSE Social Category : General

एमएसई लिंग श्रेणी|MSE Gender:

जीएसटीआईएन|GSTIN: 26AACCF8803B1Z0 (B), (R), (M), 23AACCF8803B1Z6 (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : DEEMOIL SGDEO SERIES* ब्रांड Brand : DEEMOIL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्णीश Category Name & Quadrant : DEEMOIL SGDEO SERIES* (Q3) मॉडल Model: DEEMOIL एचएसएन कोड HSN Code: HSN not specified by seller	56,280	liter	115.97	NA	6,526,791.6
2	उत्पाद का नाम Product Name : DEEMOIL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel ब्रांड Brand : DEEMOIL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्णीश Category Name & Quadrant : Extreme Pressure Gear Oil as per IS 1118 (Q3) मॉडल Model: DEEMOIL एचएसएन कोड HSN Code: HSN not specified by seller	12,180	pieces	133.3	NA	1,623,594
3	उत्पाद का नाम Product Name : DEEMOIL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel ब्रांड Brand : DEEMOIL ब्रांड प्रकार Brand Type : Registered Brand केटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Extreme Pressure Gear Oil as per IS 1118 (Q3)	7,140	pieces	128.64	NA	918,489.6

मॉडल Model: DEEMOIL एचएसएन कोड HSN Code: HSN not specified by seller		
उद्याद का नाम Product Name : DEEMOIL Transmission C4 SAE 30 Transmission Oils ब्रांड Brand : DEEMOIL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Transmission oils (Q3) मॉडल Model: TRANSMISSION OIL एचएसएन कोड HSN Code: 27101980	NA	9,349,865.7
उद्याद का नाम Product Name : DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40 ब्रांड Brand : DEEMOIL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) मंडल Model: DEEMOIL एचएसएन कोड HSN Code: HSN not specified by seller	NA	2,605,877.4
उद्याद का नाम Product Name : DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40 ब्रांड Brand : DEEMOIL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) मॉडल Model: DEEMOIL एचएसएन कोड HSN Code: 27101980	NA	1,990,302.3
उत्पाद का नाम Product Name: DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W ब्रांड Brand: DEEMOIL ब्रांड प्रकार Brand Type: Registered Brand केटलॉग की स्थिति Catalogue Status: OEM verified catalogue केत्से बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) मॉडल Model: DEEMOIL एचएसएन कोड HSN Code: HSN not specified by seller	NA	2,341,647
		1

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : shailesh.nimbale@nic.in संपर्क Contact : 07239-241341- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : WCL Central Stores, Urjagram, Tadali- 442406, CHANDRAPUR, MAHARASHTRA-442406, India	DEEMOIL Transmission C4 SAE 30 Transmission Oils	-	840	12-Aug-2024	10-Nov-2024
		DEEMOIL SGDEO SERIES*	-	13,230	12-Aug-2024	10-Nov-2024
	पद। Designation : -	DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	3,150	12-Aug-2024	10-Nov-2024
		DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	2,730	12-Aug-2024	10-Nov-2024
2	ईमेल आईडी Email ID : m.khobragade@coalindia.in संपर्क Contact : 07173-230421- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW	DEEMOIL Transmission C4 SAE 30 Transmission Oils	-	23,520	12-Aug-2024	10-Nov-2024
	पता Address : Regional Stores, WCL Ballarpur Area PO Sasti Distt Chandrapur (M.S) Pin 442 706, Chandrapur, MAHARASHTRA-442706, India	DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	3,360	12-Aug-2024	10-Nov-2024

	1	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>
		DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	4,200	12-Aug-2024	10-Nov-202
		DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	2,100	12-Aug-2024	10-Nov-202
3	पद Designation : - ईमेल आईडी Email ID : ss.mangare@nic.in संपर्क Contact : 07175-285019- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL New Majri, P.O. Shivaji Nagar Distt Chandrapur, CHANDRAPUR, MAHARASHTRA-442503, India	DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	1,680	12-Aug-2024	10-Nov-202
		DEEMOIL SGDEO SERIES*	-	4,200	12-Aug-2024	10-Nov-202
	पद Designation : -	DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	1	2,310	12-Aug-2024	10-Nov-202
4	ईमेल आईडी Email ID : abhimanue.katoch@nic.in संपर्क Contact : 90102-08572- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW	DEEMOIL Transmission C4 SAE 30 Transmission Oils	-	7,980	12-Aug-2024	10-Nov-202
	पता Address : Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204, NAGPUR, MAHARASHTRA-441204, India	DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	3,570	12-Aug-2024	10-Nov-202
		DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	840	12-Aug-2024	10-Nov-202
		DEEMOIL SGDEO SERIES*	-	13,230	12-Aug-2024	10-Nov-20
	पद Designation : - ईमेल आईडी Email ID : kskattimani@westerncoal.gov.in संपर्क Contact : 7172-265351- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL, Durgapur Opencast, P.O. DURGAPUR Distt Chandrapur, (M.S)Pin 442 403, CHANDRAPUR, MAHARASHTRA-442403, India	DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	ı	2,730	12-Aug-2024	10-Nov-202
		DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	3,150	12-Aug-2024	10-Nov-20
5		DEEMOIL Transmission C4 SAE 30 Transmission Oils	-	14,490	12-Aug-2024	10-Nov-20
		DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	8,820	12-Aug-2024	10-Nov-20.
		DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	ī	7,980	12-Aug-2024	10-Nov-202
		DEEMOIL SGDEO SERIES*	-	10,500	12-Aug-2024	10-Nov-202
संपर्क Contact : 0712-2649299-		DEEMOIL Transmission C4 SAE 30 Transmission Oils	-	12,600	12-Aug-2024	10-Nov-202
	ईमेल आईडी Email ID : alokkumar@westerncoal.gov.in	DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	1,050	12-Aug-2024	10-Nov-202
	पता Address : Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109, NAGPUR, MAHARASHTRA-441109, India	DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	3,780	12-Aug-2024	10-Nov-202
		DEEMOIL 210 Litres Internal Combustion				

Certifications and Standards Whether ISI Marked						No		
		ISO Certification number and date if ISO ce	ertified else Wr	rite NA		NA		
_		Manufacturer ISO Certification				Yes		
	pecification	उप-विनिर्देश Sub-Spec				मूल्य Valu	ie	
	Specification	n for DEEMOIL Extreme Pressure	gAttrs/Speci	ov.in/catalog_data/catalog_s ficationDocument/2024/4/5	5/nit_2024-04-0	-		
de1c.pdf खरीदार विशिष्टता दस्तावेज़ Buyer Specification Document:								
. <u>Specifica</u>	tionDocument1		ument/2021 15_47d981d	ov.in/catalog_data/catalog_s /5/19/2021_05_19_23_23_13 77c2145a2bc75ca6fbf74				cationDoc
वक्रैता विॉ	शिष्टता दस्तावेज़	Seller Specification Document:						
ascom Spe	concation		custom spec	meduun			162	
	pecification ecification		उप-विनिर्देश। Custom Spec				मूल्य Value	
		n for DEEMOIL SGDEO SERIES*					T	
				DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	6,300	12-Aug-2024	10-Nov-202
				DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	5,040	12-Aug-2024	10-Nov-202
	WANI Dist Ya	पता Address : Regional Stores, WCL Wani North Area , PO UKNI, Tah WANI Dist Yavatmal (MS)Pin 445 304, YAVATMAL, MAHARASHTRA-445304, India		DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	2,730	12-Aug-2024	10-Nov-202
8	पद Designation : - ईमेल आईडी Email ID : mr.patil3485@nic.in संपर्क Contact : 07239-241341- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW			DEEMOIL Transmission C4 SAE 30 Transmission Oils	-	14,280	12-Aug-2024	10-Nov-202
				DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	1,260	12-Aug-2024	10-Nov-202
				DEEMOIL Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	2,310	12-Aug-2024	10-Nov-202
				DEEMOIL SGDEO SERIES*	-	10,500	12-Aug-2024	10-Nov-202
				DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	3,150	12-Aug-2024	10-Nov-202
7	संपर्क Contact जीएसटीआईएन पता Address : Chandrapur,	: 07172-237513- GSTIN : 27AAACW1578L1ZW Regional Stores, WCL P.O. GHUGUS COLLIEF M.S ; Pin 442 505, R. MAHARASHTRA-442505, India	RY Distt	DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	3,780	12-Aug-2024	10-Nov-202
		र Designation :- वेल आईडी Email ID : mrbanchod@westerncoal.gov.in		DEEMOIL Transmission C4 SAE 30 Transmission Oils	-	8,400	12-Aug-2024	10-Nov-202
				DEEMOIL SGDEO SERIES*	-	4,620	12-Aug-2024	10-Nov-202
				Engine Lubrication Oil with Grade SAE-10W	-	2,520	12-Aug-2024	10-Nov-202

NA

IS:1118 (Latest)

EP Type GL-5

CM/L Number(Write NA if not applicable)

Conformity to Specification

Oil Types

Generic	Viscosity Grades	SAE 140
	Item	Extreme Pressure Gear Oil for Arrester Barrier(GBM)
Packaging	Packaging Size	210 liter
Fackaging	Packaging Material	MS Barrel
	Copies of test reports and certificates to be furnished to buyer on demand at time of supplies	Yes
Test Reports	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	Yes

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for DEEMOIL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES
Unit of Measurement is to be considered as 1 Piece equivalent to 1 Liter and price to be quote/offered in Rs / liter.	YES,AGREED

Product Specification for DEEMOIL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Manufacturer ISO Certification	Yes
	ISO Certification number and date if ISO certified else Write NA	KDACQ202005020 11/05
Certifications and Standards	Whether ISI Marked	No
	CM/L Number(Write NA if not applicable)	NA
	Conformity to Specification	IS:1118 (Latest)
	Oil Types	EP Type GL-5
Generic	Viscosity Grades	SAE 90
	Item	Extreme Pressure Gear Oil for Arrester Barrier(GBM)
Dockooine	Packaging Size	210 liter
Packaging	Packaging Material	MS Barrel
	Copies of test reports and certificates to be furnished to buyer on demand at time of supplies	Yes
Test Reports	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	Yes

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for DEEMOIL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES
Unit of Measurement is to be considered as 1 Piece equivalent to 1 Liter and price to be quote/offered in Rs / liter.	YES,AGREED

Product Specification for DEEMOIL Transmission C4 SAE 30 Transmission Oils

tem	
tem	Transmission oils
Grade of Transmission oils	Transmission C4 SAE 30
Appearance	Clear
Colour ASTM. Max	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30 , Transmission TO 4 SAE 50 grade)
Copper Strip Corrosion @100 Dea C 3Hr	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30,Transdex II,Steer TM , Transmission TO 4 SAE 50 grade)
Rust Test 24 hrs	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30, Transdex II, Steer TM, Transmission TO 4 SAE 50 grade)
Flash point COC,°C, Min	180 (for Transmission C4 SAE 30, Steer TM grade, Transmission TO 4 SAE 50)
i co	opearance olour ASTM, Max opper Strip Corrosion @100 Deg C 3Hr ust Test 24 hrs

	Pour point °C, Max	Minus 27 for Transmission C4 SAE 30 grade
Physical Characteristics	Kinematic viscosity @ 40 Deg C, cSt, Min	NA (for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM, Transmission TO 4 SAE 50 grade)
	Kinematic viscosity @ 100 Deg C, cSt	(9.3 -12.5) for Transmission C4 SAE 30 grade
	Brookfield viscosity @ -40 Deg C, cp, Max	NA (for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM, Transmission TO 4 SAE 50 grade)
	Viscosity Index, Min	100 (for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade)
	Total base number, mg KOH/gm	(7-8.5) for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Sulphated ash, % wt	NA for Transmission C4 SAE 30 , Transdex II, Steer TM grade
	"Calcium (percent of the reported value), %wt"	(0.1500 - 0.1836) for Transmission C4 SAE 30 grade
	"Zinc (percent of the reported value), %wt"	(0.0635 - 0.0750) for Transmission C4 SAE 30 grade
	"Phosphorus (percent of the reported value), % wt"	(0.0585 - 0.0715) for Transmission C4 SAE 30 grade
Packing , Marking and	Packing of Lubricating oils	MS Barrels
Labelling	Packing size,(Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand	YES

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for DEEMOIL Transmission C4 SAE 30 Transmission Oils

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-15W40
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
Labelling	Packing Size (Litres)	210
Certification	Conformity to Specification	IS : 13656 (Latest)
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked),(else write NA)	NA
	API Classifications	CI4 Plus
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)	YES

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-15W40
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
	Packing Size (Litres)	210

Certification	Conformity to Specification	IS : 13656 (Latest)
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked),(else write NA)	NA
	API Classifications	CH4
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)	YES

खरीदार परिभाषित अतिरक्ति विशिष्टता के लिए |Buyer Defined Additional Specification for DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-10W
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
Labelling	Packing Size (Litres)	210
Certification	Conformity to Specification	IS: 13656 (Latest)
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked),(else write NA)	NA
	API Classifications	CF
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)	YES

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for DEEMOIL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

शुद्धिपत्र|Corrigendum

- 1. GeM-Bidding-Corr-6290052-1.pdf :यहां क्लिक करें|click here
- 2. तक बढ़ाया गया | Extended Upto : 2024-05-23 11:00:00
- 3. GeM-Bidding-Corr-6290052-4.pdf :यहां क्लिक करें|click here

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	ICICI
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा |The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-
- 2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. Click here to view the file

2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.4 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

WESTERN COALETELDS LTD

Account No.

10205966091

IFSC Code

SBIN0009060

Bank Name

STATE BANK OF INDIA

Branch address

COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2.5 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1. Instruction to MSE Bidder: If the MSE bidder wants to avail MSE purchase preference then bidder has to re gistered their status as MSE on GeM portal and also will have to claim purchase preference on GeM portal while participating in bid, in case bidder failed to claim MSE purchase preference on GeM portal then they will not get benefit of MSE purchase preference.
- 2. In case of issuance of contract for part items the technical specifications of the respective items shall be applicable for the items included in the contract.
- 3. In the bid document the Unit of Measurement for Schedule no 8 & 9 should be read as "Liters" instead of "Pieces",
- 4. The clause no 2 in ATC/Commercial terms. i.e. RELAXATION NORMS FOR STARTUPS & MSEs is ap plicable for prior experience only (cl no 8 of Part-A), however, all technical parameters and other terms and con ditions of PART A should be complied for each quoted grade.
- 5. In the buyer specification document, 'SI no' indicated as 01 may read as 11 (i.e. for item/ schedule Sr no 11: Transmission/Hydraulic Oil SAE 30)

6.Pre-contract Integrity Pact: Applicable

7. For Security Deposit Clause Refer Clause no 8 given in ATC/commercial terms.

Note: In cases where the successful tenderer did not submit the security deposit a penalty equivalent to 0.5% (half percent) of SD amount for delay of each week or part thereof would be imposed (for detail refer cl no 8 give n in ATC/Commercial terms).

2.6 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document Click here to view the file .

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.