अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687743285314

अनुबंध तिथि | Generated Date : 12-Aug-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4841259</u>

अनुसूची नाम|Schedule Name:Schedule 9,Schedule 1,Schedule 3,Schedule 13,Schedule 2,Schedule 5,Schedule 6

DF

संगठन विवरण|Organisation Details

प्ररूप|Type : Central PSU
मंत्रालय|Ministry : Ministry of Coal
विभाग|Department : COAL INDIA LIMITED
संगठन का नाम|Organisation Name : WESTERN COALFIELDS LIMITED
कार्यालय क्षेत्र|Office Zone: WCL NAGPUR MAHARASHTRA

खरीदार विवरण|Buyer Details

पद|Designation : Manager MM संपर्क नंबर|Contact No. : 0712-2511383-5824 ईमेल आईडी|Email ID : sachin.khodke@nic.in जीएसटीआईएन|GSTIN : 27AAACW1578L1ZW

पता|Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

भुगतान प्राधिकरण विवरण | Paying Authority Details

PAO

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति] IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

lo Role: Yगतान का तरीका|

भुगतान का तरीका| Payment Mode:

पद|Designation : Dy Manager Fin ईमेल आईडी|Email ID : mukesh.alluri@coalindia.in जीएसटीआईएन|GSTIN : 27AAACW1578L1ZW

WCL Hqrs, Coal Estate, Civil Lines, पता|Address:

NAGPUR CITY, MAHARASHTRA-440001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : C41D190001006538

कंपनी का नाम|Company Name : HINDUSTAN PETROLEUM CORPORATION LIMITED

संपर्क नंबर|Contact No. : 02223030147 ईमेल आईडी|Email ID : rohit@hpcl.in

पता| Address : 17.Jamshedji Tata Road,Churchgate, Mumbai, Maharashtra-400020, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

37AAACH1118B1ZB (B) , 20AAACH1118B1ZQ (B) , 19AAACH1118B1Z9 (B) , 23AAACH1118B1ZK (B) , (B) , 02AAACH1118B2ZN

(B), 22AAACH1118B1ZM (B), (B), 27AAACH1118B1ZC (B), 22AAACH1118B1ZM (B), 03AAACH1118B1ZM (B),

06AAACH1118B1ZG (B) , 01AAACH1118B1ZQ (B) , 21AAACH1118B1ZO (B) , (B) , 36AAACH1118B1ZD (B) , 08AAACH1118B1ZC (B) , 36AAACH1118B1ZD (B) , 24AAACH1118B1ZI (B) , 19AAACH1118B1Z9 (M) , 29AAACH1118B1Z8 (B) , 03AAACH1118B1ZM

(B), 29AAACH1118B1Z8 (M), 23AAACH1118B1ZK (M), (M), 37AAACH1118B1ZB (M), 06AAACH1118B1ZG (B),

जीएसटीआईएन|GSTIN: 27AAACH1118B1ZO (B) , (M) , 09AAACH1118B1ZA (B) , 03AAACH1118B1ZM (B) , 21AAACH1118B1ZO (B) , 19AAACH1118B1Z9

(B), 32AAACH1118B1ZL (B), 27AAACH1118B1ZC (M), 33AAACH1118B1ZJ (B), (B), 29AAACH1118B1Z8 (B), (B),

27AAACH1118B1ZC (R), 30AAACH1118B1ZP (B), 27AAACH1118B1ZC (B), 32AAACH1118B1ZL (B), 37AAACH1118B1ZB (M), 27AAACH1118B1ZC (B), 20AAACH1118B1ZQ (B), 04AAACH1118B1ZK (B), 19AAACH1118B1ZP (B), 20AAACH1118B1ZQ (M), (B), 29AAACH1118B1ZB (M), 09AAACH1118B1ZB (B), 18AAACH1118B1ZB (B), 36AAACH1118B1ZD (B), 20AAACH1118B1ZD (B), 20AAACH1118B1ZP (B), 20AAACH1118P (B), 20AAACH

26AAACH1118B1ZE (M), 03AAACH1118B1ZM (B), 05AAACH1118B1ZI (B), 09AAACH1118B1ZE (G), 27AAACH1118B1ZC (G),

33AAACH1118B1ZJ (G)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

# आइटम विवरण Ite	em Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मृत्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
उत्पाद का नाम Product Name : HPCL Extreme Pressul ब्रांड Brand : HPCL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified cata कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : मॉडल Model: HP - HINDUSTAN PETROLEUM एचएसएन कोड HSN Code: HSN not specified by seller	logue Extreme Pressure Gear Oil as per IS 1118 (Q3)	21,210	pieces	128.64	NA	2,728,454.4
उत्पाद का नाम Product Name : HPCL 210 Litres Interr SAE-15W40 ब्रांड Brand : HPCL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified cata कैसे बेचा जा रहा है Selling As : OEM	·	49,140	liter	119.97	NA	5,895,325.8

	श्रेणी का नाम और चतुर्थांश Category Name & Quadrant: Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) मॉडल Model: HP - HINDUSTAN PETROLEUM एचएसएन कोड HSN Code: HSN not specified by seller					
3	उत्पाद का नाम Product Name : HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40 ब्रांड Brand : HPCL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) मॉडल Model: HP - HINDUSTAN PETROLEUM एचएसएन कोड HSN Code: HSN not specified by seller	59,010	liter	132.01	NA	7,789,910.1
4	उत्पाद का नाम Product Name : HP ENKLO HLP 68 ब्रांड Brand : HPCL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : HP ENKLO HLP 68 (Q3) मॉडल Model: HP - HINDUSTAN PETROLEUM एचएसएन कोड HSN Code: HSN not specified by seller	52,290	liter	120.23	NA	6,286,826.7
5	उत्पाद का नाम Product Name : HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40 ब्रांड Brand : HPCL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) मॉडल Model: HP - HINDUSTAN PETROLEUM एचएसएन कोड HSN Code: HSN not specified by seller	43,050	liter	123.76	NA	5,327,868
6	उत्पाद का नाम Product Name: HPCL Transmission C4 SAE 10W Transmission Oils ब्रांड Brand: HPCL ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बंचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Transmission oils (Q3) मॉडल Model: HP (HINDUSTAN PETROLEUM) एचएसएन कोड HSN Code: HSN not specified by seller	112,770	liter	109.64	NA	12,364,102.8
7	उत्पाद का नाम Product Name : HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W ब्रांड Brand : HPCL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) मॉडल Model: HP - HINDUSTAN PETROLEUM CORPORATION LIMITED एचएसएन कोड HSN Code: HSN not specified by seller	68,250	liter	102.3	NA	6,981,975
कु	ल ऑर्डर मूल्य Total Order Value (in INR)		•			47,374,462.8

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : - ईमेल आईडी Email ID : shailesh.nimbale@nic.in	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	420	12-Aug-2024	10-Nov-2024
1	संपर्क Contact : 07239-241341- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पत्ता Address : WCL Central Stores, Urjagram, Tadali- 442406, CHANDRAPUR, MAHARASHTRA-442406, India	HP ENKLO HLP 68	-	1,680	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	8,400	12-Aug-2024	10-Nov-2024
		HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	3,570	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine				

1	I	Lubrication Oil with	l -	12,600	12-Aug-2024	10-Nov-2024
		Grade SAE-15W40				
	पद Designation : - ईमेल आईडी Email ID : m.khobragade@coalindia.in संपर्क Contact : 07173-230421-	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	10,290	12-Aug-2024	10-Nov-2024
2	जीएसटीआईएन GSTIN: 27AAACW1578L1ZW	HP ENKLO HLP 68	-	8,400	12-Aug-2024	10-Nov-2024
	पता Address : Regional Stores, WCL Ballarpur Area PO Sasti Distt Chandrapur (M.S) Pin 442 706, Chandrapur, MAHARASHTRA-442706, India	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	16,800	12-Aug-2024	10-Nov-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	52,500	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	6,300	12-Aug-2024	10-Nov-2024
3	पद Designation : - ईमेल आईडी Email ID : ss.mangare@nic.in संपर्क Contact : 07175-285019- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL New Majri, P.O. Shivaji Nagar Distt Chandrapur, CHANDRAPUR, MAHARASHTRA-442503, India	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	1,470	12-Aug-2024	10-Nov-2024
		HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	1,890	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	10,290	12-Aug-2024	10-Nov-2024
	पद Designation : - ईमेल आईडी Email ID : abhimanue.katoch@nic.in संपर्क Contact : 90102-08572- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204, NAGPUR, MAHARASHTRA-441204, India	HP ENKLO HLP 68	-	2,100	12-Aug-2024	10-Nov-2024
4		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	5,250	12-Aug-2024	10-Nov-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	7,770	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	2,100	12-Aug-2024	10-Nov-2024
		HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	7,350	12-Aug-2024	10-Nov-2024
	पद Designation : - ईमेल आईडी Email ID : kskattimani@westerncoal.gov.in संपर्क Contact : 7172-265351-	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	26,880	12-Aug-2024	10-Nov-2024
5	जीएसटीआईएन GSTIN: 27AAACW1578L1ZW	HP ENKLO HLP 68	-	16,800	12-Aug-2024	10-Nov-2024
	पता Address : Regional Stores, WCL, Durgapur Opencast, P.O. DURGAPUR Distt Chandrapur, (M.S)Pin 442 403, CHANDRAPUR, MAHARASHTRA-442403, India	HPCL Transmission C4 SAE 10W Transmission Oils	-	31,500	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	23,520	12-Aug-2024	10-Nov-2024
		HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	1,470	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	11,340	12-Aug-2024	10-Nov-2024
	पद Designation : - ईमेल आईडी Email ID : alokkumar@westerncoal.gov.in	HPCL 210 Litres Internal Combustion Engine				

6	संपर्क Contact : 0712-2649299- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW	Lubrication Oil with Grade SAE-15W40	-	3,150	12-Aug-2024	10-Nov-2024
	पता Address : Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109,	HP ENKLO HLP 68	-	8,400	12-Aug-2024	10-Nov-2024
	NAGPUR, MAHARASHTRA-441109, India	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	4,200	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	7,980	12-Aug-2024	10-Nov-2024
		HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	2,100	12-Aug-2024	10-Nov-2024
	पद Designation : - ईमेल आईडी Email ID : mrbanchod@westerncoal.gov.in संपर्क Contact : 07172-237513-	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	10,920	12-Aug-2024	10-Nov-2024
7	जीएसटीआईएन GSTIN : 27AAACW1578L1ZW	HP ENKLO HLP 68	-	8,400	12-Aug-2024	10-Nov-2024
	पता Address: Regional Stores, WCL P.O. GHUGUS COLLIERY Distt Chandrapur, M.S; Pin 442 505, CHANDRAPUR, MAHARASHTRA-442505, India	HPCL Transmission C4 SAE 10W Transmission Oils	-	12,600	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	9,450	12-Aug-2024	10-Nov-2024
		HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	2,940	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	14,910	12-Aug-2024	10-Nov-2024
	पद Designation : - ईमेल आईडी Email ID : mr.patil3485@nic.in संपर्क Contact : 07239-241341-	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	7,770	12-Aug-2024	10-Nov-2024
8	जीएसटीआईएन GSTIN : 27AAACW1578L1ZW	HP ENKLO HLP 68	-	6,510	12-Aug-2024	10-Nov-2024
	पता Address : Regional Stores, WCL Wani North Area , PO UKNI, Tahsil WANI Dist Yavatmal (MS)Pin 445 304, YAVATMAL, MAHARASHTRA-445304, India	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	8,400	12-Aug-2024	10-Nov-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	8,400	12-Aug-2024	10-Nov-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	18,900	12-Aug-2024	10-Nov-2024

Product Specification for HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Manufacturer ISO Certification	Yes
	ISO Certification number and date if ISO certified else Write NA	NA
Certifications and Standards	Whether ISI Marked	No
	CM/L Number(Write NA if not applicable)	NA
	Conformity to Specification	IS:1118 (Latest)
	Oil Types	EP Type GL-5
Generic	Viscosity Grades	SAE 90
	Item	Extreme Pressure Gear Oil for Arrester Barrier(GBM)
Backaging	Packaging Size	210 liter
Packaging	Packaging Material	MS Barrel

	Copies of test reports and certificates to be furnished to buyer on demand at time of supplies	Yes	
est Reports	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	Yes	
ज्यीरार प्रक्रिपहिर अर्जि	क्त विशिष्टता के लिए Buyer Defined Additional Specification for HPCL Extreme Pre	esuro Goar Oil Is:11	19 Sizo 210 litor i
MS Barrel	an initial a lot Buyer Defined Additional Specification for FFCE Extreme Fre	ssure Gear Oil-15.11	18, 3ize 210 liter 1
विनिर्देश Specification			मूल्य Value
	of documents as per attached terms & conditions (ATC Document).		YES
Unit of Measurement is to	be considered as 1 Piece equivalent to 1 Liter and price to be quote/offered in Rs / liter.		YES,AGREED
Product Specification	on for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade	SAE-15W40	
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Va	ue
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-15W	40
General	Item	Internal (Lubricati	Combustion Engine on Oil
Packing , Marking and	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier Packing Size (Litres)		ls
Labelling			
	Conformity to Specification	IS: 13656	(Latest)
	Whether ISI Marked	YES	
Certification	CM/L Number (Must declare if ISI Marked),(else write NA)	NA	
	API Classifications	CH4	
	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be de	clared) YES	
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be de Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no	,	
Test Report Details		,	
	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no	ot available) YES	
खरीदार परिभाषित अर्ति	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वेत विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In	ot available) YES	Engine Lubricatio
खरीदार परिभाषित अर्ति Oil with Grade SAE	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वेत विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In	ot available) YES	
खरीदार परिभाषित अर्ति Oil with Grade SAE विनिर्देश Specification	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वेत विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40	ot available) YES	मूल्य Value
खरीदार परिभाषित अर्ति Oil with Grade SAE विनिर्देश Specification	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वेत विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In	ot available) YES	
खरीदार परिभाषित अर्ति Oil with Grade SAE विनिर्देश Specification	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वेत विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40	ot available) YES	मूल्य Value
खरीदार परिभाषित अर्ति। Oil with Grade SAE- विनिर्देश Specification Acceptance & Submission	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no कित विशष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40 of documents as per attached terms & conditions (ATC Document).	ternal Combustion	मूल्य Value
खरीदार परिभाषित अतिर्वि Oil with Grade SAE विनिर्देश Specification Acceptance & Submission Product Specificatio	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वित विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40 of documents as per attached terms & conditions (ATC Document).	ternal Combustion SAE-15W40	मृत्य Value YES
खरीदार परिभाषित अर्तिर Oil with Grade SAE विनर्देश Specification Acceptance & Submission Product Specificatio विनर्देश Specification	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no कित विशष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40 of documents as per attached terms & conditions (ATC Document).	ternal Combustion	मूल्य Value YES
खरीदार परिभाषित अर्ति। Oil with Grade SAE- विनिर्देश Specification Acceptance & Submission	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no कित विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40 of documents as per attached terms & conditions (ATC Document).	ternal Combustion SAE-15W40 मूल्य Va	मृत्य Value YES ue 40 Combustion Engine
खरीदार परिभाषित अर्ति। Oil with Grade SAE- विनिर्देश Specification Acceptance & Submission Product Specification Grade General	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वित विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40 of documents as per attached terms & conditions (ATC Document). on for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade उप-विनिर्देश Sub-Spec Grade Internal Combustion Engine Lubrication Oil	ternal Combustion SAE-15W40 मूल्य Va SAE-15W Internal Cubricati	मूल्य Value YES ue 40 Combustion Engine on Oil
Oil with Grade SAE- विनर्देश Specification Acceptance & Submission Product Specification विनर्देश Specification Grade	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is no वित विशिष्टता के लिए Buyer Defined Additional Specification for HPCL 210 Litres In 15W40 of documents as per attached terms & conditions (ATC Document). on for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade अप-विनिर्देश Sub-Spec Grade Internal Combustion Engine Lubrication Oil Item The material shall be packed in metal containers or in any other suitable containers as agreed to be	ternal Combustion SAE-15W40 मूल्य Va SAE-15W Internal Cubrication	मूल्य Value YES ue 40 Combustion Engine on Oil

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)

Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)

NO

CI4 Plus

YES

NOT APPLICABLE

Whether ISI Marked

API Classifications

CM/L Number (Must declare if ISI Marked),(else write NA)

Certification

Test Report Details

Acceptance & Submission of documents as ner attached terms & conditions (ATC Document)	विनिर्देश Specification	मूल्य Value
Acceptance a submission of detailed to the acceptance (i.e. submission).	Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

विनिर्देश Specification		उप-विनिर्देश Sub-Spec	मूल्य Value
Custom Specification		Custom Specification	Yes
		nt:	
. <u>SpecificationDocument</u>	1	mkp.gem.gov.in/catalog_data/catalog_support_document/83/01/3 ument/2021/4/28/2021_04_28_15_15_46_enklo-hlp_0_2021-04-28- 49_5aa273ac9618cbdfd7bb7149beb021e2 .pdf	
खरीदार विशिष्टता दस्तावेज़	ज Buyer Specification Docume	nt:	
. <u>SpecificationDocument</u>		mkp.gem.gov.in/catalog_data/catalog_support_document/buyer_g gAttrs/SpecificationDocument/2024/4/5/nit_2024-04-05-11-33- 18_dcd6738bc89aa72b2a828d9202d5493c.pdf	documents/859683/54/78/703/Catalo
Product Specification	on for HPCL 210 Litres Internal	Combustion Engine Lubrication Oil with Grade SAE-15W-	40
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value
Grade	Grade Internal Combustion Engine Lubrication Oil		SAE-15W40
General	Item		Internal Combustion Engine Lubrication Oil
Packing , Marking and	The material shall be packed in metal purchaser and the supplier	l containers or in any other suitable containers as agreed to between the	MS Barrels

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)

Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)

210

NO

CI4

YES

YES

IS: 13656 (Latest)

NOT APPLICABLE

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for HPCL Transmission C4 SAE 10W Transmission Oils

Packing Size (Litres)

Whether ISI Marked

API Classifications

Conformity to Specification

CM/L Number (Must declare if ISI Marked),(else write NA)

Labelling

Certification

Test Report Details

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
General	Item	Transmission oils
Grade	Grade of Transmission oils	Transmission C4 SAE 10W
	Appearance	Clear
	Colour ASTM, Max	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30 , Transmission TO 4 SAE 50 grade)
	Copper Strip Corrosion @100 Deg C 3Hr	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30,Transdex II,Steer TM , Transmission TO 4 SAE 50 grade)
	Rust Test 24 hrs	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30,Transdex II,Steer TM, Transmission TO 4 SAE 50 grade)
	Flash point COC,°C, Min	160 (for Transfluid A, Transmission C4 SAE 10W,Transdex II grade)
	Pour point °C, Max	Minus 30 for Transmission C4 SAE 10W grade
Physical Characteristics	Kinematic viscosity @ 40 Deg C, cSt, Min	NA (for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM, Transmission TO 4 SAE 50 grade)
Trysical characteristics	Kinematic viscosity @ 100 Deg C, cSt	5.6 for Transmission C4 SAE 10W grade
	Brookfield viscosity @ -40 Deg C, cp, Max	NA (for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM, Transmission TO 4 SAE 50 grade)

	Viscosity Index, Min	100 (for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade)
	Total base number, mg KOH/gm	(7-8.5) for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Sulphated ash, % wt	(0.97- 1.2) for Transmission C4 SAE 10W grade
	"Calcium (percent of the reported value), %wt"	(0.2500 - 0.3000) for Transmission C4 SAE 10W grade
	"Zinc (percent of the reported value), %wt"	(0.0900 - 0.1100) for Transmission C4 SAE 10W grade
	"Phosphorus (percent of the reported value), % wt"	(0.0800 - 0.1000) for Transmission C4 SAE 10W grade
Packing , Marking and	Packing of Lubricating oils	MS Barrels
Labelling	Packing size,(Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand	YES

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for HPCL Transmission C4 SAE 10W Transmission Oils

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-10W
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
	Packing Size (Litres)	210
Certification	Conformity to Specification	IS: 13656 (Latest)
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked),(else write NA)	NA
	API Classifications	CF
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)	YES

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

शुद्धिपत्र|Corrigendum

- 1. GeM-Bidding-Corr-6290052-1.pdf :यहां क्लिक करें|click here
- 2. तक बढ़ाया गया|Extended Upto: 2024-05-23 11:00:00
- 3. GeM-Bidding-Corr-6290052-4.pdf :यहां क्लिक करें|click here

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	ICICI
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा |The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. <u>Click here to view the file</u>

2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.4 Forms of EMD and PBG:

 $Bidders\ can\ also\ submit\ the\ EMD\ with\ Payment\ online\ through\ RTGS\ \emph{/}\ internet\ banking\ in\ Beneficiary\ name$

WESTERN COALFIELDS LTD

Account No.

10205966091

IFSC Code

SBIN0009060

Bank Name

STATE BANK OF INDIA

Branch address

COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2.5 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1. Instruction to MSE Bidder: If the MSE bidder wants to avail MSE purchase preference then bidder has to re gistered their status as MSE on GeM portal and also will have to claim purchase preference on GeM portal while participating in bid, in case bidder failed to claim MSE purchase preference on GeM portal then they will not get benefit of MSE purchase preference.
- 2. In case of issuance of contract for part items the technical specifications of the respective items shall be applicable for the items included in the contract.
- 3. In the bid document the Unit of Measurement for Schedule no 8 & 9 should be read as "Liters" instead of "Pieces",
- 4. The clause no 2 in ATC/Commercial terms. i.e. RELAXATION NORMS FOR STARTUPS & MSEs is ap plicable for prior experience only (cl no 8 of Part-A), however, all technical par ameters and other terms and con ditions of PART A should be complied for each quoted grade.
- 5. In the buyer specification document, 'SI no' indicated as 01 may read as 11 (i.e. for item/ schedule Sr no 11: Transmission/Hydraulic Oil SAE 30)

6.Pre-contract Integrity Pact: Applicable

7. For Security Deposit Clause Refer Clause no 8 given in ATC/commercial terms.

Note: In cases where the successful tenderer did not submit the security deposit a penalty equivalent to 0.5% (half percent) of SD amount for delay of each week or part thereof would be imposed (for detail refer cl no 8 give n in ATC/Commercial terms).

2.6 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document <u>Click here to view the file</u> .

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.