

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687711572080

मूल अनुबंध क्रमांक | Original Contract No : GEMC-511687743285314

अनुबंध तिथि | Generated Date : 08-Nov-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4841259](#)

अनुसूची नाम | Schedule Name: Schedule 9, Schedule 1, Schedule 3, Schedule 13, Schedule 2, Schedule 5, Schedule 6

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central PSU	पद   Designation : Manager MM
मंत्रालय   Ministry : Ministry of Coal	संपर्क नंबर   Contact No. : 0712-2511383-5824
विभाग   Department : COAL INDIA LIMITED	ईमेल आईडी   Email ID : sachin.khodke@nic.in
संगठन का नाम   Organisation Name : WESTERN COALFIELDS LIMITED	जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW
कार्यालय क्षेत्र   Office Zone : WCL NAGPUR MAHARASHTRA	पता   Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No	Role: PAO
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: CoFDs	भुगतान का तरीका   Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: D(F)	पद   Designation : Dy Manager Fin
	ईमेल आईडी   Email ID : mukesh.alluri@coalindia.in
	जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW
	पता   Address: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : C41D190001006538
कंपनी का नाम   Company Name : HINDUSTAN PETROLEUM CORPORATION LIMITED
संपर्क नंबर   Contact No. : 02223030147
ईमेल आईडी   Email ID : rohit@hpcl.in
पता   Address : 17, Jamshedji Tata Road, Churchgate, Mumbai, Maharashtra-400020, -
एमएसएमई पंजीकरण संख्या   MSME Registration number : -
जीएसटीआईएन   GSTIN: 37AAACH1118B1ZB (B), 20AAACH1118B1ZQ (B), 19AAACH1118B1Z9 (B), 23AAACH1118B1ZK (B), (B), 02AAACH1118B2ZN (B), 22AAACH1118B1ZM (B), (B), 27AAACH1118B1ZC (B), 22AAACH1118B1ZM (B), 03AAACH1118B1ZM (B), 06AAACH1118B1ZG (B), 01AAACH1118B1ZQ (B), 21AAACH1118B1ZO (B), (B), 36AAACH1118B1ZD (B), 08AAACH1118B1ZC (B), 36AAACH1118B1ZD (B), 24AAACH1118B1ZI (B), 19AAACH1118B1Z9 (M), 29AAACH1118B1Z8 (B), 03AAACH1118B1ZM (B), 29AAACH1118B1Z8 (M), 23AAACH1118B1ZK (M), (M), 37AAACH1118B1ZB (M), 06AAACH1118B1ZG (B), 27AAACH1118B1ZC (B), (M), 09AAACH1118B1ZA (B), 03AAACH1118B1ZM (B), 21AAACH1118B1ZO (B), 19AAACH1118B1Z9 (B), 32AAACH1118B1ZL (B), 27AAACH1118B1ZC (M), 33AAACH1118B1ZJ (B), (B), 29AAACH1118B1Z8 (B), (B), 27AAACH1118B1ZC (R), 30AAACH1118B1ZP (B), 27AAACH1118B1ZC (B), 32AAACH1118B1ZL (B), 37AAACH1118B1ZB (M), 27AAACH1118B1ZC (B), 20AAACH1118B1ZQ (B), 04AAACH1118B1ZK (B), 19AAACH1118B1Z9 (B), 20AAACH1118B1ZQ (M), (B), 29AAACH1118B1Z8 (M), 09AAACH1118B1ZA (B), (B), 18AAACH1118B1ZB (B), 36AAACH1118B1ZD (B), 26AAACH1118B1ZE (M), 03AAACH1118B1ZM (B), 05AAACH1118B1ZI (B), 09AAACH1118B1ZA (G), 27AAACH1118B1ZC (G), 33AAACH1118B1ZJ (G)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel ब्रांड   Brand : HPCL ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Extreme Pressure Gear Oil as per IS 1118 (Q3) मॉडल   Model: HP - HINDUSTAN PETROLEUM एचएसएन कोड   HSN Code: HSN not specified by seller	5,040	pieces	128.64	NA	648,345.6
	उत्पाद का नाम   Product Name : HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40 ब्रांड   Brand : HPCL ब्रांड प्रकार   Brand Type : Registered Brand					

2	<p>कैटलॉग की स्थिति  Catalogue Status: OEM verified catalogue</p> <p>कैसे बेचा जा रहा है  Selling As : OEM</p> <p>श्रेणी का नाम और चतुर्थांश  Category Name &amp; Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2)</p> <p>मॉडल  Model: HP - HINDUSTAN PETROLEUM</p> <p>एचएसएन कोड  HSN Code: HSN not specified by seller</p>	11,340	liter	119.97	NA	1,360,459.8
3	<p>उत्पाद का नाम   Product Name : HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40</p> <p>ब्रांड  Brand : HPCL</p> <p>ब्रांड प्रकार  Brand Type : Registered Brand</p> <p>कैटलॉग की स्थिति  Catalogue Status: OEM verified catalogue</p> <p>कैसे बेचा जा रहा है  Selling As : OEM</p> <p>श्रेणी का नाम और चतुर्थांश  Category Name &amp; Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2)</p> <p>मॉडल  Model: HP - HINDUSTAN PETROLEUM</p> <p>एचएसएन कोड  HSN Code: HSN not specified by seller</p>	13,650	liter	132.01	NA	1,801,936.5
4	<p>उत्पाद का नाम   Product Name : HP ENKLO HLP 68</p> <p>ब्रांड  Brand : HPCL</p> <p>ब्रांड प्रकार  Brand Type : NA</p> <p>कैटलॉग की स्थिति  Catalogue Status: NA</p> <p>कैसे बेचा जा रहा है  Selling As : NA</p> <p>श्रेणी का नाम और चतुर्थांश  Category Name &amp; Quadrant : NA (-)</p> <p>मॉडल  Model: HP - HINDUSTAN PETROLEUM</p> <p>एचएसएन कोड  HSN Code: HSN not specified by seller</p>	10,920	liter	120.23	NA	1,312,911.6
5	<p>उत्पाद का नाम   Product Name : HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40</p> <p>ब्रांड  Brand : HPCL</p> <p>ब्रांड प्रकार  Brand Type : Registered Brand</p> <p>कैटलॉग की स्थिति  Catalogue Status: OEM verified catalogue</p> <p>कैसे बेचा जा रहा है  Selling As : OEM</p> <p>श्रेणी का नाम और चतुर्थांश  Category Name &amp; Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2)</p> <p>मॉडल  Model: HP - HINDUSTAN PETROLEUM</p> <p>एचएसएन कोड  HSN Code: HSN not specified by seller</p>	7,560	liter	123.76	NA	935,625.6
6	<p>उत्पाद का नाम   Product Name : HPCL Transmission C4 SAE 10W Transmission Oils</p> <p>ब्रांड  Brand : HPCL</p> <p>ब्रांड प्रकार  Brand Type : Registered Brand</p> <p>कैटलॉग की स्थिति  Catalogue Status: OEM verified catalogue</p> <p>कैसे बेचा जा रहा है  Selling As : OEM</p> <p>श्रेणी का नाम और चतुर्थांश  Category Name &amp; Quadrant : Transmission oils (Q3)</p> <p>मॉडल  Model: HP (HINDUSTAN PETROLEUM)</p> <p>एचएसएन कोड  HSN Code: HSN not specified by seller</p>	27,930	liter	109.64	NA	3,062,245.2
7	<p>उत्पाद का नाम   Product Name : HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W</p> <p>ब्रांड  Brand : HPCL</p> <p>ब्रांड प्रकार  Brand Type : Registered Brand</p> <p>कैटलॉग की स्थिति  Catalogue Status: OEM verified catalogue</p> <p>कैसे बेचा जा रहा है  Selling As : OEM</p> <p>श्रेणी का नाम और चतुर्थांश  Category Name &amp; Quadrant : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2)</p> <p>मॉडल  Model: HP - HINDUSTAN PETROLEUM CORPORATION LIMITED</p> <p>एचएसएन कोड  HSN Code: HSN not specified by seller</p>	16,800	liter	102.3	NA	1,718,640
कुल ऑर्डर मूल्य   Total Order Value (in INR)						10,840,164.3

**परोषिती विवरण| Consignee Detail**

क्र.सं.   S.No	परोषिती  Consignee	वस्तु  Item	लॉट नंबर  Lot No.	मात्रा  Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
	<p>पद  Designation :-</p> <p>ईमेल आईडी  Email ID : m.khobragade@coalindia.in</p> <p>संपर्क  Contact : 07173-230421-</p>	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	840	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	3,150	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	2,520	08-Nov-2024	10-Dec-2024

1	<p>जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW  पता   Address : Regional Stores, WCL Ballarpur Area PO Sasti Distt Chandrapur (M.S) Pin 442 706,  Chandrapur, MAHARASHTRA-442706, India</p>	HP ENKLO HLP 68	-	2,100	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	4,200	08-Nov-2024	10-Dec-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	13,020	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	1,680	08-Nov-2024	10-Dec-2024
2	<p>पद   Designation :-  ईमेल आईडी   Email ID : ss.mangare@nic.in  संपर्क   Contact : 07175-285019-  जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW  पता   Address : Regional Stores, WCL New Majri, P.O. Shivaji Nagar Distt Chandrapur,  CHANDRAPUR, MAHARASHTRA-442503, India</p>	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	420	08-Nov-2024	10-Dec-2024
3	<p>पद   Designation :-  ईमेल आईडी   Email ID : abhimanue.katoch@nic.in  संपर्क   Contact : 90102-08572-  जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW  पता   Address : Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204,  NAGPUR, MAHARASHTRA-441204, India</p>	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	420	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	2,520	08-Nov-2024	10-Dec-2024
		HP ENKLO HLP 68	-	420	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	1,260	08-Nov-2024	10-Dec-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	1,890	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	420	08-Nov-2024	10-Dec-2024
4	<p>पद   Designation :-  ईमेल आईडी   Email ID : kskattimani@westerncoal.gov.in  संपर्क   Contact : 7172-265351-  जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW  पता   Address : Regional Stores, WCL, Durgapur Opencast, P.O. DURGAPUR Distt Chandrapur, ( M.S)Pin 442 403,  CHANDRAPUR, MAHARASHTRA-442403, India</p>	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	1,680	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	6,510	08-Nov-2024	10-Dec-2024
		HP ENKLO HLP 68	-	4,200	08-Nov-2024	10-Dec-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	7,770	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	5,880	08-Nov-2024	10-Dec-2024
5	<p>पद   Designation :-  ईमेल आईडी   Email ID : alokkumar@westerncoal.gov.in  संपर्क   Contact : 0712-2649299-  जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW  पता   Address : Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109,  NAGPUR, MAHARASHTRA-441109, India</p>	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	420	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	2,100	08-Nov-2024	10-Dec-2024
		HP ENKLO HLP 68	-	630	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	1,890	08-Nov-2024	10-Dec-2024
		HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	420	08-Nov-2024	10-Dec-2024

6	<p>पद   Designation :-  ईमेल आईडी   Email ID : mrbanchod@westerncoal.gov.in  संपर्क   Contact : 07172-237513-  जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW  पता   Address : Regional Stores, WCL P.O. GHUGUS COLLIERY Distt Chandrapur, M.S ; Pin 442 505,  CHANDRAPUR, MAHARASHTRA-442505, India</p>	HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	2,730	08-Nov-2024	10-Dec-2024
		HP ENKLO HLP 68	-	2,100	08-Nov-2024	10-Dec-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	3,150	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	2,310	08-Nov-2024	10-Dec-2024
7	<p>पद   Designation :-  ईमेल आईडी   Email ID : mr.patil3485@nic.in  संपर्क   Contact : 07239-241341-  जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW  पता   Address : Regional Stores, WCL Wani North Area , PO UKNI, Tahsil WANI Dist Yavatmal (MS) Pin 445 304,  YAVATMAL, MAHARASHTRA-445304, India</p>	HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	840	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	3,570	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	1,890	08-Nov-2024	10-Dec-2024
		HP ENKLO HLP 68	-	1,470	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	2,100	08-Nov-2024	10-Dec-2024
		HPCL Transmission C4 SAE 10W Transmission Oils	-	2,100	08-Nov-2024	10-Dec-2024
		HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W	-	4,620	08-Nov-2024	10-Dec-2024

**Product Specification for HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Certifications and Standards	Manufacturer ISO Certification	Yes
	ISO Certification number and date if ISO certified else Write NA	NA
	Whether ISI Marked	No
	CM/L Number(Write NA if not applicable)	NA
	Conformity to Specification	IS:1118 (Latest)
Generic	Oil Types	EP Type GL-5
	Viscosity Grades	SAE 90
	Item	Extreme Pressure Gear Oil for Arrestor Barrier(GBM)
Packaging	Packaging Size	210 liter
	Packaging Material	MS Barrel
Test Reports	Copies of test reports and certificates to be furnished to buyer on demand at time of supplies	Yes
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	Yes

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HPCL Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel**

विनिर्देश   Specification	मूल्य   Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES
Unit of Measurement is to be considered as 1 Piece equivalent to 1 Liter and price to be quote/offered in Rs / liter.	YES,AGREED

**Product Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-15W40
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
	Packing Size (Litres)	210
Certification	Conformity to Specification	IS : 13656 (Latest)
	Whether ISI Marked	YES
	CM/L Number (Must declare if ISI Marked),(else write NA)	NA
	API Classifications	CH4
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand( Must be declared, write NA if Test Report is not available)	YES

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40**

विनिर्देश   Specification	मूल्य   Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

**Product Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-15W40
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
	Packing Size (Litres)	210
Certification	Conformity to Specification	IS : 13656 (Latest)
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked),(else write NA)	NOT APPLICABLE
	API Classifications	CI4 Plus
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand( Must be declared, write NA if Test Report is not available)	YES

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40**

विनिर्देश   Specification	मूल्य   Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

**Product Specification for HP ENKLO HLP 68**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Custom Specification	Custom Specification	Yes

**विक्रेता विशिष्टता दस्तावेज़ | Seller Specification Document:**

1. <a href="http://mkp.gem.gov.in/catalog_data/catalog_support_document/83/01/330/CatalogAttrs/SpecificationDocument/2021/4/28/2021_04_28_15_15_46_enklo-hlp_0_2021-04-28-15-15-49_5aa273ac9618cbdfd7bb7149beb021e2.pdf">SpecificationDocument1</a>	mkp.gem.gov.in/catalog_data/catalog_support_document/83/01/330/CatalogAttrs/SpecificationDocument/2021/4/28/2021_04_28_15_15_46_enklo-hlp_0_2021-04-28-15-15-49_5aa273ac9618cbdfd7bb7149beb021e2.pdf
---	--

**खरीदार विशिष्टता दस्तावेज़ | Buyer Specification Document:**

1. <a href="#">SpecificationDocument</a>		mkp.gem.gov.in/catalog_data/catalog_support_document/buyer_documents/859683/54/78/703/CatalogAttrs/SpecificationDocument/2024/4/5/nit_2024-04-05-11-33-18_dcd6738bc89aa72b2a828d9202d5493c.pdf
<b>Product Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40</b>		
विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-15W40
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
	Packing Size (Litres)	210
Certification	Conformity to Specification	IS : 13656 (Latest)
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked),(else write NA)	NOT APPLICABLE
	API Classifications	CI4
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand( Must be declared, write NA if Test Report is not available)	YES
<b>खरीदार परिभाषित अतिरिक्त विशेषता के लिए   Buyer Defined Additional Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40</b>		
विनिर्देश   Specification	मूल्य   Value	
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES	
<b>Product Specification for HPCL Transmission C4 SAE 10W Transmission Oils</b>		
विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
General	Item	Transmission oils
Grade	Grade of Transmission oils	Transmission C4 SAE 10W
Physical Characteristics	Appearance	Clear
	Colour ASTM, Max	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30 , Transmission TO 4 SAE 50 grade)
	Copper Strip Corrosion @100 Deg C 3Hr	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30,Transdex II,Steer TM , Transmission TO 4 SAE 50 grade)
	Rust Test 24 hrs	NA (for Transmission C4 SAE 10W, Transmission C4 SAE 30,Transdex II,Steer TM, Transmission TO 4 SAE 50 grade)
	Flash point COC, °C, Min	160 (for Transfluid A, Transmission C4 SAE 10W,Transdex II grade)
	Pour point °C, Max	Minus 30 for Transmission C4 SAE 10W grade
	Kinematic viscosity @ 40 Deg C, cSt, Min	NA ( for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM, Transmission TO 4 SAE 50 grade)
	Kinematic viscosity @ 100 Deg C, cSt	5.6 for Transmission C4 SAE 10W grade
	Brookfield viscosity @ -40 Deg C, cp, Max	NA (for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM, Transmission TO 4 SAE 50 grade)
	Viscosity Index, Min	100 (for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade)
	Total base number, mg KOH/gm	(7- 8.5) for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Sulphated ash, % wt	(0.97- 1.2) for Transmission C4 SAE 10W grade
	"Calcium (percent of the reported value), %wt"	(0.2500 - 0.3000) for Transmission C4 SAE 10W grade
	"Zinc (percent of the reported value), %wt"	(0.0900 - 0.1100) for Transmission C4 SAE 10W grade
	"Phosphorus (percent of the reported value), % wt"	(0.0800 - 0.1000) for Transmission C4 SAE 10W grade
Packing , Marking and Labelling	Packing of Lubricating oils	MS Barrels
	Packing size,(Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES

Test Report to be furnished to the Buyer on demand

YES

## खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HPCL Transmission C4 SAE 10W Transmission Oils

## विनिर्देश | Specification

मूल्य | Value

Acceptance &amp; Submission of documents as per attached terms &amp; conditions (ATC Document).

YES

## Product Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W

## विनिर्देश | Specification

## उप-विनिर्देश | Sub-Spec

मूल्य | Value

Grade Internal Combustion Engine Lubrication Oil

SAE-10W

General Item

Internal Combustion Engine Lubrication Oil

Packing , Marking and Labelling

The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier

MS Barrels

Packing Size (Litres)

210

Certification

Conformity to Specification

IS : 13656 (Latest)

Whether ISI Marked

NO

CM/L Number (Must declare if ISI Marked),(else write NA)

NA

API Classifications

CF

Test Report Details

Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)

YES

Test Report to be furnished to the Buyer on demand( Must be declared, write NA if Test Report is not available)

YES

## खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HPCL 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-10W

## विनिर्देश | Specification

मूल्य | Value

Acceptance &amp; Submission of documents as per attached terms &amp; conditions (ATC Document).

YES

## शुद्धिपत्र | Corrigendum

1. GeM-Bidding-Corr-6290052-1.pdf :[यहां क्लिक करें | click here](#)
2. तक बढ़ाया गया | Extended Upto : 2024-05-23 11:00:00
3. GeM-Bidding-Corr-6290052-4.pdf :[यहां क्लिक करें | click here](#)

## ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक | Advisory Bank :

ICICI

ईपीबीजी प्रतिशत (%) | ePBG Percentage(%):

5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

## नियम और शर्तें | Terms and Conditions

## 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

## 2. Buyer Added Bid Specific Terms and Conditions-

## 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

## 2.2 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

## 2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**2.4 Forms of EMD and PBG:**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

WESTERN COALFIELDS LTD

Account No.

10205966091

IFSC Code

SBIN0009060

Bank Name

STATE BANK OF INDIA

Branch address

COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

**2.5 Buyer Added Bid Specific ATC:**

Buyer Added text based ATC clauses

1. Instruction to MSE Bidder: If the MSE bidder wants to avail MSE purchase preference then bidder has to register their status as MSE on GeM portal and also will have to claim purchase preference on GeM portal while participating in bid, in case bidder failed to claim MSE purchase preference on GeM portal then they will not get benefit of MSE purchase preference.

2. In case of issuance of contract for part items the technical specifications of the respective items shall be applicable for the items included in the contract.

3. In the bid document the Unit of Measurement for Schedule no 8 & 9 should be read as "Liters" instead of "Pieces" ,

4. The clause no 2 in ATC/Commercial terms. i.e. RELAXATION NORMS FOR STARTUPS & MSEs is applicable for prior experience only (cl no 8 of Part-A) , however , all technical parameters and other terms and conditions of PART A should be complied for each quoted grade.

5. In the buyer specification document, 'SI no' indicated as 01 may read as 11 (i.e. for item/ schedule Sr no 11: Transmission/Hydraulic Oil - SAE 30)

6.Pre-contract Integrity Pact: Applicable

7. For Security Deposit Clause Refer **Clause no 8 given in ATC/commercial terms.**

**Note: In cases where the successful tenderer did not submit the security deposit a penalty equivalent to 0.5% ( half percent) of SD amount for delay of each week or part thereof would be imposed (for detail refer cl no 8 given in ATC/Commercial terms).**

**2.6 Buyer Added Bid Specific ATC:**

Buyer uploaded ATC document [Click here to view the file](#) .

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.