

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687781171376

मूल अनुबंध क्रमांक | Original Contract No : GEMC-511687798528505

अनुबंध तिथि | Generated Date : 08-Nov-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4841259](#)

अनुसूची नाम | Schedule Name: Schedule 11, Schedule 4, Schedule 12, Schedule 7

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : COAL INDIA LIMITED संगठन का नाम Organisation Name : WESTERN COALFIELDS LIMITED कार्यालय क्षेत्र Office Zone: WCL NAGPUR MAHARASHTRA	पद Designation : Manager MM संपर्क नंबर Contact No. : 0712-2511383-5824 ईमेल आईडी Email ID : sachin.khodke@nic.in जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम CoFDs Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम D(F) Designation of Financial Approval :	Role: PAO भुगतान का तरीका Offline Payment Mode: पद Designation : Dy Manager Fin ईमेल आईडी Email ID : mukesh.alluri@coalindia.in जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 40BA190000758290 कंपनी का नाम Company Name : INDIAN OIL CORPORATION LIMITED संपर्क नंबर Contact No. : 07291005171 ईमेल आईडी Email ID : achore@indianoil.in पता Address : G-9, INDIAN OIL BHAVAN, ALI YAVAR JUNG MARG, BANDRA (EAST), Mumbai, MAHARASHTRA-400051, - एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 07AAAC1681G1ZR (B) , 33AAAC1681G1ZW (B) , 23AAAC1681G1ZX (B) , 22AAAC1681G1ZZ (B) , 32AAAC1681G1ZY (B) , 19AAAC1681G1ZM (B) , 06AAAC1681G1ZT (M) , 09AAAC1681G1ZN (B) , 36AAAC1681G1ZQ (B) , 27AAAC1681G1ZP (M) , 33AAAC1681G1ZW (M) , 19AAAC1681G1ZM (M) , 18AAAC1681G1ZO (B) , 27AAAC1681G1ZP (M) , 10AAAC1681G1Z4 (B) , 03AAAC1681G1ZZ (B) , 08AAAC1681G2ZO (B) , 27AAAC1681G1ZP (R) , 20AAAC1681G3Z1 (B) , 24AAAC1681G1ZV (B) , 09AAAC1681G1ZN (B) , 27AAAC1681G1ZP (M) , 06AAAC1681G1ZT (M) , 33AAAC1681G1ZW (M) , 29AAAC1681G1ZL (B) , 37AAAC1681G2ZN (B) , 32AAAC1681G1ZY (B) , (B) , (B) , 01AAAC1681G2Z2 (B) , 21AAAC1681G1Z1 (B) , (B) , 27AAAC1681G4ZM (M)

खरीदार द्वारा मूल्यांकित एमआईआई स्थिति MII Status as evaluated by buyer : Verified
खरीदार द्वारा सत्यापित एमएसएमई स्थिति MSME Status as verified by buyer : Not Verified

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : SERVO ULTRA 30 ब्रांड Brand : SERVO ब्रांड प्रकार Brand Type : NA कैटलॉग की स्थिति Catalogue Status: NA कैसे बेचा जा रहा है Selling As : NA श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : NA (-) मॉडल Model: SERVO ULTRA 30 एचएसएन कोड HSN Code: 2710	41,790	liter	115.97	NA	4,846,386.3
2	उत्पाद का नाम Product Name : SERVO Transmission C4 SAE 30 Transmission Oils ब्रांड Brand : SERVO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM	59,220	liter	113.87	NA	6,743,381.4

	श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Transmission oils (Q3) मॉडल Model: INDIAN OIL (SERVO) एचएसएन कोड HSN Code: 2710					
3	उत्पाद का नाम Product Name : SERVOHYDREX TH 46 ब्रांड Brand : SERVO ब्रांड प्रकार Brand Type : NA कैटलॉग की स्थिति Catalogue Status: NA कैसे बेचा जा रहा है Selling As : NA श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : NA (-) मॉडल Model: INDIANOIL (SERVO) एचएसएन कोड HSN Code: 2710	9,030	liter	116.96	NA	1,056,148.8
4	उत्पाद का नाम Product Name : SERVO Final Drive Axle Oil MS Barrels ब्रांड Brand : SERVO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Final Drive Axle Oil (Q2) मॉडल Model: INDIAN OIL (SERVO) एचएसएन कोड HSN Code: 2710	7,350	liter	253.7	NA	1,864,695

कुल ऑर्डर मूल्य | Total Order Value (in INR) 14,510,611.5

परोषिती विवरण | Consignee Detail

क्र.सं. S.No	परोषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : m.khobragade@coalindia.in संपर्क Contact : 07173-230421- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL Ballarpur Area PO Sasti Distt Chandrapur (M.S) Pin 442 706, Chandrapur, MAHARASHTRA-442706, India	SERVO ULTRA 30	-	9,870	08-Nov-2024	10-Dec-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	17,640	08-Nov-2024	10-Dec-2024
		SERVOHYDREX TH 46	-	2,520	08-Nov-2024	10-Dec-2024
		SERVO Final Drive Axle Oil MS Barrels	-	2,100	08-Nov-2024	10-Dec-2024
2	पद Designation :- ईमेल आईडी Email ID : ss.mangare@nic.in संपर्क Contact : 07175-285019- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL New Majri, P.O. Shivaji Nagar Distt Chandrapur, CHANDRAPUR, MAHARASHTRA-442503, India	SERVOHYDREX TH 46	-	210	08-Nov-2024	10-Dec-2024
3	पद Designation :- ईमेल आईडी Email ID : abhimanue.katoch@nic.in संपर्क Contact : 90102-08572- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204, NAGPUR, MAHARASHTRA-441204, India	SERVO ULTRA 30	-	2,940	08-Nov-2024	10-Dec-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	5,880	08-Nov-2024	10-Dec-2024
		SERVOHYDREX TH 46	-	630	08-Nov-2024	10-Dec-2024
		SERVO Final Drive Axle Oil MS Barrels	-	420	08-Nov-2024	10-Dec-2024
4	पद Designation :- ईमेल आईडी Email ID : kskattimani@westerncoal.gov.in संपर्क Contact : 7172-265351- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL, Durgapur Opencast, P.O. DURGAPUR Distt Chandrapur, (M.S)Pin 442 403, CHANDRAPUR, MAHARASHTRA-442403, India	SERVO ULTRA 30	-	9,660	08-Nov-2024	10-Dec-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	10,920	08-Nov-2024	10-Dec-2024
		SERVO Final Drive Axle Oil MS Barrels	-	1,260	08-Nov-2024	10-Dec-2024
5	पद Designation :- ईमेल आईडी Email ID : alokkumar@westerncoal.gov.in संपर्क Contact : 0712-2649299- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109, NAGPUR, MAHARASHTRA-441109, India	SERVO ULTRA 30	-	8,190	08-Nov-2024	10-Dec-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	9,450	08-Nov-2024	10-Dec-2024
6	पद Designation :- ईमेल आईडी Email ID : mrbanchod@westerncoal.gov.in संपर्क Contact : 07172-237513- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL P.O. GHUGUS COLLIERY Distt Chandrapur, M.S; Pin 442 505, CHANDRAPUR, MAHARASHTRA-442505, India	SERVO ULTRA 30	-	3,570	08-Nov-2024	10-Dec-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	4,620	08-Nov-2024	10-Dec-2024
		SERVOHYDREX TH 46	-	5,250	08-Nov-2024	10-Dec-2024
		SERVO Final Drive Axle Oil MS Barrels	-	2,100	08-Nov-2024	10-Dec-2024

7	<p>पद Designation :- ईमेल आईडी Email ID : mr.patil3485@nic.in संपर्क Contact : 07239-241341- जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : Regional Stores, WCL Wani North Area , PO UKNI, Tahsil WANI Dist Yavatmal (MS) Pin 445 304, YAVATMAL, MAHARASHTRA-445304, India</p>	SERVO ULTRA 30	-	7,560	08-Nov-2024	10-Dec-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	10,710	08-Nov-2024	10-Dec-2024
		SERVOHYDREX TH 46	-	420	08-Nov-2024	10-Dec-2024
		SERVO Final Drive Axle Oil MS Barrels	-	1,470	08-Nov-2024	10-Dec-2024

Product Specification for SERVO ULTRA 30

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Custom Specification	Custom Specification	Yes

विक्रेता विशिष्टता दस्तावेज़ | Seller Specification Document:

1. SpecificationDocument1	<p>mkp.gem.gov.in/catalog_data/catalog_support_document/43/14/100/CatalogAttrs/SpecificationDocument/2024/5/17/2024_05_17_15_16_15_pds_servo_ultra_10w_30_july_20_2024-05-17-15-16-43_99628ca702d3 1274509327bb6f0d7a21.pdf</p>
---	--

खरीदार विशिष्टता दस्तावेज़ | Buyer Specification Document:

1. SpecificationDocument	<p>mkp.gem.gov.in/catalog_data/catalog_support_document/buyer_documents/859683/54/78/703/CatalogAttrs/SpecificationDocument/2024/4/5/nit_2024-04-05-11-29-46_46ffb42fd1ffe19c41f6b3ffecb4a547.pdf</p>
--	---

Product Specification for SERVO Transmission C4 SAE 30 Transmission Oils

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
General	Item	Transmission oils
Grade	Grade of Transmission oils	Transmission C4 SAE 30
Physical Characteristics	Appearance	Clear
	Colour ASTM, Max	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Copper Strip Corrosion @100 Deg C 3Hr	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30, Transdex II, Steer TM grade
	Rust Test 24 hrs	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30, Transdex II, Steer TM grade
	Flash point COC, °C, Min	180 for Transmission C4 SAE 30, Steer TM grade
	Pour point °C, Max	Minus 27 for Transmission C4 SAE 30 grade
	Kinematic viscosity @ 40 Deg C, cSt, Min	NA for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM grade
	Kinematic viscosity @ 100 Deg C, cSt	(9.3 -12.5) for Transmission C4 SAE 30 grade
	Brookfield viscosity @ -40 Deg C, cp, Max	NA for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM grade
	Viscosity Index, Min	100 for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Total base number, mg KOH/gm	(7- 8.5) for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Sulphated ash, % wt	NA for Transmission C4 SAE 30 , Transdex II, Steer TM grade
	"Calcium (percent of the reported value), %wt"	(0.1500 - 0.1836) for Transmission C4 SAE 30 grade
	"Zinc (percent of the reported value), %wt"	(0.0635 - 0.0750) for Transmission C4 SAE 30 grade
"Phosphorus (percent of the reported value), % wt"	(0.0585 - 0.0715) for Transmission C4 SAE 30 grade	
Packing , Marking and Labelling	Packing of Lubricating oils	MS Barrels
	Packing size,(Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand	YES

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for SERVO Transmission C4 SAE 30 Transmission Oils

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for SERVOHYDREX TH 46

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Custom Specification	Custom Specification	Yes

विक्रेता विशिष्टता दस्तावेज़ | Seller Specification Document:

1. SpecificationDocument1	mkp.gem.gov.in/catalog_data/catalog_support_document/43/14/100/CatalogAttrs/SpecificationDocument/2024/1/5/2024_01_05_14_58_48_servohydrex_th_46_2024-01-05-14-58-50_0374773caa88c7672046d74d45b54a86.pdf	
---	---	--

खरीदार विशिष्टता दस्तावेज़ | Buyer Specification Document:

1. SpecificationDocument	mkp.gem.gov.in/catalog_data/catalog_support_document/buyer_documents/859683/54/78/703/CatalogAttrs/SpecificationDocument/2024/4/5/nit_2024-04-05-11-32-03_aafc7c9e14a825aee80e2275acfdabaa.pdf	
--	--	--

Product Specification for SERVO Final Drive Axle Oil MS Barrels

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
General	Item	Final Drive Axle Oil
Requirement for Final Drive Axle Oil	Appearance	Clear
	Colour ASTM, Max	8
	Flash point COC, °C, Min	230
	Pour point °C, Max	-9
	Kinematic viscosity @ 100 Deg C, cSt	25.28
	Foaming Chrs, Tendency/ Stability : At 24 Deg C, Max	10/0
	Foaming Chrs, Tendency/ Stability : At 93 point 5 Deg C, Max	50/0
	Foaming Chrs, Tendency/ Stability : at 24 Deg C after the test at 93 point 5 Deg C , Max	10/0
	Total base number, mg KOH/gm	3.84
	Sulphated ash, % wt	0.13
	Calcium (percent of the reported value), %wt	0.029
Phosphorus (percent of the reported value), % wt	0.033	
Packing , Marking and Labelling	Packing of Final Drive Axle Oil	MS Barrels
	Packing size (Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand (Must be declared, write NA if Test Report is not available)	YES
	Product data sheet will be submitted by the seller on demand	YES
	Metal safety data sheet will be submitted by the seller on demand	YES

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for SERVO Final Drive Axle Oil MS Barrels

विनिर्देश Specification	मूल्य Value
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

शुद्धिपत्र | Corrigendum

1. GeM-Bidding-Corr-6290052-1.pdf [यहां क्लिक करें | click here](#)
2. तक बढ़ाया गया | Extended Upto : 2024-05-23 11:00:00
3. GeM-Bidding-Corr-6290052-4.pdf [यहां क्लिक करें | click here](#)

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	ICICI
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#).

2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.4 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

WESTERN COALFIELDS LTD

Account No.

10205966091

IFSC Code

SBIN0009060

Bank Name

STATE BANK OF INDIA

Branch address

COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2.5 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Instruction to MSE Bidder: If the MSE bidder wants to avail MSE purchase preference then bidder has to register their status as MSE on GeM portal and also will have to claim purchase preference on GeM portal while participating in bid, in case bidder failed to claim MSE purchase preference on GeM portal then they will not get benefit of MSE purchase preference.
2. In case of issuance of contract for part items the technical specifications of the respective items shall be applicable for the items included in the contract.
3. In the bid document the Unit of Measurement for Schedule no 8 & 9 should be read as "Liters" instead of "Pieces" ,
4. The clause no 2 in ATC/Commercial terms. i.e. RELAXATION NORMS FOR STARTUPS & MSEs is applicable for prior experience only (cl no 8 of Part-A) , however , all technical parameters and other terms and conditions of PART A should be complied for each quoted grade.
5. In the buyer specification document, 'Sl no' indicated as 01 may read as 11 (i.e. for item/ schedule Sr no 11: Transmission/Hydraulic Oil - SAE 30)
- 6.Pre-contract Integrity Pact: Applicable
7. For Security Deposit Clause Refer **Clause no 8 given in ATC/commercial terms.**

Note: In cases where the successful tenderer did not submit the security deposit a penalty equivalent to 0.5% (half percent) of SD amount for delay of each week or part thereof would be imposed (for detail refer cl no 8 given in ATC/Commercial terms).

2.6 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#) .

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.