

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687704035505

अनुबंध तिथि | Generated Date : 26-Nov-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5346980](#)

| संगठन विवरण   Organisation Details   | खरीदार विवरण   Buyer Details   |
|--|--|
| प्रकार   Type : Central PSU<br>मंत्रालय   Ministry : Ministry of Coal<br>विभाग   Department : COAL INDIA LIMITED<br>संगठन का नाम   Organisation Name : WESTERN COALFIELDS LIMITED<br>कार्यालय क्षेत्र   Office Zone : WCL NAGPUR MAHARASHTRA | पद   Designation : Senior Manager<br>संपर्क नंबर   Contact No. : -<br>ईमेल आईडी   Email ID : mrunal.mehta@coalindia.in<br>जीएसटीआईएन   GSTIN : -<br>पता   Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail  | भुगतान प्राधिकरण विवरण   Paying Authority Details  |
|---|--|
| आईएफडी सहमति   IFD Concurrence : No<br>प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : CMD WCL<br>वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : GM(MM) | Role: PAO<br>भुगतान का तरीका   Payment Mode: Offline<br>पद   Designation : Dy Manager Fin<br>ईमेल आईडी   Email ID : mukesh.alluri@coalindia.in<br>जीएसटीआईएन   GSTIN : 27AAACW1578L1ZW<br>पता   Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India |

| विक्रेता विवरण   Seller Details   |  |
|---|--|
| जेम विक्रेता आईडी   GeM Seller ID : 3C77180000329985<br>कंपनी का नाम   Company Name : ECO STRUCTURES PRIVATE LIMITED<br>संपर्क नंबर   Contact No. : 09975043605<br>ईमेल आईडी   Email ID : ecostructuresecom@gmail.com<br>पता   Address : G-101, BHAGYASHREE APPARTMENT, RAHATE COLONY SQUARE, NAGPUR, RAHATE COLONY SQUARE, Nagpur, MAHARASHTRA-440010, -<br>एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-MH-20-0182142<br>जीएसटीआईएन   GSTIN : 27AADCE3557E1Z (R) |  |

|   |  |
|---|--|
| खरीदार द्वारा मूल्यांकित एमआईआई स्थिति   MII Status as evaluated by buyer : Verified    |  |
| खरीदार द्वारा सत्यापित एमएसएमई स्थिति   MSME Status as verified by buyer : Not Verified |  |
| एमएसएमई सामाजिक श्रेणी   MSE Social Category : General                                  |  |
| एमएसएमई लिंग श्रेणी   MSE Gender : Male   |  |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

| उत्पाद विवरण   Product Details (PAC) |  |                               |             |                                     |   |   |
|--------------------------------------|--|-------------------------------|-------------|-------------------------------------|---|---|
| #                                    | आइटम विवरण   Item Description  | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                                    | उत्पाद का नाम   Product Name : GODREJ INTERIO Cantilever Office Chair Non-revolving and non-tilting chair with armrest<br>ब्रांड   Brand : GODREJ INTERIO<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue<br>कैसे बेचा जा रहा है   Selling As : OEM verified Reseller<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Office Chair (V3) (Q2)<br>मॉडल   Model: GODREJ INTERIO LASEDE VISITOR CHAIR<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 6                             | pieces      | 32,000                              | NA                                      | 192,000   |
| 2                                    | उत्पाद का नाम   Product Name : GODREJ INTERIO Cantilever Office Chair Non-revolving and non-tilting chair with armrest<br>ब्रांड   Brand : GODREJ INTERIO<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue<br>कैसे बेचा जा रहा है   Selling As : OEM verified Reseller<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Office Chair (V3) (Q2)<br>मॉडल   Model: GODREJ INTERIO BRAVO VISITOR CHAIR<br>एचएसएन कोड   HSN Code: HSN not specified by seller  | 24                            | pieces      | 8,062                               | NA                                      | 193,488   |
|                                      | उत्पाद का नाम   Product Name : GODREJ INTERIO Rectangular Adjacent side of leg Classroom Tables<br>ब्रांड   Brand : GODREJ INTERIO   |                               |             |                                     |   |   |

|    |   |    |          |           |    |           |
|----|---|----|----------|-----------|----|-----------|
| 3  | <p>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Classroom Tables (Q3)<br/>मॉडल Model: GODREJ INTERIO UNLEARN 2 SEATER TRAINING 1350<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p>   | 41 | pieces   | 27,810    | NA | 1,140,210 |
| 4  | <p>उत्पाद का नाम  Product Name : GODREJ INTERIO Dual Seating 36 Mm Thick Flat Single Layer MDF Board Of Grade SBG-II Of IS:12406/Latest Modular Extendable Conference Table<br/>ब्रांड Brand : GODREJ INTERIO<br/>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Modular Extendable Conference Table (Q3)<br/>मॉडल Model: Godrej Interio Mingle Modular Conference Table<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p> | 25 | per seat | 8,029     | NA | 200,725   |
| 5  | <p>उत्पाद का नाम  Product Name : GODREJ INTERIO 4 seaters Meeting Table<br/>ब्रांड Brand : GODREJ INTERIO<br/>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Meeting Table (V2) (Q3)<br/>मॉडल Model: GODREJ INTERIO MINGLE POD PLT PEBBLE _1000X1000<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p>   | 18 | pieces   | 28,388    | NA | 510,984   |
| 6  | <p>उत्पाद का नाम  Product Name : GODREJ INTERIO Modular Work Stations with Single Seater Rectangular Cluster<br/>ब्रांड Brand : GODREJ INTERIO<br/>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Modular Work Stations (V2) (Q3)<br/>मॉडल Model: Wish Recta 1200W<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p>  | 8  | per seat | 47,367    | NA | 378,936   |
| 7  | <p>उत्पाद का नाम  Product Name : GODREJ INTERIO N.A Credenzas<br/>ब्रांड Brand : GODREJ INTERIO<br/>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Credenzas (Q3)<br/>मॉडल Model: GODREJ INTERIO ARISTO BACK-UNIT 1800W 750H<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p>   | 1  | pieces   | 47,429    | NA | 47,429    |
| 8  | <p>उत्पाद का नाम  Product Name : GODREJ INTERIO Almirah Steel shelving cabinets<br/>ब्रांड Brand : GODREJ INTERIO<br/>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Almirah Steel (V2) (Q3)<br/>मॉडल Model: GODREJ INTERIO VSDU 6 WITH METAL TOP<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p>  | 8  | pieces   | 22,783    | NA | 182,264   |
| 9  | <p>उत्पाद का नाम  Product Name : GODREJ INTERIO 3 Seater Sofa With Leatherite Cover<br/>ब्रांड Brand : GODREJ INTERIO<br/>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Sofas (V2) (Q3)<br/>मॉडल Model: GODREJ INTERIO PISA - 3 SEATER SOFA<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p>   | 2  | pieces   | 42,674.34 | NA | 85,348.68 |
| 10 | <p>उत्पाद का नाम  Product Name : GODREJ INTERIO 1 Seater Sofa With Leatherite Cover<br/>ब्रांड Brand : GODREJ INTERIO<br/>ब्रांड प्रकार Brand Type : Registered Brand<br/>कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue<br/>कैसे बेचा जा रहा है Selling As : OEM verified Reseller<br/>श्रेणी का नाम और चतुर्थांश Category Name &amp; Quadrant : Sofas (V2) (Q3)<br/>मॉडल Model: GODREJ INTERIO PISA - 1 SEATER SOFA<br/>एचएसएन कोड HSN Code: HSN not specified by seller</p>   | 2  | pieces   | 26,746.56 | NA | 53,493.12 |

कुल ऑर्डर मूल्य | Total Order Value (in INR) 2,984,877.8

**परोक्षिती विवरण | Consignee Detail**

| क्र.सं.   S.No | परोक्षिती   Consignee | वस्तु   Item | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
|----------------|-----------------------|--------------|--------------------|-------------------|---|--|
|                |                       |              |                    |                   |   |  |

|   |   |  |   |    |             |             |
|---|---|--|---|----|-------------|-------------|
| 1 | <p>पद   Designation :-<br/> ईमेल आईडी   Email ID : ajinkya.sagane@coalindia.in<br/> संपर्क   Contact :-<br/> जीएसटीआईएन   GSTIN :-<br/> पता   Address : Regional Stores, WCL PO SILEWARA COLLIERY Dist.<br/> Nagpur M.S.; Pin 441 109,<br/> NAGPUR RURAL, MAHARASHTRA-441109, India</p> | GODREJ INTERIO<br>Cantilever Office Chair<br>Non-revolving and non-tilting chair with armrest  | - | 6  | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO<br>Cantilever Office Chair<br>Non-revolving and non-tilting chair with armrest  | - | 24 | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO<br>Rectangular Adjacent<br>side of leg Classroom<br>Tables  | - | 41 | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO Dual<br>Seating 36 Mm Thick<br>Flat Single Layer MDF<br>Board Of Grade SBG-II<br>Of IS:12406/Latest<br>Modular Extendable<br>Conference Table | - | 25 | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO 4<br>seaters Meeting Table  | - | 18 | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO<br>Modular Work Stations<br>with Single Seater<br>Rectangular Cluster   | - | 8  | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO N.A<br>Credenzas  | - | 1  | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO<br>Almirah Steel shelving<br>cabinets   | - | 8  | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO 3<br>Seater Sofa With<br>Leatherite Cover   | - | 2  | 26-Nov-2024 | 25-Jan-2025 |
|   |   | GODREJ INTERIO 1<br>Seater Sofa With<br>Leatherite Cover   | - | 2  | 26-Nov-2024 | 25-Jan-2025 |

**Product Specification for GODREJ INTERIO Cantilever Office Chair Non-revolving and non-tilting chair with armrest**

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec  | मूल्य   Value                                    |
|---------------------------|--|--|
| GENERAL REQUIREMENT       | Chair type   | Non-revolving and non-tilting chair with armrest |
| UNDERSTRUCTURE            | Chair understructure type  | Cantilever                                       |
|                           | Understructure material  | Stainless steel (SS 202)                         |
|                           | The shape of tubular section of understructure                             | Round  |
|                           | Section Size (Diameter/Sides) of understructure                            | 25 mm  |
|                           | Understructure wall thickness (mm)   | 2  |
|                           | Minimum thickness (in mm) of MS plate Joining the understructure with seat | 2  |
|                           | Castor   | No   |
|                           | Shoe/Studs material  | NA   |
|                           | Understructure finish  | Steel finish                                     |
| SEAT                      | Seat base material   | Hot pressed plywood                              |
|                           | Seat material  | Moulded PU                                       |
|                           | Density of PU used in seat (kg per cubic meter)                            | >40<=50  |
|                           | Actual density of PU used in seat (kg per cubic meter)                     | 45   |
|                           | Thickness of PU used in seat (mm)  | >40<=50  |
|                           | Actual thickness of PU used in seat (mm)                                   | 41 millimeter                                    |
|                           | Minimum seat height from floor surface (mm)                                | >400<=500  |
|                           | Actual seat height from floor surface (mm)                                 | 462 millimeter                                   |
|                           | Width of seat (mm)   | >450   |
|                           | Actual width of seat (mm)  | 476 millimeter                                   |
|                           | Depth of seat (mm)   | >450   |

|                               |  |                     |
|-------------------------------|--|---------------------|
|                               | Actual depth of seat (mm)                                  | 492 millimeter      |
|                               | Seat upholstery material                                   | Leather             |
|                               | Upholstered material seat colour                           | Brown               |
| BACKREST                      | Backrest base frame material                               | Hot pressed plywood |
|                               | Backrest material  | PU foam             |
|                               | Density of PU used in backrest (kg per cubic meter)        | >40<=50             |
|                               | Actual density of PU used in backrest (kg per cubic meter) | 45                  |
|                               | Thickness of PU used in backrest (mm)                      | >40<=50             |
|                               | Actual thickness of PU used in backrest (mm)               | 41 millimeter       |
|                               | Width of backrest (mm)                                     | >450                |
|                               | Actual width of backrest (mm)                              | 465 millimeter      |
|                               | Backrest height from the seat level                        | >550                |
|                               | Actual backrest height                                     | 595 millimeter      |
|                               | Backrest upholstery material                               | Leather             |
|                               | Upholstered material backrest colour                       | Brown               |
| ARMREST                       | Armrest type   | Continuous armrest  |
|                               | Armrest movement   | Without armrests    |
|                               | Armrest understructure material                            | NA                  |
|                               | Armrest top material                                       | NA                  |
| WARRANTY                      | Warranty period in number of years                         | 1 year              |
| TEST REPORT AND CERTIFICATION | OEM of offered product is ISO 9001 certified               | Yes                 |

#### Product Specification for GODREJ INTERIO Cantilever Office Chair Non-revolving and non-tilting chair with armrest

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec  | मूल्य   Value                                    |
|---------------------------|--|--|
| GENERAL REQUIREMENT       | Chair type   | Non-revolving and non-tilting chair with armrest |
| UNDERSTRUCTURE            | Chair understructure type  | Cantilever                                       |
|                           | Understructure material  | ERW tube conforming to IS : 1161 latest          |
|                           | The shape of tubular section of understructure                             | Round  |
|                           | Section Size (Diameter/Sides) of understructure                            | 25 mm  |
|                           | Understructure wall thickness (mm)   | 2  |
|                           | Minimum thickness (in mm) of MS plate joining the understructure with seat | 2  |
|                           | Castor   | No   |
|                           | Shoe/Studs material  | NA   |
| Understructure finish     | Powder coating   |  |
| SEAT                      | Seat base material   | Hot pressed plywood                              |
|                           | Seat material  | PU foam  |
|                           | Density of PU used in seat (kg per cubic meter)                            | >40<=50  |
|                           | Actual density of PU used in seat (kg per cubic meter)                     | 45   |
|                           | Thickness of PU used in seat (mm)  | >30<=40  |
|                           | Actual thickness of PU used in seat (mm)                                   | 41 millimeter                                    |
|                           | Minimum seat height from floor surface (mm)                                | >400<=500  |
|                           | Actual seat height from floor surface (mm)                                 | 465 millimeter                                   |
|                           | Width of seat (mm)   | >400<=450  |
|                           | Actual width of seat (mm)  | 470 millimeter                                   |
|                           | Depth of seat (mm)   | >400<=450  |
|                           | Actual depth of seat (mm)  | 480 millimeter                                   |
|                           | Seat upholstery material   | Polyester fabric                                 |
|                           | Upholstered material seat colour   | Black  |

|                                 |  |                     |
|---------------------------------|--|---------------------|
| BACKREST                        | Backrest base frame material                               | Hot pressed plywood |
|                                 | Backrest material  | PU foam             |
|                                 | Density of PU used in backrest (kg per cubic meter)        | >40<=50             |
|                                 | Actual density of PU used in backrest (kg per cubic meter) | 45                  |
|                                 | Thickness of PU used in backrest (mm)                      | >30<=40             |
|                                 | Actual thickness of PU used in backrest (mm)               | 41 millimeter       |
|                                 | Width of backrest (mm)                                     | >400<=450           |
|                                 | Actual width of backrest (mm)                              | 475 millimeter      |
|                                 | Backrest height from the seat level                        | >450<=550           |
|                                 | Actual backrest height                                     | 580 millimeter      |
|                                 | Backrest upholstery material                               | Polyester fabric    |
|                                 | Upholstered material backrest colour                       | Black               |
|                                 | ARMREST  | Armrest type        |
| Armrest movement                |  | Fixed               |
| Armrest understructure material |  | PP - Polypropylene  |
| Armrest top material            |  | PP - Polypropylene  |
| WARRANTY                        | Warranty period in number of years                         | 1 year              |
| TEST REPORT AND CERTIFICATION   | OEM of offered product is ISO 9001 certified               | Yes                 |

#### Product Specification for GODREJ INTERIO Rectangular Adjacent side of leg Classroom Tables

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec                           | मूल्य   Value  |
|---------------------------|---|--|
| GENERIC                   | Mode of supply                                    | Knocked down to be assembled at Consigning site by the seller  |
|                           | Shape of the table                                | Rectangular  |
|                           | Style of table                                    | Supported by set of Legs   |
|                           | Design of table                                   | Other design   |
|                           | Loading capacity of table top in KG ( ±5 Kg)      | 150 kg   |
|                           | Foot Rest Provided                                | NO   |
|                           | Approval of Advance sample (in respect of design) | Yes  |
| MATERIAL                  | Table Top Material                                | Prelaminated Particle Board  |
|                           | All side Beeding on edges of table top            | 2.0 mm thick PVC tape with the help of hot melt glue   |
|                           | Shoes Material                                    | nylon  |
|                           | Padestal (Under structure)                        | Made from 1.6mm Matt silver Anodized Aluminum extrusion  |
|                           | Foot Rest Material                                | N.A  |
|                           | Frame material                                    | Made from 1.6mm Matt silver Anodized Aluminum extrusion  |
|                           | Leg material                                      | Made from 1.6mm Matt silver Anodized Aluminum extrusion. Legs assembled together with 8mm thick MS powder coated plate at bottom and 5mm thick MS powder coated plate at top |
| DIMENSION                 | Table Top Length ±10(mm)                          | 1350 MM  |
|                           | Table Top Width ±10(mm)                           | 600 mm   |
|                           | Table Height ±10(mm)                              | 675 MM   |
|                           | Table top thickness                               | 25 mm  |
| MISCELLANEOUS             | Connecting of leg                                 | Adjacent side of leg   |
|                           | Number of buffers                                 | Four number at bottom  |
|                           | Welding Joint                                     | N.A  |
|                           | Top to be fitted                                  | By Round head nut and bolt inside the Laminate - Tightend fully and ends of the bolts to be neatly burred over   |
|                           | Number of Bolt                                    | 2 bolt in length side and 1 bolt in width side   |
|                           | Size of Bolt                                      | 4 mm dia   |
|                           | Placements of Nut and Bolt                        | 37.5 mm inside from each side edges  |

|                 |   |  |
|-----------------|---|--|
|                 | Iron parts  | N.A  |
|                 | Table placed on even surface                                  | Not to wobble  |
|                 | Distance between legs   | Length of table top (minus 75 mm) x Width of table top (minus 75 mm) |
| COLOUR & FINISH | Table top finish  | Top pasted with 1 mm thick Laminate / Mica                           |
|                 | Paint / Polish  | Pre treated and Epoxy powder coated finish,                          |
|                 | Colour of Paint   | silver   |
| CERTIFICATION   | Test reports to be furnished to buyer on demand               | YES  |
|                 | BIFMA certification   | NO   |
|                 | OEM of offered product is ISO 9001:2015 certified             | YES  |
|                 | OEM of offered product is ISO 14001:2015 certified            | YES  |
|                 | OEM of offered product is ISO 18001:2007/45001:2018 certified | YES  |
|                 | Green guard certification                                     | NO   |
| WARRANTY        | WARRANTY PERIOD   | 1-year   |

**Product Specification for GODREJ INTERIO Dual Seating 36 Mm Thick Flat Single Layer MDF Board Of Grade SBG-II Of IS:12406/Latest Modular Extendable Conference Table**

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec                            | मूल्य   Value   |
|---------------------------|--|---|
| GENERIC                   | SELLING UNIT                                       | SELLING UNIT IS PER SEAT. SELLER TO OFEER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.                               |
|                           | Type of Seating Offered                            | Dual Seating  |
|                           | Two Long Sides of Table                            | Edge Banded With PVC Tape Of 2mm Thick with the Help of Hot Melt Glue   |
|                           | Top Fixing   | With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting   |
|                           | For Gap/Wrap age                                   | N.A   |
|                           | Number of single seater                            | N.A   |
|                           | Number of dual seater                              | 6   |
|                           | Number of corners for work top                     | 1   |
|                           | Mode of Supply of modular table                    | Knocked Down To Be Assembled At Consignee Site By The Seller  |
| MATERIAL                  | Material of work top $\pm$ 3 mm                    | 36 Mm Thick Flat Single Layer MDF Board Of Grade SBG-II Of IS:12406/Latest  |
|                           | Table top plain side                               | Edge banded with PVC tape of 2 mm thick with help of hot melt glue  |
|                           | Material of Gable end and modesty panel $\pm$ 3 mm | 18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III                         |
|                           | Buffer Provided                                    | four number at the bottom   |
| DIMENSION                 | Length of Each Seat of Work Top $\pm$ 20 mm        | 675 mm for single AND 1350 mm For dual  |
|                           | Depth of Work Top $\pm$ 20 mm                      | 750 mm  |
|                           | Height of Work Top $\pm$ 20 mm                     | 750 mm  |
|                           | Corners of work top $\pm$ 20 mm                    | 750 mm  |
| COLOUR & FINISH           | Table top finish                                   | Laminate In Colour With matt Finish 0.6-0.8 Mm Thickness Of Type S,F Or P Having Index Number 3.2.3 Conforming To IS:2046/Latest With Having Balancing Laminate Of 0.5 Mm Thick On Other Side |
|                           | Colour of top finish                               | As per buyer's choice   |
|                           | Plain sides of gable end and modesty panel finish  | Edge banded with 0.8-1.0 mm thick PVC tape with the help of hot glue  |
| WARANTY                   | Warranty period in number of years                 | 1   |
|                           | Test reports to be furnished to buyer on demand    | YES   |
|                           | OEM of offered product is ISO 9001:2015 certified  | YES   |

|               |   |     |
|---------------|---|-----|
| CERTIFICATION | OEM of offered product is ISO 14001:2015 certified            | YES |
|               | OEM of offered product is ISO 18001:2007/45001:2018 certified | YES |
|               | Product having BIFMA certification                            | NO  |

### Product Specification for GODREJ INTERIO 4 seaters Meeting Table

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec   | मूल्य   Value  |
|---------------------------|---|--|
| GENERAL REQUIREMENT       | Seating capacity (number of seating)  | 4 seaters  |
|                           | The shape of table top  | Round  |
|                           | Wire management   | With   |
|                           | Number of the socket box  | 1  |
|                           | In-built sockets for LAN / INTERNET   | No   |
|                           | Type of socket box  | Fixed with flip cover  |
|                           | Wire entry system   | Through legs   |
|                           | Type of understructure  | Gable end and modesty panel  |
|                           | Mode of supply  | Knocked down to be assembled at the consignee site by the seller               |
|                           | Additional requirement  | NA   |
| MATERIAL                  | Material of table top   | Prelaminated MDF board conforming to grade II and type II of IS:14587/latest   |
|                           | Material of legs /Gable end   | Prelaminated MDF board conforming to grade II and type II of IS: 14587/latest  |
|                           | Material of modesty panel   | Three-layer prelaminate particle boards of grade-II type-II of IS 12823/latest |
| DIMENSION                 | Length/Diameter/Major axis of tabletop                                      | 1100 mm  |
|                           | Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm) | 1100 mm  |
|                           | Thickness of top ±2(mm)   | 25 mm  |
|                           | Table height in mm (±5 mm)  | 750 mm   |
|                           | Height of modesty panel ±5(mm)  | 740 mm   |
|                           | Thickness of modesty panel (in mm) ± 5%                                     | 19 mm  |
|                           | Thickness of Gable end  | 19 mm  |
|                           | Size/Diameter of legs (± 0[dot]5 mm)  | NA   |
|                           | Thickness of legs material  | NA   |
| COLOUR AND FINISH         | Type of table top finish  | As per buyer's choice  |
|                           | The thickness of the table top finish                                       | 2.0 mm   |
|                           | Type of Leg(s) /gable end finish  | No finish  |
|                           | The thickness of the leg(s) /gable end finish                               | 1.5 mm   |
|                           | Type of modesty panel finish  | PVC Laminate   |
|                           | The thickness of the modesty panel finish                                   | 2.0 mm   |
|                           | Colour  | Teak   |
|                           | Packing   | Corrugated paper packing   |
| WARRANTY                  | Warranty period   | 1 Year   |
| CERTIFICATION             | Test reports to be furnished to buyer on demand                             | No   |
|                           | Product has Green Pro certification   | No   |
|                           | Product has GREEN GUARD certification                                       | Yes  |
|                           | Product has BIFMA certification   | No   |
|                           | OEM of offered product is ISO 9001:2015 certified                           | Yes  |
|                           | OEM of offered product is ISO 14001:2015 certified                          | Yes  |
|                           | OEM of offered product is ISO 45001:2018 certified                          | Yes  |

**Product Specification for GODREJ INTERIO Modular Work Stations with Single Seater Rectangular Cluster**

| विनिर्देश   Specification  | उप-विनिर्देश   Sub-Spec                        | मूल्य   Value  |
|----------------------------|--|--|
| GENERIC                    | Type of system                                 | Hybrid panel based system (combination of sliding & snap fit tiles)  |
|                            | Type / Shape of cluster                        | Single Seater Rectangular Cluster  |
| CONSTRUCTION               | Screen /Tiles Type                             | NA   |
|                            | Wire Management for electric switch            | Above the table Top  |
|                            | Plain edge banded with                         | 2mm PVC tape   |
| INSTALLATION COMMISSIONING | INSTALLATION COMMISSIONING                     | The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller). |
| MATERIAL                   | Frame material for work station                | Powder Coated Extruded Aluminium Sections  |
|                            | Work top support material                      | MS tube section of Sq. pipe with brackets  |
|                            | Material of table top                          | Prelaminated particle board Grade II type II conforming to IS 12823/Latest   |
|                            | Table top finish material                      | Paper based laminate   |
|                            | Thickness of table top finish                  | NA   |
|                            | Thickness of under table top finish            | NA   |
|                            | Material of tiles for top                      | Fabric tackable  |
|                            | Material of intermediate tiles                 | laminated block - 38mm thick paper honeycomb plus 3mm mdf on each side plus decorative laminate  |
|                            | Material of bottom tiles                       | Metal tile powder coated   |
|                            | Material of leg                                | M.S  |
|                            | Type of leg                                    | Loop leg   |
|                            | Screen/Divider Material                        | NA   |
|                            | Overhead Storage Provided                      | No Overhead Storage  |
| DIMENSION                  | Length of table top (main frame) ±10 mm        | 1200 mm  |
|                            | Length of table top (Return Frame)± 10mm       | NA (For rectangular)   |
|                            | Depth of table top ± 10mm                      | 600 mm   |
|                            | Height of table top ±10mm                      | 750 mm   |
|                            | Thickness of table top ±2mm                    | 25 mm  |
|                            | Overall height of work station partition ±10mm | 1200 mm  |
|                            | Thickness of side partition/panel ±2mm         | 23 mm  |
|                            | Thickness of main frame ±2 mm                  | 50 mm  |
|                            | leg size/Section                               | 40 mm x 20 mm  |
|                            | Thickness of leg/section /material             | 16 gauge   |
| KEYBOARD TRAY              | Type of keyboard tray                          | With mouse tray  |
|                            | Material of keyboard tray                      | CRCA   |
|                            | Material thickness of keyboard tray            | 0.8 mm ( for metal)  |
|                            | Type of keyboard tray channel                  | Roller Runner Channel  |
|                            | Length of keyboard channel ±10mm               | 400 mm   |
|                            | Keyboard front width±10mm                      | 500 mm   |
|                            | Keyboard depth±10mm                            | 350mm  |



|               |   |  |
|---------------|---|--|
| PEDESTAL UNIT | Total number of Pedestal unit provided                    | 1  |
|               | Construction of pedestal                                  | Free standing full height without castor                         |
|               | Total Number of drawers /storage in Pedestal units        | Three drawers  |
|               | Locking system of pedestal                                | Center locking   |
|               | Complete body fascia and drawer material in Pedestal Unit | NA   |
|               | Thickness of the complete body fascia & drawer material   | NA   |
|               | Material for back panel in pedestal unit                  | NA   |
|               | Back Panel Thickness in Pedestal Unit                     | NA   |
|               | Drawer Bottom Material                                    | NA   |
|               | Drawer Bottom Material Thickness                          | NA   |
|               | Provision of Castor in Pedestal unit                      | Without  |
|               | Pedestal handle material                                  | Aluminum   |
|               | Pedestal outer finish                                     | NA   |
|               | Pedestal shade  | NA   |
|               | Width of Pedestal unit in mm (±10 mm)                     | NA   |
|               | Depth of pedestal unit ±10mm,                             | NA   |
|               | Height of pedestal unit ±5mm                              | NA   |
| FINISH        | Powder coating thickness of frame                         | 50 micron  |
|               | Colour of fabric  | As per buyer's requirement (to be indicated during BID creation) |
| CERTIFICATION | Test reports to be furnished to buyer on demand           | Yes  |
|               | BIFMA Certification                                       | Yes  |
|               | OEM of offered product is ISO 9001:2015 certified         | Yes  |
|               | OEM of offered product is ISO 14001:2015 certified        | Yes  |
|               | OEM of offered product is ISO 45001:2018 certified        | Yes  |
|               | Green guard certification                                 | Yes  |
| WARRANTY      | Warranty period   | 1 Year   |

#### Product Specification for GODRE] INTERIO N.A Credenzas

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec                 | मूल्य   Value  |
|---------------------------|---|--|
| GENERIC                   | Mode of supply                          | Knocked Down to be assembled at consignee site by the seller |
|                           | Design of credenza unit                 | Compartments(With Shelves) only                              |
|                           | Number of drawers                       | N.A  |
|                           | Number of compartments with shelves     | One Nos  |
|                           | Number of shelves in each compartment   | One Nos  |
|                           | Number of compartment without shelves   | N.A  |
|                           | Number of partition for compartment     | One Nos  |
|                           | Number of compartment in each partition | N.A  |

|   |   |   |
|---|---|---|
|   | Type of doors for compartments  | Sliding shutter   |
|   | Number of doors   | Two Nos   |
| MATERIAL & MATERIAL THICKNESS           | Material specification  | Flat single layer prelaminated MDF board conforming to designation PLMDF-203 of IS 14587/Latest having balancing laminated of 0.5mm thick on other side |
|   | Material thickness of complete body,Fascia and drawer/compartment                 | 25 millimeter   |
|   | Material thickness for back, partition and drawer bottom/compartment shelves ±2mm | 25 millimeter   |
|   | Skirting Thickness  | 12 millimeter   |
|   | All plain panels edge to be banded  | With 0.8-1.0 mm thick PVC tape with the help of hot melt glue   |
| DIMENSION                               | Width of credenza unit ± 20mm   | 1700 mm   |
|   | Height of credenza unit ±20 mm  | 750 mm  |
|   | Depth of credenza unit ±20mm  | 510 mm  |
| MISC                                    | Preservation treatment  | YES   |
|   | Locking System provided   | YES   |
|   | Handles for Drawer/Compartment  | Corrosion Resistance Metal  |
|   | Fixing of channel for drawer  | N.A   |
|   | Length of Telescopic channel ±10mm  | N.A   |
|   | Average weight of telescopic channel ±50Gms                                       | N.A   |
|   | Openables shutter hung on side of the compartment                                 | N.A   |
| Number of Buffer provided at the bottom | 4   |   |
| COLOUR & FINISH                         | Colour  | oak   |
|   | Material finish   | Swede finish  |
| WARRANTY                                | Warranty period in number of years  | 1   |
| CERTIFICATION                           | Test reports to be furnished to buyer on demand                                   | YES   |
|   | Product having BIFMA certification  | NO  |
|   | OEM of offered product is ISO 9001:2015 certified                                 | YES   |
|   | OEM of offered product is ISO 14001:2015 certified                                | YES   |
|   | OEM of offered product is ISO 18001:2007/45001:2018 certified                     | YES   |

#### Product Specification for GODREJ INTERIO Almirah Steel shelving cabinets

| विनिर्देश   Specification | उप-विनिर्देश   Sub-Spec                        | मूल्य   Value   |
|---------------------------|--|---|
| GENERAL REQUIREMENT       | Technical specification of Almirah steel       | Generally conforming to BIS specification IS: 3312:2021 (with latest amendment) |
|                           | Type of Almirah steel                          | Almirah Steel shelving cabinets   |
|                           | Construction type                              | Riveted   |
|                           | Installation                                   | Free standing   |
|                           | Pedestal                                       | Yes   |
|                           | Pedestal fitted with                           | 3 mm Teflon Bush  |
|                           | Pedestal height (± 5 mm)                       | 125 mm  |
|                           | Locker required                                | No  |
|                           | Door type                                      | Hinged  |
|                           | Number of door                                 | 2   |
|                           | Number of hinges (for each door)               | 2   |
|                           | Door stiffener up to full door height provided | Yes   |
|                           | Mirror fitted                                  | No mirror   |
|                           | Number of drawers required                     | No Drawer   |
|                           | Shelves required                               | Adjustable  |
| Number of shelves         | 2  |   |

|                                       |   |  |
|---------------------------------------|---|--|
|                                       | Uniformly distributed load (UDL) for shelves            | 60 Kgs.  |
|                                       | Wardrobe by style                                       | No wardrobe  |
|                                       | Tie Hanger  | No   |
|                                       | Colour of finish  | Prince Grey  |
| MATERIAL                              | Steel sheet material                                    | CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment) |
|                                       | Sheet rounds and flats                                  | N.A  |
|                                       | Screws  | Conforming to IS 1365  |
|                                       | Hanging rod material                                    | No hanging rod   |
|                                       | Mirror frame made out of (if provided)                  | No mirror frame  |
|                                       | Tie hanger made out of                                  | N.A  |
|                                       | Stiffener material                                      | MS sheet   |
| DIMENSION                             | Almirah height(excluding the height of pedestal) ± 5 mm | 1325 mm  |
|                                       | Almirah width ± 5 mm                                    | 900 mm   |
|                                       | Almirah depth ± 5 mm                                    | 430 mm   |
|                                       | Locker inside height ± 5 mm                             | No locker  |
|                                       | Locker inside width ± 5 mm                              | N.A  |
|                                       | Locker inside depth ± 5 mm                              | N.A  |
|                                       | Drawer height   | N.A  |
|                                       | Drawer width  | N.A  |
|                                       | Drawer depth  | N.A  |
|                                       | Mirror sizes  | N.A  |
|                                       | Shelves lipped flange                                   | N.A  |
|                                       | Side sheet thickness                                    | 0.8 mm   |
|                                       | Back sheet thickness                                    | 0.8 mm   |
|                                       | Top sheet thickness                                     | 0.8 mm   |
|                                       | Bottom sheet thickness                                  | 0.8 mm   |
|                                       | Shelves sheet thickness                                 | 0.8 mm   |
|                                       | Shelves supporting bracket thickness                    | 1.6 mm   |
|                                       | Door metal stiffener thickness                          | 0.8 mm   |
|                                       | Pedestal sheet thickness                                | 0.8 mm   |
|                                       | Hinges sheet thickness                                  | 1.6 mm   |
|                                       | locker door sheet thickness                             | N.A  |
|                                       | Drawer sheet thickness                                  | N.A  |
|                                       | Hanging rod wall thickness                              | N.A  |
|                                       | Hanging rod diameter ±2 mm                              | N.A  |
|                                       | Mirror frame sheet thickness                            | N.A  |
|                                       | Mirror frame border width                               | N.A  |
|                                       | Tie hanger sheet thickness                              | N.A  |
|                                       | Width of stiffener                                      | 115 mm   |
|                                       | Stiffener sheet thickness                               | 0.6 mm   |
|                                       | Number of glass sheet fixed                             | N.A  |
|                                       | Handle size   | 12 cm  |
|                                       | LOCKS AND LOCKING ARRANGEMENT                           | Steel Almirah lock/locker lock   |
| Material of lock                      |   | Steel with zinc plated   |
| Duplicate keys (for each)             |   | Yes  |
| Keys material (for each lock)         |   | Steel  |
| Steel Almirah locking mechanism       |   | A three way bolting device controlled by a lock                                    |
| Door handle material for almirah lock |   | Zinc based alloy   |

|                           |  |                         |
|---------------------------|--|-------------------------|
|                           | Handle material for locker   | N.A                     |
|                           | Lockers locking mechanism  | N.A                     |
|                           | Drawer lock  | N.A                     |
| FINISH                    | All the mild steel parts shall be given phosphating treatment  | N.A                     |
|                           | The process of application of phosphate coating  | N.A                     |
|                           | Finish coat with enamels   | N.A                     |
|                           | Powder coating   | Conforming to IS: 13871 |
| TESTING AND CERTIFICATION | Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification | No                      |
|                           | Test Report Number and Date  | N.A                     |
|                           | Name and Address of the Lab  | N.A                     |
|                           | Test reports to be furnished to buyer on demand, if claimed to be available  | Yes                     |

### Product Specification for GODREJ INTERIO 3 Seater Sofa With Leatherite Cover

| विनिर्देश   Specification               | उप-विनिर्देश   Sub-Spec                                  | मूल्य   Value  |
|---|--|--|
| GENERIC                                 | Total Number of Seats in the Sofa Set                    | 3  |
|   | Type of Sofa and Backrest                                | Seat and Backrest are permanently fixed with the frame Structure |
|   | Number of Single Seater Units (Nos)                      | No Single Seater Unit  |
|   | Number of Two Seater Units (Nos)                         | No Two Seater Unit   |
|   | Number of Three Seater Units (Nos)                       | 1  |
|   | Number of Four Seater Units (Nos)                        | No Four Seater Unit  |
|   | Frame Covering   | Fully Upholstered  |
|   | Sofa Set is Foldable to use as bed                       | No   |
|   | Backrest Cushion Material                                | Foam   |
|   | Density of Cushion of Backrest Material (Kg/Cubic M)     | 28   |
|   | Covering Material for Seat and Backrest                  | Leatherite   |
| MATERIAL                                | Frame Structure Material and size ( $\pm 1$ mm)          | 18 mm thick Teak Plywood   |
|   | Seat Cushion Material                                    | Foam   |
|   | Density of Cushion of Seat Material $\pm 3$ (Kg/Cubic M) | 26   |
|   | Type of Spring in the Base / Seating                     | Zig Zag spring   |
| DIMENSION                               | Length of Single Seater Units in mm ( $\pm 5$ mm)        | N.A  |
|   | Length of Two Seater Units in mm ( $\pm 10$ mm)          | N.A  |
|   | Length of Three Seater Units in mm ( $\pm 10$ mm)        | 2050   |
|   | Length of Four Seater Units in mm ( $\pm 10$ mm)         | N.A  |
|   | Depth of Sofa Units in mm ( $\pm 10$ mm)                 | 900  |
|   | Sofa Height (Without Back Cushion) $\pm 5$ (mm)          | 700 millimeter   |
|   | Sofa Height (With Back Cushion) $\pm 5$ mm               | 850 millimeter   |
|   | Arm Width $\pm 5$ (mm)                                   | 120 millimeter   |
|   | Arm Height $\pm 5$ (mm)                                  | 710 millimeter   |
|   | Seat Height (With Seat Cushion) $\pm 5$ (mm)             | 450 millimeter   |
|   | Sofa Leg Height $\pm 2$ (mm)                             | 150 millimeter   |
|   | Sofa Leg Width / Diameter $\pm 2$ (mm)                   | 40 millimeter  |
|   | Seat Cushion Length $\pm 5$ (mm)                         | 1700   |
|   | Seat Cushion Width $\pm 5$ (mm)                          | 530  |
|   | Seat Cushion Thickness $\pm 3$ (mm)                      | 125  |
|   | Backrest Cushion Length $\pm 5$ (mm)                     | 1150   |
|   | Backrest Cushion Width $\pm 5$ (mm)                      | 400  |
| Backrest Cushion Thickness $\pm 3$ (mm) | 175  |  |

|                   |   |          |
|-------------------|---|----------|
|                   | Thickness of Foam/Rubber in arms ±2 (mm)  | 50       |
|                   | Thickness of Foam/Rubber in back ±2 (mm)  | 150      |
|                   | Thickness of Foam/Rubber in front ±2 (mm) | 25       |
|                   | Thickness of Foam/Rubber in sides ±2 (mm) | 10       |
| COLOUR AND FINISH | Colour of Polish on exposed Wood frame    | N.A      |
|                   | Colour of Covering Material               | Black    |
| WARRANTY          | Warranty                                  | 1 - Year |

**Product Specification for GODREJ INTERIO 1 Seater Sofa With Leatherite Cover**

| विनिर्देश   Specification                 | उप-विनिर्देश   Sub-Spec                              | मूल्य   Value  |
|---|--|--|
| GENERIC                                   | Total Number of Seats in the Sofa Set                | 1  |
|   | Type of Sofa and Backrest                            | Seat and Backrest are permanently fixed with the frame Structure |
|   | Number of Single Seater Units (Nos)                  | 1  |
|   | Number of Two Seater Units (Nos)                     | No Two Seater Unit   |
|   | Number of Three Seater Units (Nos)                   | No Three Seater Unit   |
|   | Number of Four Seater Units (Nos)                    | No Four Seater Unit  |
|   | Frame Covering                                       | Fully Upholstered  |
|   | Sofa Set is Foldable to use as bed                   | No   |
|   | Backrest Cushion Material                            | Foam   |
|   | Density of Cushion of Backrest Material (Kg/Cubic M) | 28   |
|   | Covering Material for Seat and Backrest              | Leatherite   |
| MATERIAL                                  | Frame Structure Material and size (±1 mm)            | 18 mm thick Teak Plywood   |
|   | Seat Cushion Material                                | Foam   |
|   | Density of Cushion of Seat Material ±3 (Kg/Cubic M)  | 26   |
|   | Type of Spring in the Base / Seating                 | Zig Zag spring   |
| DIMENSION                                 | Length of Single Seater Units in mm (±5 mm)          | 800  |
|   | Length of Two Seater Units in mm (±10 mm)            | N.A  |
|   | Length of Three Seater Units in mm (±10 mm)          | N.A  |
|   | Length of Four Seater Units in mm (±10 mm)           | N.A  |
|   | Depth of Sofa Units in mm (±10 mm)                   | 900  |
|   | Sofa Height (Without Back Cushion) ±5 (mm)           | 700 millimeter   |
|   | Sofa Height (With Back Cushion) ±5 mm                | 850 millimeter   |
|   | Arm Width ±5 (mm)                                    | 120 millimeter   |
|   | Arm Height ±5 (mm)                                   | 710 millimeter   |
|   | Seat Height (With Seat Cushion) ±5 (mm)              | 450 millimeter   |
|   | Sofa Leg Height ±2(mm)                               | 150 millimeter   |
|   | Sofa Leg Width / Diameter ±2 (mm)                    | 40 millimeter  |
|   | Seat Cushion Length ±5 (mm)                          | 640  |
|   | Seat Cushion Width ±5 (mm)                           | 530  |
|   | Seat Cushion Thickness ±3 (mm)                       | 125  |
|   | Backrest Cushion Length ±5 (mm)                      | 1150   |
|   | Backrest Cushion Width ±5 (mm)                       | 400  |
|   | Backrest Cushion Thickness ±3 (mm)                   | 175  |
|   | Thickness of Foam/Rubber in arms ±2 (mm)             | 50   |
|   | Thickness of Foam/Rubber in back ±2 (mm)             | 150  |
|   | Thickness of Foam/Rubber in front ±2 (mm)            | 25   |
| Thickness of Foam/Rubber in sides ±2 (mm) | 10   |  |
| COLOUR AND FINISH                         | Colour of Polish on exposed Wood frame               | N.A  |

|  |                             |          |
|--|-----------------------------|----------|
|  | Colour of Covering Material | Black    |
| WARRANTY   | Warranty                    | 1 - Year |
| <b>शुद्धिपत्र   Corrigendum</b><br>1. तक बढ़ाया गया   Extended Upto : 2024-09-30 17:00:00<br>2. तक बढ़ाया गया   Extended Upto : 2024-10-11 18:00:00<br><br><b>ईपीबीजी विवरण   ePBG Detail</b>  |                             |          |
| सलाहकार बैंक   Advisory Bank :   |                             | ICICI    |
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):  |                             | 5.00     |
| बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा   The bidder shall furnish ePBG as applicable as per bid's terms and conditions  |                             |          |
| <b>नियम और शर्तें   Terms and Conditions</b>   |                             |          |
| 1. Special terms and conditions- Version:1 effective from 25-06-2024<br><br>1.1<br><br><b>Special Terms and Conditions</b><br><br>1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.<br>2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.<br>3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.<br>4. Sellers are advised to check the complete bid document while offering their prices.<br><br>1.2 After award of contract- Successful bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful bidder shall submit Detailed Design Drawing for Buyers approval within 7 working days of award of contract .Buyer shall either approve the Drawings or will provide complete list of modification required in the drawings within 7 working days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing-the delivery period shall be re-fixed without LD for the period of delay in approval of Drawing.<br><br>2. General Terms and Conditions-<br><br>2.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.<br>2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable<br><br>3. Buyer Added Bid Specific Terms and Conditions-<br><br>3.1 <i>Generic</i><br>OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.<br><br>3.2 <i>Certificates:</i><br>Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.<br><br>3.3 <i>Buyer Added Bid Specific ATC:</i><br>Buyer Added text based ATC clauses<br><br>a) The bid is against PAC. Only the OEM/manufacturer and its authorized dealers are eligible to participate.<br>b) Scope of Supply- Supply only.<br>c) Manufacturers Authorization form (MAF) from OEM is to be submitted<br><br>.<br><br>3.4 <i>Buyer Added Bid Specific ATC:</i><br>Buyer uploaded ATC document <a href="#">Click here to view the file</a> .<br><br>3.5 <i>Forms of EMD and PBG:</i><br>Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name<br><br>WESTERN COALFIELDS LIMITED<br>Account No.<br>10205966091<br>IFSC Code<br>SBIN0009060<br>Bank Name<br>STATE BANK OF INDIA<br>Branch address<br>COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001<br><br>. |                             |          |

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.