

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687743053138

अनुबंध तिथि | Generated Date : 26-Nov-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5347063](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : COAL INDIA LIMITED संगठन का नाम Organisation Name : WESTERN COALFIELDS LIMITED कार्यालय क्षेत्र Office Zone: WCL NAGPUR MAHARASHTRA	पद Designation : Senior Manager संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : mrunal.mehta@coalindia.in जीएसटीआईएन GSTIN : - पता Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: CMD WCL वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: GM(MM)	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Dy Manager Fin ईमेल आईडी Email ID : mukesh.alluri@coalindia.in जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID : 3C77180000329985 कंपनी का नाम Company Name : ECO STRUCTURES PRIVATE LIMITED संपर्क नंबर Contact No. : 09975043605 ईमेल आईडी Email ID : ecostructuresecom@gmail.com पता Address : G-101, BHAGYASHREE APPARTMENT, RAHATE COLONY SQUARE, NAGPUR, RAHATE COLONY SQUARE, Nagpur, MAHARASHTRA-440010, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MH-20-0182142 जीएसटीआईएन GSTIN: 27AADCE3557E1Z (R)	
खरीदार द्वारा सत्यापित एमएसएमई स्थिति MSME Status as verified by buyer : Not Verified	
एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male	

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण Product Details (PAC)						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GODREJ INTERIO 1-Bay Push Pull Type Mobile Storage Compactors ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Mobile Storage Compactors (Q3) मॉडल Model: GODREJ INTERIO Optimizer Plus 1bay Push pull Type Each body size H1980mm x W 1200 mm x D 400mm (SS1 1no + TM1 1no + SL1 1no + Channel 2400mm 1no) एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	145,899	NA	145,899
कुल ऑर्डर मूल्य Total Order Value (in INR)						145,899

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : -					

1	ईमेल आईडी Email ID : ajinkya.sagane@coalindia.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109, NAGPUR RURAL, MAHARASHTRA-441109, India	GODREJ INTERIO 1-Bay Push Pull Type Mobile Storage Compactors	-	1	26-Nov-2024	25-Jan-2025
---	---	---	---	---	-------------	-------------

Product Specification for GODREJ INTERIO 1-Bay Push Pull Type Mobile Storage Compactors

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	1-Bay
	Type of Drive	Push Pull Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = $A \times (B + C + 2D)$)	1
GENERIC	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	3000 Kg
	Delivery Condition of Movable Storage System File	Knock down
	Free Assembly and Installation Commissioning of knocked down supply	Yes
	Shelves in the cabinets	Adjustable

	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	6
	Drive cover included on Body	NO
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	Anti rust treatment	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	2
	Number of 915 mm Rail Pieces per Rail Row	0
	Number of 1830 mm Rails Pieces per Rail Row	0
	Number of 2745 mm Rails Pieces per Rail Row	1
	Guide rail provided with	Square bar Stopper (to stop derailment of unit
DOORS and LOCKING	Separate Door Provided with each Cabinet / Body / Almirah	NO
	Total Number of Almirahs / Bodies	4
	Total Number of Almirahs / Bodies with Door	0
	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	NO
	Separate door lock for each section	YES
	Fitting of stopper	Fitted to the rail
	Handle	Chrome plated 'C' handle fitted on 1.6 mm thick plate
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ± 2 (mm)	75 mm
	Height of track and moving clearance ± 2 (mm)	55 mm
	Material of Stud	NA
	Material of base frame – should be one piece welded frame (proper antirust surface treatment)	Hot Rolled Sheet 3.15MM thick Confgm. to IS:1079/Latest
	Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws
	Material of 'C' Channel	H R Sheet 2MM thick confgm. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confgm. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	2080 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10 (mm)	400 mm

DIMENSION	Depth of the single faced movable bodies Cabinet ±10(mm)	400 mm
	Depth of the movable bodies Cabinet ±10(mm)	760 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Minimum Excess Rail Length in addition to Filing Cabinet Covering (For Aisle working) (mm)	915 mm
	Pitch of all the shelves (+/- 2 MM)	25.4 mm
	Aisle space inside of units	760 mm
	Height of Drive cover unit ± 10 mm	N.A
	Depth of Drive cover unit ± 10 mm	N.A.
	Width of Drive cover unit of single faced fixed/movable ± 10 mm	N.A
	Width of Drive cover unit of Double faced movable ± 10 mm	N.A
	PAINT	Paint
Colour of Paint		Steel Gray
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	OEM of offered product having BIFMA membership	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Green guard certification	YES
विक्रेता विशिष्टता दस्तावेज़ Seller Specification Document:		
1. Applicable Drawing Document	mkp.gem.gov.in/uploaded_documents/cms/tp/home_offi_of64586874_organobi/51/16/877/CategorySc hema/gem_dgsnd_drawing_document/2019/1/16/representative-drawing-of-mobile-storage_2019-01-16-16_9d6a2f10ff69cd78478c2958c64018ae.pdf	
शुद्धिपत्र Corrigendum		
1. तक बढ़ाया गया Extended Upto : 2024-09-30 17:00:00		
2. तक बढ़ाया गया Extended Upto : 2024-10-11 18:00:00		
सलाहकार बैंक Advisory Bank :		NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- a) The bid is against PAC. Only the OEM/manufacturer and its authorized dealers are eligible to participate.
- b) Scope of Supply- Supply only.
- c) Manufacturers Authorization form (MAF) from OEM is to be submitted

2.2 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.