

# WESTERN COALFIELDS LIMITED MAJRI AREA

## AMALG. YEKONA I & II OC MINE

2.75 MTY CAPACITY

EC COMPLIANCE REPORT

AS ON 30<sup>th</sup> SEPTEMBER 2024

PART-I

Amalgamated Yekona –I & II OC Mine
Office of the Area General Manager,
Western Coalfields Limited, Majri Area
At + PO. Kuchna, Ta. Bhadrawati,
Dist. Chandrapur,
Maharashtra 442503
Office of the Area General Manager,
Western Coalfields Limited, Majri Area
At + Po. Kuchna, Ta. Bhadrawati,
Dist. Chandrapur,
Maharashtra 442503
J-11015/381/2015-IA:II(M)
01st January 2021
As on 30 <sup>th</sup> September 2024
26.05.2024
01.04.2021

STATUS OF LAND ACQUISITION:

STATUS OF LAND ACQUISITION.							
Type of land	Required as per EMP	Actual acquired (Ha) as on .					
<u> </u>	(Ha)	30.09.2024					
Fore st	Nil	Nil					
Agriculture	1620.80	1591.91					
Other	58.59	58.3					
Total	1679.39	1650.21					

#### STATUS OF LEGAL COMPLIANCES:

		·——
a.	Consent under Air (Prevention & Control of Pollution) Act	CTO Renewal granted vide letter no. Format1.0/CAC/UAN No. MPCB-
b.	Consent under Water (Prevention & Control of Pollution) Act	CONSENT- 0000160739/CR/2307001123 dated
C.	Consent under Water (Prevention & Control of Pollution) Cess Act	18.07.2023 valid upto 31.03.2025 for 2.75 MTY capacity.
d.	Environment (Protection) Act	Environment Clearance obtained vide no. J-11015/381/2015-IA.II(M)dtd 01.01.2021 for 2.75 MTY capacity.
e.	Forest (Conservation) Act	Not applicable.

#### <u>PART – II</u> STATUS OF ENVIRONMENT

#### **AIR POLLUTION CONTROL:-**

a. No. of ambient air monitoring stations: Five

Monitoring stations have been fixed in consultation with CMPDI RI-IV, Nagpur. Monitoring has been started from Nov 2015.

- b. Name of the location:
  - 1. Pit office
  - 2. Contractor Camp
  - 3. Panzurni Village
  - 4. Dangaon Village
  - 5. Hiwra Mazara Village
- c. Ambient air quality status for the parameters prescribed by State Pollution Control Board (Average 95% time weighted values):

SI.No	Location	SPM	RPM	SO2	Nox		
1.	Pit Office	Enclosed CMPDIL monitoring reports for					
2.	Contractor Camp	the period April 2024 to September 2024					
3.	Panzurni Village				_		
4.	Dandgaon Village						
5.	Hiwra Majra Village			-			

#### **WATER POLLUTION CONTROL:**

- a. No. of stations and frequency of monitoring: Four
- b. Description of locations: Mine water discharge of Yekona I & Yekona II OC,

Workshop ETP and STP

c. Average concentration of major pollutants prescribed by State pollution Control Board (fig. in mg/lit except pH):

SI. No	Location	Hq	BOD	COD	DO	TSS	O/G
	Mine water discharge Workshop ETP	Enclosed CMPDIL mortitoring reports for the period April 2024 to September 2024				or the	
	STP	,		·			

#### **NOISE POLLUTION CONTROL:**

- a. No. of noise monitoring stations:- Three
- b. Description of location and dB(A) value:-

SI.No	Location	DAY	NIGHT
1.	Pit office	Enclosed CMPDIL monitoring	ng reports for
		the period April 2024 to Sep	otember 2024

## PART-III STATUS OF IMPLEMENTATION OF PROVISIONS OF EMP

LAND USE STATUS:-

All values in Mm<sup>3</sup>

S.	Particulars	Yekor	na I OC	Yekono	a II OC
N		01.04.24 to	Prog. As on	01.04.24 to	Prog. As on
		30.09.2024	30.09.2024	30.09.2024	30.09.2024
1.	Area excavated (Ha)	6.38	55.42	14.88	148.93
2.	OB removed (Mm3) Excl. top soil	1.0797	4.8817	7.273	48.909
3.	Top soil removed Mm3)	0	5.661	0.43	11.902
4.	OB backfilled (Mm3)	1.0797	2.589	Nil	11.501
5.	OB dumped (Mm3)	Nil	2.292	7.273	37.408.
6.	Top Soil Dumped	Nil	4.776	0.43	9.779
7.	Top Soil utilised	Nil	0.885	Nil	2.123
8.	Physical reclamation	Nil	Nil	. Nil	Nil

Note: Plantation on Top Soil dump of Yekona I OC Mine & Yekona II OC Mine shown under top soil utilization

SI.No	Particulars	As per EMP	Yekona l	Yekona II	Amalg.
			OC as on	OC as on	Yekona as
			30.09.2024	30.09.2024	on
					30.09.2024
1.	Area excavated (Ha)	689.20	55.42	148.93	204.35
2.	OB removed (Mm3)	456.03	4.8817	48.909	53.791
	Excl. top soil				
3.	Top soil removed Mm3)	NA	5.661	11.902	17.563
4.	OB backfilled (Mm3)	322.53	2.589	11.501	14.090
5.	OB dumped (Mm3)	133.50	2.292	37.408	39.700
6.	Top Soil Dumped		4.776	9.779	14.555
7.	Top Soil utilised		0.885	2.123	3.008
8.	Area recovered for	physical	Nil	Nil	Nil '
	reclamation	reclamation			
9.	Area reclaimed biologically means	Biological	Nil	Nil	Nil
	Tree plantation on backfilled area	reclamation		<u></u>	

#### Status of Top Soil & OB:

Year	Mine	Тор	Soil		Hard OB	<u> </u>
	Quarry	in Embankment	in Top Soil Dump	in Embankment	in OB Dump	<u>Backfilled</u>
2020-21	YEKONA I	0.500 Mm <sup>3</sup>	1.76 Mm <sup>3</sup>	NIL	1.281 Mm <sup>3</sup>	NIL
2021-22	YEKONA I	0.286 Mm <sup>3</sup>	0.267 Mm <sup>3</sup>	NIL	0,975 Mm <sup>3</sup>	0.113 Mm <sup>3</sup>
2022-23	YEKONA I	0.099 Mm <sup>3</sup>	0.683 Mm <sup>3</sup>	NIL	0.036 Mm <sup>3</sup>	0.647 Mm <sup>3</sup>
2023-24	YEKONA I	NIL	2.066 Mm <sup>3</sup>	NIL	NIL	0.75 Mm <sup>3</sup>
2024-25	YEKONA I	NiL	NIL	NIL	NiL	1.0797 Mm3
2017-18	YEKONA II	0.311 Mm <sup>3</sup>	0.073 Mm <sup>3</sup>	NIL	0.094138 Mm <sup>3</sup>	NIL
2018-19	YEKONA II	0,2890 Mm <sup>3</sup>	0.198163 Mm <sup>3</sup>	0,13857 Mm <sup>3</sup>	0.595942 Mm <sup>3</sup>	NIL
2019-20	YEKONA II	0.302207 Mm <sup>3</sup>	0.310326 Mm <sup>3</sup>	NIL • · ·	1.Q03222 Mm <sup>3</sup>	NIL
2020-21	YEKONA II	0.021993 Mm <sup>3</sup>	0.856007 Mm <sup>3</sup>	NIL	1.235 Mm <sup>3</sup>	NIL
2021-22	YEKONA II	1.200 Mm <sup>3</sup>	3,093 Mm <sup>3</sup>	NIL	6.99 Mm <sup>3</sup>	NIL
2022-23	YEKONA II	NIL.	3.10 Mm <sup>3</sup>	NIL	10.164 Mm <sup>3</sup>	3.416 Mm <sup>3</sup>
2023-24	YEKONA II	NIL	1.716 Mm	NIL	9.907 Mm <sup>3</sup>	8.085
2024-25	YEKONA II	NIL	0.43	NIL	7.273 Mm3	NIL

#### **PRODUCTION:-**

- (i) Targeted Capacity: 2.75 MTY (Amalg. YEKONA I & II OC)
- (ii) Present Capacity: 1.366 MT (As on 30.09.2024)

#### AFFORESTRATION: - (figures in '000)

SI.No	Location	Progressive (as on 30th September
		2024)
1.	Top Soil Dump	105,000 nos.
2.	OB Dump	NIL
3.	Embankments	15,000 nos.
4.	Green belt along mine boundary	25,000 nos.
5.	Backfilled areas	NIL
6.	Other areas/ Avenue Plantation	700 nos.
	Total	145,700 nos.

Area under plantation (Progressive): - 58 Ha

No. of plants per Hectare :- 2500 Nos/Ha

Species planted: - Jamun, Amla, Neem, Karanj, Baheda, Sirus, Peltafarm, Safed Sirus, Sissoo, Gulmohar, Casia

#### **REHABILITATION & RESETTLEMENT:**

SI.No	Particulars	SC	ST	Others
1.	No. of land oustees	127	0 nos.	1
2.	No. of land oustees rehabilitated	Nos. of employme	nt g <b>i</b> ven	= 881
3.	No. of PAPS/PAFS to be resettled	Monetary Compensation given = 121		
4.	No. of PAPS/PAFS resettled	No Claim = 10		
5.	Area of new site (Ha)	1		
6.	Status of development	Balance Employm	ent case	s = 268
7.	Givic amenities provided at new resettlement site	Land compensation  Monetary Compe		

Organizational setup at project level:-

(Name and designation of the personnel to be given)

- 1. Shri Gautam Rai, Sub Area Manager
- 2. Shri R.R. Prajapati, Manager (Mining)/Mine Manager
- 3. Shri Venkatesh Gorak, Dy. Manager (Civil)/Nodal Officer (Env)

## EXPENDITURE :-CAPITAL (Rs in Lakhs)

Account head	01.04.2024 to 30.09.2024	Progressive
•		(As on 30 <sup>th</sup> September 2024)
Reclamation (HEMM)	Nil	Nil
Air pollution control	Nil	Rs 70.00 lakhs
Water pollution control	Nil	Rs. 58.28 lakhs
Others (CAAQMS,	Nil	Rs 102.8 Lakhs
Piezometer, Water meters		
etc)		
TOTAL		Rs 231.08 Lakhs

#### REVENUE (Rs in Lakhs)

Account head	01.04.2024 to 30.09.2024	. Progressive
	30.07.2024	(As on 30 <sup>th</sup> September 2024)
Afforestation	Rs 54.473 Lakhs	Rs 237.07 Lakhs
Monitoring	. Rs 61.7 Lakhs	Rs 282.89 Lakhs
Statutory expenses	Rs 0.92 Lakhs	Rs 105.25 Lakhs
Air pollution control	Rs 30.05 Lakhs	Rs 118.37 Lakhs
Water pollution control	Rs 8.05 Lakhs	Rs 33.12 Lakhs
Others	Rs 2.49 Lakhs	Rs 54.18 lakhs
Ground water abstraction	NIL	Rs 165.25 Lakhs
charges		•
TOTAL		Rs 996.13 Lakhs

#### PART-IV

Project

: Amalgamated Yekona-I& Ii OC Mine Project

Clearance letter No.

: J-11015/381/2015-IA.II(M) Date: 01.01.2021

EC Amendment Letter : J-11015/381/2015-iA.ll(M) Date : 15.03.2024

SR.NO.	Condition	Compliance as on date
4(i)	The Environment Clearances issued vide letter no. vide letter J-11015/175/2006-IA. II(M) Dated 17 October 2006 and J-1.1015/182/2006-IA. II(M) Dated 17 October. 2006 shall be applicable along with conditions.	Noted and same is being complied. (Copy of tatest EC along with Amendment enclosed as Annexure 1)
(ii)	The proponent shall obtain Consent to Establish/ Operate from the State Pollution Control Boards for the proposed capacity of 2.75MTPA prior to commencement.	: =
(iii)	Third party monitoring (by NEERI/CIMFR/IIT/NITs) for air quality shall be carried out at identified locations. Both ambient and the process area, to arrive at impact of the proposed expansion at regular interval of 3 years.	Work for 3rd party monitoring of air quality is awarded to VNIT Nagpur vide Work Award letter no. WCL/MA/AGM/ENV/2023/167 dated 24.07.2023 for a period of 1 year i.e. from Oct 2023 to Sept 2024. Copy of report for the month of April 2024 to September 2024 enclosed (Copy of monitoring reports enclosed as annexure 4)
(iv)	Top soil should be stored separately at marked area and necessary vegetation shall be maintained to avoid any entrainment of dust.	Top soil is being stored at designated Top Soil dump only  Grass seeding and plantation is done on both top soil dump to avoid fugitive dust from dump.  Dump Area Height  YEKONA I OC  BC Dump1 9.50 Ha 29 m  BC Dump2 24.55 Ha 12 m  YEKONA II OC  BC Dump1 14.80 Ha 34 m  BC Dump2 40.00 Ha 32 m

		Photographs of the Top Soil Dumps enclosed as annexure 5)
(v)	PP shalt construct embankment leaving 100 mtrs away from HFL of Wardha river and the same shall be taken prior approval from DGMS	Embankment is constructed as per mining plan in such a way that the rise in water (shifting of HFL) due to construction of embankment will not affect mine as well as nearby villages
		Embankment is constructed for Yekona I OC Mine (Length: 1.64 kms, Height: 4 mtrs (avg.), Width at top: 30 mtrs and width at bottom: 38 mtrs) & for Yekona II OC Mine (Length: 4.20 kms, Height: 10 mtrs (avg.), Width at top: 30 mtrs and width at bottom: 45 mtrs)
(vi)	ORIGINAL CONDITION: Transportation of coal from coal handling plan shall be through mechanized covered trucks for 3 years. No transportation by trucks after 3 years and proposed railway siding/pipe conveyor system.	Mechanically closed trucks are not provided by any truck maker for coal in India. However, tarpaulin covering is being ensured for all the coal transportation trucks.
	AMENDED CONDITION (Amendment ata 15.03.24): Transportation of Coal from the mine shall be through tarpaulin covered trucks till the commissioning of proposed railway Siding i.e. by December 2026. No transportation by trucks after Dec'2026 except for small scale industry/ consumers.	The work of Railway Siding is awarded to IPRCL and same is started and expected to be completed by Dec 2025.  (Agreement with IPRCL and photographs of site enclosed as annexure 6 & 7)
(vii)	All the villages coming under the zone of influence as in hydrology study shall be provided with suitable water supply along with sanitation facility	Due to availability of waterbodies such as Wardha River in West-South West, Dahiwal nalla in North and irrigation canal towards East direction, there is no scarcity of water in the vicinity.
		However, Borewell is provided in Charurkhati village and handpumps are provided in Marda and Yekona village to comply the Water supply arrangements for the villages under zone of influence.
		(Photographs of the said works enclosed as annexure 8)
(viii)	Commitment made during public consultation process shall be adhere to. As proposed, Rs.45.35 Crore is earmarked for CER activities shall be considered as part of Environment Management Plan,	CER Provision as per EIA EMP is of Rs 3.63 Crore is envisaged. The work of providing Borewell in Charurkhatí village and handpumps in

	which shall be accomplished within period of 5 years.	Marda and Yekona village, Concrete and blacktopped roads in Yekona Village, Drains in nearby villages are done as per the commitment made during public hearing. (List of CSR Activities enclosed as Annexure 9)
(ix)	Water quality and bioassay test of Wardha River shall be monitored quarterly and submitted to State Pollution Control Board. No water shall be discharged in river.	Surface Water quality and bioassay test of Wardha River is being monitored quarterly.  Report of same is being submitted to MPCB, MOEF Regional offices along with six monthly EC Compliance report.  (Copy of Surface water reports of the QE June 2024 & September 2024 enclosed as annexure 10, and Bio Assay test report for the QE March 2024 and June 2024 enclosed as annexure 11)
(x)	Quarterly monitoring of quality of water from bore hole used for drinking purpose shall be conducted and report thereof shall be submitted to SPCB.	Drinking water monitoring is being done on quarterly basis through CMPDIL. (copy of reports of the sampling of QE June 2024 & September 2024 enclosed as annexure 12)  Report of same is being submitted to MPCB, MOEF Regional offices along with six monthly EC Compliance report.
(xi)	Progressive backfilling of mine and progressive reclamation of OB dump shall be done	Backfilling is being done as per mining plan.  As on 30.09.2024, 2.589 Mm³ of hard OB is being backfilled in the void of Yekona t OC mine and 11.501 Mm³ of hard OB is being backfilled in the void of Yekona t OC mine.  Reclamation of Top soil dump of both Yekona t OC mine and Yekona tl OC Mine is already been done by plantation and grass seeding
(xii)	To control the production of dust at source, the crusher and in-pit belt conveyors shall be provided with mist type sprinklers.	Most of the Coal crushing is being done by Surface Miner to avoid fugitive emission  Mobile crusher is also being provided with Mist Spray Arrangements for dust

	<b>.</b>	Mine.  Also, fixed coal stock Cannons of installed at dust at soul Photograps	sprinklers are parts, Weigh of 100 mtrs throwarious location roe of Air politicised as annex	provided at Bridge. Fog ow are also ns to control
(xiii)	Mitigating measures shall be undertaken to control dust and other fugitive emissions all along the roads by providing sufficient fixed type water sprinklers. Adequate corrective measures shall be undertaken to control dust emissions, which would include mechanized sweeping, water sprinkling/mist spraying on haul roads and loading sites, long range misting/fogging arrangement, wind barrier wall and vertical greenery system, green belt, dust suppression arrangement at loading and unloading points, etc.	Weigh Bridge fixed sprink stockyard 8 OC    5 nos. Fog C 320 deg stockyard, Coal Transport    As on date area of 10 Plantation, between 15,000 nos. Embankmen area of 4 Plantation also acts a    FY    2021-22    2022-23    2023-24    2024-25    TOTAL •    Fhotograss	e, 25,700 nos. to Ha on plain lar is planted as mine and Yek trees over an arent and 105,000 to Ha on Top on dumps and s Wind Barrier  Nos.  25,000 Nos.  45,000 Nos.  25,700 Nos.  1,45,700 Nos.	cand 30 nos. ded at coal of Yekona II trs throw with ed at Coal obile Crusher, to in mobile rees over an at & Avenue green belt cona village, ea of 6 Ha on nos. over an Soil Dump, as greenbelt Area (Ha)  Area (Ha)  10 Ha  20 Ha  18 Ha  10 Ha
(xiv)	Continuous monitoring of occupational safety and other health hazards, and the corrective actions need to be ensured.	During Ye employee employee employee employee F&II OC M	ME of departme al worker is be an and other h ar 2024-25, PME s, IME of 11 s & PME of 22 s was done at A ine. ing during 2023 artmental Emp	eing done for ealth hazards. of 56 Deptt. Departmental Contractual malg. Yekona

		140 Contractual Employees
		PME/ IME details and record of medical camp is enclosed as annexure 15
(xv) .	The total industrial water demand (peak) in operation phase shall be met by utilizing treated mine discharge water. If require, necessary arrangement shall be made to reuse treated water from STP&ETP to nearby TPP or coal washery /or future coal washery by entering suitable agreement. No wastewater (treated or untreated) shall be discharged into the river or any other water body.	Water demand for fire-fighting, dust suppression etc is met through mine discharge only.  ETP effluent is being reused for gardening purpose.  STP will be provided whenever the colony for the mine will be constructed.  Photographs of water pollution control system enclosed as annexure 16
(xvi)	PP shall take permission of state public works Department before the proposed diversion of Road. Road between Naidev village to Warora shall be constructed by project proponent in co-ordination with PWD atleast 7 mts width and tree plantation shall be done along with road (both sides).	The Road between Naidev village to Warora is outside Project Boundary, hence, will not be diverted.  Portion of Warora – Madheli PWD Road, which is within the project boundary, same will be diverted with the permission of PWD Deptt with tree plantation on both sides of road ior atleast 7 mts width.
(x∨ii)	STP for proposed colony shall be constructed within one year of implementation of colony	There is no dedicated colony for this mine, STP for colony will be provided whenever the colony will be constructed
(xviii)	ORIGINAL CONDITION: Toe wall of atleast 15 mts to 20 mts height should be constructed along the OB dump to protect Yekona village.  AMENDED CONDITION (Amendment alid 15.03.24): PP shall implement the recommendation made by VNIT by June 2024 for the stability of OB Dump and allied protection of Yekona village. There should not be any dumping toward the Yekona village side and additional measures be taken to ensure that the village is not endangered.	Only Top Soil overburden dump is present against the habitation of Yekona Village. Height of Top Soil dump is only 34 mtrs & same is finalised, no further dumping or heightening will be done. Plantation and grass seeding of top soil dump is done, which helped in stabilisation of the dump.  The distance between toe of the dump and Yekona village is more than 100 mtrs and in between tree plantation about 10,000 nos. in width of about 100 mtr is already been done. Also, Garland drain along OB dump and siltation pond at the toe of dump is also constructed to arrest the silt, water and dump material.

		Also, to ascertain the requirement of Toe Wall based an scientific data, the work is awarded to VNIT Nagpur vide
:		Work Award letter no. WCL/MA/AGM/ENV/2023/198 dated 02.09.2023.
		As per the report submitted by VNIT Nagpur, based on the dump height, remedial measures taken by the mine and other geological parameters assessed during the field investigation, VNIT recommended various additional
		measures for further strengthening of dump, same is being implemented on priority basis. However, as per the report, there is no requirement of Toe Wall of 15 to 20 mtrs height. (Copy of Abstract of report & recommendation of VNIT Nagpur reg. Toe Wall scientific study enclosed as annexure 17)
	•	Photographs of Preventive measures such as Plantation on dump and Measures such as Slope Correction, Grass Seeding, Garland Drain, Stone pitching on toe of Top soil dump etc as per VNIT recommendation enclosed as annexure 18
(xix)	5 Fog canon shall be installed to reduce the impact of air pollution for nearby yekona village.	5 nos. Fog cannon of 100 mtrs throw with 320 deg rotation is installed at Coal stockyard, Weigh Bridge, Mobile Crusher, Coal transportation road etc.
	•	Photographs of Fog Cannons enclosed as annexure 19
(xx)	Water storage ponds shall be constructed of appropriate depth in nearby villages (Pandurni village, Wanoja village, Naydev village and Mohbala village) in collaboration with Gram Panchayats	Rain water harvesting pond of dimension <b>45</b> m x 30 m x 1.2 m near Yekona Village road (at North - North East Boundary of mine) is dug to recharge ground water level.
		Photographs of Rain Water Harvesting system enclosed as annexure 20
	,	Additional, Water storage pond will be constructed if any nearby village demand for the same.
(xxi)	Peripheral tree plantation of local species in nearby village (Panjurni village, Wanoja village, Naydev village and Mohbala	145,700 nos. trees of native species over an area of <b>58</b> Ha are planted near Yekona Village since FY 2021-22. Out of this 10.000 nos. over an area of 4 Ha mine boundary as green belt/

	village) in collaboration with Gram Panchayats	wind barrier. Peripheral tree plantation is near the Yekona village habitation (planted in FY 2021-22).  Additional Peripheral tree Plantation along mine boundary near Panjurni village, Wanoja village, Naydev village and Mohbala village will also be taken up in phased manner
(xxii)	Fund allocated in Approved Wildlife conservation plan for schedule I species shall be deposited within six months of issue of EC letter.	Fund of Rs 35 Lakhs allocated for GIB Conservation was deposited to DFO, Chandrapur vide Cheque no. 013366 dated 06.08.2020. Implementation report given by DFO, Chandrapur vide letter no. कक्ष-अयोजना/चन्द्र/21-२२/800 dtd 04.01.22 & and कक्ष-अयोजना/GIB/23-24/1679 dtd 11.10.2023 (Copy of letters enclosed as annexure 21 & 22)
(xxiii)	Green belt along the boundary should be developed on priority basis preferably within first 3 years	145,70000s. Irees of native species over an area of 58 Ha are planted near Yekona Village since FY 2021-22. Out of this 10,000 nos, over an area of 4 Ha as green belt/ wind barrier/ Peripheral tree plantation is near the Yekona village habitation (planted in FY 2021-22) & 10,000 nos, over an area of 4 Ha near Dahiwal nallah along the mine boundary as green belt (planted in FY 2024-25).  Plantation on top soil dump of Yekona I OC Mine will also act as greenbelt
		between mine and Warora – Madheli Road and Plantation on top soil dump of Yekona II OC Mine will also act greenbelt/ vertical greenery for Yekona Village Further green belt around the mine will be strengthened in coming years.
(xxiv)	The recommendation of scientific Study for method of Working, Ultimate Pit Slope, Dump Slope & Monitoring of slope stability conducted by Indian Institute of Technology, Kharagpur shall be complied	The recommendation of scientific Study for method of Working, Ultimate Pit Slope, Dump Slope & Monitoring of slope stability is being implemented.  Abstract of Scientific Study enclosed as annexure 23
		Dump Slope Monitoring record enclosed as annexure 24

(××v)	3-teir Tree plantation with wired fencing shall be project proponent for clearly demarcating adjacent forest land.	3-teir Tree plantation with wired fencing for clearly demarcating forest land will be done before the mine working approach near that patch of project.
(xxvi)	Persons of nearby villages shall be given training on livelihood and skill development to make them employable.	Skill Development training is being organised regularly (such as Tailoring. Beauty Parlour, Computer education, Security Guard etc.) for persons living in nearby villages.
		Work order issued by WCL HQ vide no. WCL/HRD/Skill Dev/2022-23/14 dtd 27.05.2022 for skill development training via CIPET, FDDI, Ashok Leyland driver training institute, ATDC, CII skill development training centres enclosed as annexure 25
		Details of expenditure statement enclosed as annexure 26
(xxvii)	Mining shall be carried out only by surface miners for the project (as proposed) and silo loading till railway siding through in-pit conveyor should be installed to avoid road transportation in 3 years.	Mining is being done mainly by Surface Miners wherever topography, gradient is favourable.  Remaining coal excavation is being done through Shovel-dumper
		combination.  The work of Railway Siding is started and same will be completed by Dec 2025. Coal Transportation upto railway siding will be within the project boundary and same will be done by Tarpaulin covered trucks.
(xxviii)	Efforts shall be made for utilizing alternate sources water, abandoned mines or else whatsoever and thus minimizing the dependability on a single source.	Mine Seepage water is being utilised for all the activities such as fire-fighting, dust suppression etc
(xxix)	Active OB Dump should not be kept barren/open and should be covered by Temporary grass to avoid air born of particles.	Grass seeding is done over the benches, embankment, Top Soil dump & OB Dump
(xxx)	Project proponent to plant 150,000 nos. of native trees with broad leaves along the transportation route in three years to prevent the effect of air pollution. After completion of tree plantation. Number of	Ha is planted on Plain and Top Soil dump along the Coal transportation route, as on 30.09.2024

	trees shall be duly endorsed from District Forest Officer.	Balance Plantation will be taken up with 1-2 years.
		Tree Plantation work is being undertaken by Madhya Pradesh Rajya Van Vikas Nigam Ltd and report of plantation is jointly being signed by officials of WCL and Forest Deptt.
		FY         Nos.         Area Ha)           2021-22         25,000 Nos.         10 Ha           2022-23         50,000 Nos.         20 Ha           2023-24         45,000 Nos.         18 Ha           2024-25         25,700 Nos.         10 Ha
{xxxi,	Project Proponent shall obtain blasting permission from DGMS for conducting mining operation near villages and also explore development of rock breakers of suitable capacity in the project to avoid blasting very near to villages. There shall be no damages caused to habitation/structures due to blasting activity.	As per new DGMS regulation, Blasting is to be done as per the scientific study recommendation for Blasting.  Scientific study for Blasting was conducted by CMPDIL in October 2020 Abstract of same enclosed as annexure 27  Vibration monitoring record enclosed as annexure 28
(xxxii)	The project proponent shall complies with all the statutory requirements and judgment of Hon'ble Supreme Court dated the 2 <sup>nd</sup> August 2017 in Writ petition (Civil) No.114 of 2014 in the matter of Common Cause versus Union of India and Ors. State Government shall ensure that the entire compensation levied. If any, for illegal mining paid by the project proponent through their respective	There is no case of Illegal Mining in this area. Mining as per valid EC and CTO capacity is being done within the project area. The Coal production from the mine is within the EC and CTO Capacity  FY
	Department in strict compliance of judgment of Hon'ble Supreme Court dated the 2 <sup>nd</sup> August 2017 in writ petition (Civil) No. 114 of 2014 in the matter of common Cause versus Union of India and Ors.	2023-24   2.75 MTY   2.749 MT   2024-25   2.75 MTY   1.366 MT   (As on 30.09.2024)
	,	etc. In the mine,  Further, as the mine is an open cast mining there is no possibility of illegal mining within the project area.
(xxxiii)	Project Proponent shall obtain the necessary prior permission from the Central Ground Water Authority (CGWA)	

	in case of intersecting the Ground water table.	on 17.11.2021 and Impact Assessment report and modelling report submitted on 30.09.2022. Same was approved vide 67th EAC Meeting dated 24.07.2023.  Renewal application for the period 19.11.2023 to 18.11.2025 applied via email on dated 18.11.2023  Copy of last *CGWA NOC and approved renewal status enclosed as annexure 29 & 30.
(xxxiv)	Proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical examination of the workers engaged in the Project and maintain records accordingly; also, Occupational health check-ups for workers having some ailments like BP, diabetes, habitual smoking, etc. shall be undertaken once in six months and necessary remedial/ preventive measures taken accordingly. The Recommendations of National Institute for ensuring good occupational environment for mine workers shall be implemented; The prevention measure for burns, malaria and provision of anti-snake venom including all other paramedical safeguards may be ensured before initiating the mining activities	Regular and Periodical medical examination (IME and PME) of the workers (Departmental as well as contractual workers) has been undertaken at Majri Area Hospital of WCL. Area Hospital is headed by Chief Medical Officer.  There is 1 No. PME in-charge and 1 No. PME co-in-charge with appropriate medical qualifications. There are five assisting Doctors. In addition, there is 1 No. PME Clerk and 2 Nos assisting category workers.  Medicines for burns, malaria and provision of anti-snake venom including all other paramedical safeguards are ensured
(xxxv)	Project Proponent shall follow the mitigation measures provided in office memorandum No.I-11013/57/2014-IA.II (M), dated 29 october, 2014, titled "Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".	There is no habitation within the Project area. Further, with reference to the OM dtd 29.10.2014, we have been practicing best mine practices such as providing catch drains, garland drains to arrest runoff from the dumps. Photographs of catch drains, garland drains, Siltation pond enclosed, as annexure 31  Adequate rain water harvesting measures are also being taken in and around mine area to recharge the groundwater levels. Regular monitoring of ground water level is also being done in core and buffer zone of the mine. Ground water monitoring report for the period Dec 2022 to August 2024 submitted vide letter no. WCL/MA/AGM/ENV/2024/127 dated 14.05.2024 enclosed as annexure 32

		Illumination and sound level of the mine are being monitored regularly inside mine as well as at nearby habitation. Record of Illumination and sound monitoring in mine enclosed as annexure.33  Vibration monitoring is also being done to ascertain the impact of blasting.  Mobile water tankers are used for dust suppression on haul road and Fixed sprinklers are provided for dust suppression on coal transportation road.
(xxxvi)	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimat noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/ night hours.	It is ensured that the biological clock of the village's is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours.  Record of Illumination and sound monitoring in nearby village enclosed as annexure 34
(xxxvi)	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna, spotted in the study area. Action plan for conservation of flora and fauna shall be implemented in consultation with the State Forest and Wildlife Department. A copy of action plan shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office.	Fund of Rs 35 Lakhs allocated for GIB Conservation was deposited to DFO, Chandrapur vide Cheque no. 013366 dated 06.08.2020.  Awareness rally in nearby villages in collaboration with forest deptt is also organised on 11.62.2021  Implementation report given by DFO, Chandrapur vide letter no. कक्ष-3/योजना/चन्द्र/21-२२/800 dtd 04.01.22 and कक्ष-3/योजना/GIB/23-24/1679 dtd 11.10.2023
(xxxviii)	Hon'ble Supreme Court in an writ petition (s) Civil No. 114/2014, Common Cause vs Union on India & Ors vide its judgement dated 8th January, 2020 has directed the union of India to impose a condition in the mining lease and a similar condition in the environmental clearance and the mining plan to the effect that the mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which	Grass seeding of embankment, benches is already been done.  Also, grass seeding OB dump has been done on OB dumps in FY 24-25.  Further, to prevent the soil fertility of top soil stacked at dumps, 1,00,000 nos, of trees planted at Top soil dumps. This acts as vertical green barrier between mine and coal

may have been disturb due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Compliance of this condition after the mining activity is over at the cost of the mining lease holders/Project Proponent". The implementation report of the above said condition shall be sent to the Regional Office of the MoEFCC.

transportation road and prevent soil erosion.

#### Specific condition with respect area being in CPAs

	Condition with espectated being in Cr As	
(i)	CTE/CTO for the project shall be obtained from the SPCB as required under the Air(Prevention and control of pollution) Act,1981 and the water (Prevention of control of Pollution) Act,1974, and the SPCB shall follow the mechanism/protocol issued by the Ministry vide letter no.Q-16017/38/2018-CPA dated 24october,2019 while issuing the CTE/CTO for the project, for improvement of environment of environment of environmental quality in the area.	GTE granted vide letter no. format 1.0/CAC/UAN no. 0000104421 /CE - 2105001339 dated 31.05.2021  CTO Renewal granted vide letter no. Format1.0/CAC/UAN No. MPCB-CONSENT-0000160739/CR/2307001123 dated 18.07.2023 valid upto 31.03.2025
(ii)	The green belt of at least 5-10 m width shall be developed in more than 40% of the total project area, mainly along the periphery of mine boundary, in downward wind direction, and along road sides etc. Selection of plant species shall be 'as per the CPCB guidelines in consultation with the State Forest Department.	145,700 nos. trees of native species over an area of 58 Ha are planted near Yekona Village since FY 2021-22. Out of this 10,000 nos. over an are of 4 Ha as green belt/wind barrier/ Peripheral tree plantation is near the Yekona village habitation (planted in FY 2021-22) and & 10,000 nos. over an area of 4 Ha near Dahiwal nallah along the mine boundary as green belt (planted in FY 2024-25)
		The Width of green belt is more than 50 mtrs.
		Plantation on top soil dump of Yekona I OC Mine will also act as greenbelt between mine and Warora – Madheli Road and Plantation on top soil dump of Yekona II OC Mine will also act greenbelt/vertical greenery for Yekona Village
	•	Further green belt around the mine will be strengthened in coming years.

(10)	In addition, the project proponent shall develop greenbelt outside the plant premises such as avenue plantation, plantation in vacant areas, social forestry etc.	Plantation along Coal transportation road is being done.  Bamboo Plantation as Avenue/ Road side plantation will be taken up in phased manner
		Plants distribution to nearby villages (such as Yekona, Marda, Charurkhati etc.) as steps towards collaboration with nearby villages and increasing green cover in nearby village area is also being done
(iv)	Monitoring of compliance of EC condition may be submitted with third party audit every year.	Work for same is awarded to NEERI Nagpur vide award letter no. WCL/HQ/ENV/16-J/73-81 dated 26.10.2021. Inspection and review of EC Compliance was done by NEERI Team in FY 2022-23. Copy of Abstract of report enclosed as annexure 35
(v)	Fund allocation for Corporate Environment Responsibility (CER) which is at least 2 times as per OM of 1st May,2018 may now be considered as 2 time of fund allocated on commitment made during public consultation process for incorporating in EIA-EMP for deliberation of EAC and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	The provisions of PR are to be fulfilled for the works under CER. Majority of points under public consultation as related to employment. Both direct and in-direct employment is being generated due to the project.  Apart from this various activity to be covered under CER are also enclosed. Few such activities such as Medical Camps, Health survey/ check-up, Skill Development training for people in nearby villages, development of roads, Rain Water Harvesting works, Avenue Plantation, providing saplings for plantation in nearby villages are being done under CSR and Environment head
(vi)	Effective fugitive emission control measures should be imposed in the process, transportation, packing etc.	6 nos. fixed sprinklers are provided at Weigh Bridge (Yekona LOC) and 30 nos. fixed sprinklers provided at Coal stockyard & weigh Bridge (Yekona II OC) to control fugitive emission  2 nos. 15 KL Mobile water tankers are deployed on Coal transportation road and haul road
		5 nos. Fog cannon of 100 mtrs throw with 320 deg rotation are in procurement stage (Supply order)

		issued) out of which 1 no. mist cannon is installed at Coal stockyard  Grass seeding over embankment, benches is done.  10,000 nos, trees of native species over an area of 4 Ha as green belt/ wind barrier between Yekona II OC mine OB Dump and Yekona Village are planted.  8 10,000 nos, over an area of 4 Ha near Dahiwal nallah along the mine boundary as green belt (planted in FY 2024-25).  Also, 105,000 nos, of saplings planted on top Soil dumps for utilisation and conservation of soil. Green belt between mine OB dumps and mine boundary will further strengthened/ developed
( <b>∨ii</b> )	Transportation of materials by rail/ conveyor belt, wherever feasible.	Study conducted by GMR for installation of Pipe Conveyor between Yekona Mine and GMR power Plant, but same is not feasible.  Dedicated Railway Siding for evacuation of coal from Amalgamated Yekona OC Mine is under construction. Work of Railway Siding awarded to IPRCL and same is in progress and will be completed by December 2025
(viii)	A detailed water harvesting plan may be submitted by the project proponent	Roof Top Rain Water Harvesting is installed over office building such as Sub Area Manager Office, Manager Office etc.  Photographs of rain water harvesting structures enclosed as annexure 15  Rain water harvesting pond of 45 mtr x 30 mtr is dug near Yekona Village.  Pond deepening for nearby villages to increase water recharge and water holding capacity of ponds will done if required in nearby villages
(ix)	In case, domestic waste water generation is more than 10 KLD, the industry may install STP.	The domestic water requirement of the mine is very less. Only 5 KLD overhead tank is provided for canteen and washroom requirement of the office.

		STP for mine premises is provided for canteen and other domestic waste.
(x)	Monitoring of compliance of EC conditions may be submitted with third party audit every year	

4.1 The grant of environmental clearance is further subject to compliance of the Standard EC conditions as under:

#### (A) Statutory Compliance

		· · · · · · · · · · · · · · · · · · ·
4(i)	The project proponent shall obtain forest clearance under the provisions of torest (Conservation) Act.1986, in case of the diversion of forest land for nonforest purpose involved in the project.	Noted
(ii)	The project proponent shall obtain clearance from the National Board Wildlife, if applicable.	Not Applicable
(iii)	The project proponent shall prepare a site-specific conservation plan/ wildlife management plan and approved by the chief wildlife warden. The recommendation of the approved site-specific conservation plan/wildlife management plan shall be implemented in consultation with the state forest department. The implementation report shall be furnished along with the six monthly compliance report (in case of the presence of schedule-1 species in the study area).	Conservation plan for Schedule-I species i.e. Great Indian Bustard (GIB) has been prepared and approved by PCCF (Wildlife), Nagpur.  Fund of Rs 35 lakhs allocated was also deposited to DFO, Chandrapur and same is utilised by Forest Department to implement the activities as per the conservation plan.
(iv) ;	The project proponent shall obtain consent to establish/operate under the provisions of Air (Prevention & Control of Pollution) Act,1981 and the water (Prevention& Control of Pollution) Act,1974 from the concerned State pollution Control Board/Committee.	CTE granted vide letter no. format 1.0/CAC/UAN no. 0000104421 /CE - 2105001339 dated 31.05.2021  CTO Renewal granted vide letter no. Format1.0/CAC/UAN No. MPCB-CONSENT-0000160739/CR/2307001123 dated 18.07.2023 valid upto 31.03.2025
<b>(v</b> )	The project proponent shall obtain the necessary permission from the Central Ground Water Authority.	CGWA NOC Obtained vide NOC no. CGWA/NOC/MIN/ORIG/2019/6689 dtd 19.11.2019 valid upto 18.11.2021. Renewal application was submitted on 17.11.2021 and Impact Assessment report and modelling report submitted

		on 30.09.2022 Same was approved vide 67th EAC Meeting dated 24.07.2023	
		2 <sup>nd</sup> Renewal application for the period 19.11.2023 to 18.11.2025 was also submitted via email dated 18.11.2023 to CGWB/CGWA	
(vi)	Solid/hazardous waste generated in the mines needs to addressed as per solid waste management rules,2016/hazardous & other waste management rules,2016.	Hazardous waste generated in the mines is addressed as per hazardous & other waste management rules,2016  Hazardous Waste is being disposed off via Authorised Recycler or CHWTSDF Butibori.	
;		Details of disposal during the period 2023-24 is being filed in Form 4 as Annual Hazardous Waste return 23-24 to MPCB vide UAN No. MPCB-HW_ANNUAL_RETURN-0000043541 on dated 13.05.2024	
		Annual Hazardous Waste return 23-24 enclosed as annexure 36	

#### (B) Air Quality Monitoring And Preservation

	Continuous ambient air quality monitoring stations as prescribed in the statue be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely PM10, PM2.5, SO2, and NOx. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the state pollution control board. Online ambient air quality monitoring stations may also be installed in addition to the regular monitoring stations as per the requirement and/ or in consultation with the SPCB. Monitoring of heavy metals such as hg. As, Ni, Cd, Cr, etc to be carried out at least once in six months.	CAAQMS (1 no.) along with MET station is installed in mine core zone and location of same is finalised in consultation with MPCB.  Photographs of CAAQMS station enclosed as annexure 37  Apart from this 5 nos. AAQ monitoring stations are also set up for AAQ monitoring on fortnightly basis.  Heavy Metal monitoring is being monitored on half yearly basis through CMPDIL (NABL accredited lab). Report of QE JUNE 2024 of heavy metal monitoring enclosed as annexure 38
(ii)	The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the Coal Industry Standards notified vide GSR 742 E dated 25 <sup>th</sup> September, 2000 and as amended	Monitoring of Ambient Air Quality is being carried out as per GSR 742 (E) dated 25.09.2000.  Data on ambient air quality is being monitored on fortnightly basis and heavy

from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/ Regional Office and to the CPCB/SPCB.

metals such as Hg, As, Ni, Cd, Cr is being monitored on half yearly basis and same is being reported to the Ministry/ Regional Office and to the MPCB along with six monthly EC Compliance report

The ambient air quality monitoring stations are established in consultation with officials of Maharashtra Pollution Control Board, Chandrapur.

Monitoring reports for the period from April 2024 to September 2024 is enclosed as annexure 39

It can be seen that all the parameters are within the prescribed standards.

(PM10) Values of µg/m³						
Date	PIT Offic e	Panzvrni Village	Hwra Village	Dandgaon Village		
APR 24 (1st FN)	240	68	78	80		
APR24(2nd FN)	230	90	° 85	85		
MAY 24(1st FN)	230	70	88	76		
MAY 24(2nd FN)	- 235	80	80	82		
JUN 24(1st FN)	222	68	80	70		
JUN 24(2nd FN)	216	75	78	75		
JULY24 (1st FN)	230	66	84	74		
JULY24(2nd FN)	204	65	68	68		
AUG 24 (1" FN)	210	67	74	68		
AUG24 (2nd FN)	200	60	64	58		
SEPT 24 (1st FN)	220	72	70	74		
SEPT 24(2° FN)	206	67	76	60		
Std	250	100	100	100		

(PM2.5) Values of µg/m³					
Dale :	PIT Office	Panzurni Village	Hwro Village	Dandgaon Village	
APR 24 (151 FN)	78	47	42	46	
APR24(2% FN)	64	44	45	44	
MAY 24(1° FN)	70	42	45	44	
MAY 24(2 <sup>nd</sup> FN)	68	50	54	48	
JUN 24(1st FN)	74	48	46	42	
JUN 24(2 <sup>nd</sup> FN)	60	56	50	52	
JULY24 (1st FN)	78	58	56	49	
JULY24(2nd FN)	60	50	52	50	
AUG 24 (11 FN)	68	53	52	54	
AUG24 (2nd FN)	60	50	50	46	
SEPT 24 (151 FN)	70	54	51	60	
SEPT 24(2nd FN)	76	56	57	50	
Std	60	60	60	60	

(iii) Transportation of coal, to the extent permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water/mist sprinkling/rain gun etc shall be carried out in critical areas prone to

Work of Railway Siding awarded to M/s IPRCL. Wok of same is started and will be completed by Dec 2025.

6 nos. fixed sprinklers are provided at Weigh Bridge (Yekona 1 OC) and 30 nos. fixed sprinklers installed at Coal stockyard &

	air pollution (with higher values of PM10/PM2.5) such as haul road, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central/ State Pollution Control Board.	Weigh Bridge (Yekona II OC) to control fugitive emission  2 nos. 15 KL Mobile water tankers are deployed on Coal transportation road and haul road  5 nos. Fog cannon of 100 mtrs throw with 320 deg rotation are installed at Coal stockyard, Weigh Bridge, Mobile Crusher, Coal transportation Road etc.  Mobile crusher is provided with Mist spray arrangement
iv)	The transportation of coal shall be carried out as per the provisions and route envisaged in the approved Miñing Plan or environment monitoring plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed to construct the bypass road, it should be constructed so that the impact of sound, dust and accidents could be appropriately thitigated.	The Transportation of coal is being done by Power Houses and other consumers by themselves.
<b>v</b> )	Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.	All the light vehicles namely jeep & trucks etc. having valid PUC certificate for vehicular emission through RTO approved agency are used
(vi)	Coal stock pile/ crusher/ feeder and breaker material transfer points shall invariable be provided with dust suppression system. Belt-conveyor shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.	6 nos. fixed sprinklers are provided at Weigh Bridge (Yekona I OC) and 30 nos. fixed sprinklers installed at Coal stockyard & Weigh Bridge (Yekona II OC) to control fugitive emission 2 nos. 15 KL Mobile water tankers are deployed on Coal transportation road and haul road
		5 nos. Mist cannon of 100 mtrs throw with 320 deg rotation are in procurement stage (Supply order issued) out of which 1 no. installed at Coal stockyard
		Mobile crusher is provided with Mist spray arrangement
		Drills are wet opérated

(vii) Coal handling plant shall be operated with effective control, measures w.r. t. various environmental parameters. Environmental friendly sustainable technology should be implemented for mitigating such parameters.

Most of the Coal extraction is through Surface Miner technology which helps in eliminating blasting and crushing of Coal.

Remaining coal extraction which is being done through Shovel-dumper combination

Fog Cannon is installed at Mobile crusher to avoid fugitive dust during loading process.

#### (C) Water Quality Monitoring And Preservation

(i) The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the water Act, 1974 Coal Industry Standards vide GSR 742 € dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board.

Mine Water discharge, Workshop ETP effluent is being monitored vide GSR 742 € dated 25th September, 2000. Copy of Mine Discharge and Workshop Effluent Water quality Monitoring Report for the period April 2024 to September 2024 enclosed as annexure 39

MINE WATER DISCHARGE (Yekona I)				
Date	рΗ	COD	T\$\$	O&G
APR 24 (1 <sup>st</sup> FN)	7.92	36.00	30.00	BDL
APR24(2 <sup>nd</sup> FN)	8.12	44.00	30.00	BDL
MAY 24(1# FN)	7.78	4800	30.00	BOL
MAY 24(2nd FN)	7.98	52.00	36.00	BDL
JUN 24(14 FN)	7,96	32.00	42.00	BDL
JUN 24(2 <sup>nd</sup> FN)	7.88	48.00	30.00	BDL
JULY24 (1 <sup>st</sup> FN)	7.68	56.00	38.00	BDL
JULY24(2 <sup>no</sup> FN)	7.92	52.00	32.00	BDL
AUG 24 (1" FN)	7.83	52.00	36.00	BDL
AUG24 (2nd FN)	7.80	40.00	28.00	BDL
SEPT 24 (19 FN)	8.00	32.00	48.00	BDL
SEPT 24(2nd FN)	8.10	48.00	40.00	BDL
<u> </u>	·		r	

#### MINE WATER DISCHARGE (Yekona II)

Date	рΗ	COD	TSS	O&G
APR 24 (1º FN)	7.94	32.00	48.00	BDL
APR24(2nd FN)	8.30	28.00	40.00	BDL
MAY 24(11 FN)	7.90	32,00	40.00	BDL
MAY 24(2 <sup>rd</sup> FN)	8.16	60.00	30.00	BDL
JUN 24(19 FN)	7.80	44.00	36.00	BDL
JUN 24(2'-' FN)	7.86	52.00	42.00	BDL
JULY24 (1st FN)	8.16	36.00	40.00	BDL
JULY24(2 <sup>nd</sup> FN)	7.80	48.00	50.00	BDL
AUG 24 (11 FN)	7.99	48.00	32.00	BDL
AUG24 (2nd FN)	8.68	32.00	40.00	BDL
SEPT 24 (1# FN)	8.10	36.00	40.00	BDL
SEPT 24(2nd FN)	7.88	28.00	46.00	BDL
-				
		† <del></del>		

(ii) The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No.J-20012/1/2006-IA.11 (M) dated

Complied

All the monitoring reports are being uploaded on westerncoal website

	27th May, 2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.	under SECTION -> DEPARTMENT -> ENVIRONMENT -> ENVIRONMENT QUALITY REPORT. *  http://www.westerncoal.in/index1.php/ StaticPage/153
(iii)	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. premonsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.	Regular monitoring of ground water level and quality is being carried out in and around the mine lease.  The monitoring is carried out four times in a year pre- monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected is being sent regularly to Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority and Regional Director, Central Ground Water Board  Report of the monitoring (Dec 2022 to
		August 2024 encosedi and rame was submitted to CGWB Nagpur vide letter no. WCL/MA/AGM/ENV/2024/239 dated 28.09.2024
(i∨)	Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/ Regional Office.	Monitoring of water quality upstream and downstream of water bodies is being carried out half yearly and report of same is also submitted to MPCB & MoEF on regular basis. Copy of latest Surface Water Quality report QE June 2024 & QE September 2024 enclosed
(v)	Gtound water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.	Mine water is being used to fulfil most of the requirements in mining operations such as fire fighting, dust suppression etc. However, wherever the mine water cannot be utilised, there the water from ground water bores is being used.
		Roof Top Rain Water Harvesting is installed over office building such as Sub Area Manager Office, Manager Office etc.
		Rain water harvesting pond of 45 mtr x 30 mtr is also constructed near Yekona Village
	,	Pond deepening, if required for nearby villages to increase water recharge and water holding capacity of ponds will be done. It helps in augmenting ground water resources.

Catch and/ or garland drains and siltation in adequate numbers appropriate size shall be constructed around the mine working, coal helps & OB dumps to prevent run off of water and flow of sediments directly into the river and water bodies, further, dump material shall be properly consolidated/compacted and abcumulation of water over dumps shall be avoided by providing adequate channels for flow of sit into the drains. The drains/ ponds so constructed shall by regularly desilted particularly before onset of monsoon and maintained properly. Sump capacity should provide adequate retention period to allow proper settling of silt material. The water so collected in the sump shall be utilised for dust suppression and green belt development and other industrial use. Dimension of the retaining wall constructed, if any, at the toe of the OB dumps within the mine to check run-off and siltation should be based on the rainfall data. The plantation of native species to be made between toe of the dump and adjacent field/habitation/water bodies.

(vi)

Garland drains of dimension (Length: 4650 mtr, Avg. width: 2.0 mtr, Avg. Depth: 2.00 mtr) is provided around the mine.

Garland drains of dimension (Length: 600 mtr, Avg. width: 2.0 mtr, Avg. Depth: 2.00 mtr) is provided near Yekona 2 Dump

Catch drain of dimension (Length: 3300 mtr, Avg. width: 2.0 mtr, Avg. Depth: 2.00 mtr) provided around OB dumps.

Catch drain of dimension (Length: 6000 mtr, Avg. width: 1.0 mtr, Avg. Depth: 1.00 mtr) provided along Coal transportation road.

Catch drain of dimension (Length: 2000 mtr, Avg. width: 1.0 mtr, Avg. Depth: 1.00 mtr) provided around OB dumps. Desilting of catch drains and garland drains is done every year before onset of monsoon departmentally.

The catch drains provided all around the OB Dump acts as an arrestor against any flow of silt and sediments into the nearby fields/ nalla. As such specifically, at present there is no requirement of retaining wall at the toe of the dump. Moreover, grass seeding has been placed over the slopes which further protects the flow of silts and sediments.

(vii) Adequate groundwater recharge measures shall be taken ŲΦ augmentation of ground water. The project authorities shall meet water requirements of nearby village(s) after due treatment conformina to the specific requirements(standards).

Roof Top Rain Water Harvesting is installed over office building such as Sub Area Manager Office, Manager Office etc.

Rain water harvesting pond of #5mtr x 30 mtr is constructed near Yekona Village

Pond deepening, if required for nearby villages to increase water recharge and water holding capacity of ponds will be done.

It helps in augmenting ground water resources.

Due to availability of waterbodies such as Wardha River in West-South West, Dahiwal nalla in North and irrigation

		•
	•	canal towards East direction, there is no scarcity of water in the vicinity.
	,	If any water requirement issue at nearby village come to the notice, project authority will take all necessary measures to fulfil the requirement
(∨iii)	Industrial waste water generated from CHP, workshop and other waste water, shall be properly collected and treated so as to conform to the standards prescribed under the standards prescribed under water Act, 1974 and Environment (Protection) Act,1986 and the rules made there under, and as amended from time to time. Adequate ETP/STP needs to be provided.	ETP of 100 KLD capacity with Oil Skimmer is constructed for treating the effluent generated from washing of HEMM  At present most of the workers of this mine are residing at Warora/Bhadrawati Town.  There is no new/ dedicated colony constructed for this mine. STP of suitable capacity will be constructed along with the construction of new quarters for the workers of Amalg. Yekona OC mine.
(ix)	The water pumped out from the mine, after silfation, shall be utilised for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained property.	Pumped out mine water is used for firefighting, dust suppression etc. After treatment, it is being released in local nalla from where villagers are further utilise it for their farming needs.
(x)	The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations, considering the presence of rive/ rivulet/pond/lake etc, shall be prepared and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the approved Mining Plan/EIA/EMP report and with due approval of the concerned State/Gol-Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved Mining Plan and as per the permission of DGMS or any other authority at prescribed by the law.	A detailed report on riverine ecosystem has been prepared. Copy of same submitted along with Six Monthly EC Compliance report of March 2022 (Copy of Riverine ecosystem conservation plan enclosed as annexure 40)  The Mining activity is strictly carried out as per the approved Mining Plan and with due permission of DGMS. The same will continue to be operated as per the above.
(xi)	The project proponent shall take all precautionary measures to ensure riverine/riparian ecosystem in and around the coal mine up to a distance od 5 km. A rivarine/riparian ecosystem conservation and management plan should be prepared and implemented in consultation	Rivarine/ riparian ecosystem conservation and management plan is prepared (Copy of same is already submitted to your good office along with EC Compliance report of March 2022) and implemented in consultation

with the irrigation/water resources department in the state government. with the irrigation/water resources department in the state government.

#### (D) Noise And Vibration Monitoring And Prevention

(i)	* 4	Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard, Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.	Deployment of avoiding Blasting Adequate me maintenance of blusting is being noise levels beloengaged in provided with e Noise Monitoring for monitoring for monitoring regularly monitoring report for the September 202	g in Coal.  casures named HEMM and g done so a pow 85 dB(A). noisy envirous plugs/muff g stations are the noise level tored. Noise period Ap	nely proper dicontrolled is to control The workers inment are fs. elestablished eledata and Monitoring oril 2024 to
		,	39		
	į			e leveis in dB (A)	
		-	Date	STN (PIT (	OFFFICE)
				Day	Night
			APR 24 (1 <sup>st</sup> FN)	55.60	53.40
			APR 24 (2nd FN)	54.4	52,30
			MAY 24 (1st FN)	59.70	58.50
		·	MAY 24 (2nd FN)	54.50	52.30
			JUNE 24 (1° FN)	54,50	55.40
			JUNE 24(2 <sup>nd</sup> FN)	56.80	52.60
			JULY 24 (19 FN)	55.40	57.30
	:		JULY 24 (2nd FN)	58.60	57.20 58.40
	•		AUG 24 (1º FN)	59.80 56.90	55.70
	•	AUG 24 (2nd FN)	56.50	55.20	
			SEPT 24 (1" FN) SEPT 24 (2% FN)	56.40	55.40
			SID	75.00	70.00
			310	7 0.00	70.00
(ii)		Controlled blasting techniques shall be practised in order to mitigate ground vibrations, fly rocks, noise and air blast etc., as per the guidelines prescribed by the DGMS.		eing done on of Scie	as per the
(iii)	;	The noise level survey shall be carried out as per the prescribed guidelines to access noise exposure of the workman at vulnerable points in the mine premises, and report in this regard shall be submitted to the ministry/RO on six-monthly basis.	per the DGMS exposure of th points in the mi	guidelines to e workman o	access noise

#### (E) Mining Plan

	· · · · · · · · · · · · · · · · · · ·	
(i) 	Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.	Mining is carried out as per the provisions of the Mines Act 1952
(ii)	Mining shall be carried out as per the approved mining plan(including Mine Closure Plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).	All the activities are being done as per Approved Mining Plan. DGMS circulars are being strictly followed.  Mine Closure Plan will be implemented as the mine will reach in final stage of operation.
(iii)	No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980.	
(iv)	Efforts should be made to reduce energy and consumption by conservation, efficiency improvements and use of renewable energy.	Steps for installation of Renewable energy in mine premises is being taken.  Renewable energy such as roof top solar power installation at the AGM office and building of Kendriya Vidhyalay is also implemented
		!

#### (F) Land Reclamation

(i)	Digital survey if entire lease hold area/ core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1;50,000 scale or as notified by Ministry of Environment, Forest and Climate Change (MOEFCC) from time to time shall be submitted to MOEFCC/Regional Office (RO).	Land use pattern of the mine is studied every year through Satellite imagery. Monitoring of same has been done by CMPDIL in 2023, Report of same is uploaded on WCL Website  (http://www.westerncoal.in/?q=node/270).
(ii)	The final mine void depth should preferably be as per the approved Mine Closure Plan, and in case it exceeds 40 m, adequate engineering interventions shall be provided for sustenance of aquatic life therein. The remaining area shall be backfilled and covered with	Adequate care will be taken to sustain aquatic life as the void depth will be more than 40 mtrs as per mine closure plan once the mine is closed.  Backfilled area will be reclaimed by plantation or other useful purposes.

	thick and alive top soil. Post-mining land be rendered usable for agricultural/ forestry purposes and shall be diverted. Further action will be treated as specified in the guidelines for preparation of Mine Closure Plan issued by the Ministry cicoal dated 27th August, 2009 and subsequent amendments.	Mine closure plan/ guidelines will be followed.
(iii)	The entire excavated area, backfilling, external OB dumping (including top soil) and afforestation plan shall be in conformity with the "during mining"/"post mining" landuse pattern, which is an integral part of the approved Mining Plan and the EIA/ EMP submitted to this Ministry. Progressive compliance status vis-à-vis the post mining land use pattern shall be submitted to the MOEFCC/RO.	Total 21,17,550 nos of saplings will be planted in 847.02 ha till mine closure.  As on date, 145,700 nos, of trees planted over an area of 58 Ha in mine  Yearwise Actual Plantation as on Date  2021-22 = 10,000 Nos, over an area of 4 Ha (PLAIN) & 15,000 Nos, over an area of 6 Ha (TOP SOIL DUMP)  2022-23 = 50,000 Nos, over an area of 20 Ha (TOP SOIL DUMP)  2023-24 = 35,000 Nos, over an area of 14 Ha (TOP SOIL DUMP) and 10,000 Nos, over an area of 4 Ha on Plain Land/ Avenue Plantation  2024-25= 10,000 Nos, (4 Ha) on the plain land along mine boundary near Dahiwal Nallah, 15,000 Nos, on embankment along Wardha River and 700 nos, along the coal transportation road.
(iv)	Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3rd November,2009 as amended from time to time. Efforts shall be made to utilize gypsum generated from Flue Gas Desulfurization (FGD), if any, along with fly ash for external dump of overburden, backfilling of mines. Compliance report shall be submitted to Regional Office of MoEFCC, CPCB and SPCB.	There is no provision of Fly Ash backfilling or using fly ash for mixing in external dump in approved mining plan  As per the CIL guidelines. Fly ash for backfilling will be utilised at the end of mine life, if required when the mine gets abandoned.
(v)	Further, it may be ensured that as per the time schedule specified in mine closure plan it should remain	17.563 Mm <sup>3</sup> Top soil has been excavated fill 30.09.2024 and is being stored in the earmarked site

	live till the point of utilization. The	Dump	Area	Height	Bench
	topsoil shall temporarily be stored at		YEKONA I	oc	
	earmarked site (s) only and shall not	BC Dump1	9.50 Ha	29 m	3
	be kept unutilized. The topsoil shall	BC Dump2	24.55 Ha	12 m	2
	be used for land reclamation and		YEKONA II	oc	
	plantation purposes. Active OB	BC Dump1	14.80 Ha	34 m	3
:	dumps shall be stabilised with native	BC Dump2	40.00 Ha	32 m	3
`	grass species to prevent erosion and	Top soil dur	np of Yekono	n I OC mi	ne and
	surface run off. The other		mp near Ye		
	overburden dumps shall be		C Mine are c		
ĺ	vegetated with native flora species.  The excavated area shall be		being near t		
- 1	backfilled and afforested in line with	•	cove the stat		_
	the approved Mine Closure Plan.	-	at these du	•	
	Monitoring and management of		as utilised. Re	•	-
	rehabilitated areas shall continue		plantation pro		
	until the vegetation becomes self-	, ,	•	ū	
	sustaining. Compliance status shall		<sup>3</sup> OB (excl. to		
	be submitted to the ministry of		till 30.09.202		•
	Environment, Forest and Climate		the earmarke		
	Change/ Regional Office.	Dump	Area	J <del></del>	Bench
		Hard OB Dump	YEKONA I	P	
		ridio Ob Demp	. 13.72 Ha	32 m	4
		Hard OB Dump	<b>YEKONA II</b> 87.065 Ha	82 m	5-
		10.00000000	Eov. vos nu	0.4 111	;
• • •		of rehabilite the same in is yet to sto after vego monitoring continued Complianc part of Six report wh	ich is sub regularly and	is submitti xternal O mp is act plantatio gement es self sus is condit EC Com mitted	ed that, B dump live. But In, the will be staining. ion is a spliance to RO,
	The project proponent shall make necessary alternative arrangements, if grazing land is involved on core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.	acquired for However, nearby the boundary	able, as no or grazing lan designated village and has been id tock grazing	id. patch calong the entified o	of land, ne mine

(G) Green Belt

(vi)

İ	m	The project proponent shall take all	Conservátioň plan for Schedule-I
			species i.e. Great Indian Bustard (GIB)

has been prepared and approved by conservation and operation for PCCF (Wildlife), Nagpur. protection of endangered/endemic flora/fauna, if any, spotted/reported in Fund of Rs 35 lakhs allocated was also the study area. The Action plan in this deposited to DFO, Chandrapur and regard, if any, shall be prepared and same is being spent to implement the implemented in consultation with the activities as per the conservation plan. State Forest and Wildlife Department. Implementation report given by DFO. Chandrapur vide letter no. कक्ष-३/योजना/चन्द्र/21-२२/800 dtd 04.01.22 & कक्ष-३/योजना/GIB/23-24/1679 dtd 11.10.2023 145,000 nos. trees of native species over Greenbelt consisting of 3-tier plantation (ii) an area of 58 Ha are planted near of width not less than 7.5 m shall be Yekona Village since FY 2021-22. Out of developed all along the mine lease this 10,000 nos. over an area of 4 Ha as area as soon as possible. The green belt green belt/ wind barrier/ Peripheral free comprising a mix of native species plantation is near the Yekona village (endemic species should be given habitation (planted in FY 2021-22). & priority) shall be developed all along 10,000 nos. over an area of 4 Ha near approach/ coal maior Dahiwal nallah along the mine transportation roads. boundary as green belt (planted in FY 2024-25) The width of green belt is minimum 50 mtrs Plantation on top soil dump of Yekona I OC Mine will also act as greenbelt between mine and Warora - Madheli Road and Plantation on top soil dump of Yekona II OC Mine will also act greenbelt/vertical greenery for Yekona Village. Further green belt around the mine will be strengthened in coming years.

#### (H) Public Hearing and Human Health Issues

(i)	Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored weekly. The report on the same shall be submitted to this ministry & it's RO on six-monthly basis.	Adequate Iliumination is being done in all mine locations.
(ii) ;	The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1995 and DGMS circulars. Besides	Regular and Periodical medical examination (IME and PME) of the workers (Departmental as well as contractual workers) has been undertaken at Majri Area Hospital of

•	regular periodic health check-up,20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment time to time.	WCL. Area Hospiitat is headed by Chief Medical Officer. Health check-up to detect for occupational diseases and hearing impairment is also being done.
(iii)	Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.	Personnel (including outsourced employees) working in mine is provided with protective respiratory devices and adequate training and information on safety and health aspects is also provided at GVTC Majri on inducting in mining activity as well as on regular basis till they work in mines of WCL Majri Area.
(iv)	Implementation of the action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.	Majority of points under public consultation are related to employment. Both direct and in-direct employment is being generated due to the project.  Borewell is provided in Charurkhati village and handpumps are provided in Marda and Yekona village. Apart from this, other works such as Concrete/Black topped roads in Yekona Village, Drain and sanitation work in nearby villages are also taken up.  Activities such as Medical Camps, Health survey/ check-up, Skill Development training for people in nearby villages, development of roads, Rain Water Harvesting works, Avenue Plantation, providing saplings for plantation in nearby villages are being done under CSR and Environment Head  Land oustees are compensated as per the norms laid down in the CIL R&R policy
(v)	The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29th October, 2014 titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area.	There is no habitation within the Project area/ near project area as on date. Further, with reference to the OM dtd 29.10.2014, we have been practicing best mine practices such as providing catch drains, garland drains to arrest runoff from the dumps. Adequate rain water harvesting measures are also being taken in and around mine area to recharge the groundwater levels. Regular monitoring of ground water

level is also being done in core and buffer zone of the mine.

Illumination and sound level of the mine are being monitored inside mine as well as at nearby habitation.

Designated patch of land nearby village and along the mine boundary is left out for livestock grazing.

Vibration monitoring is also being done to ascertain the impact of blasting.

Mobile water tankers are used for dust suppression on haul road and Fixed sprinklers are provided for dust suppression on coal transportation road.

### (I) Corporate Environment Responsibility

(1)		The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No.22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	village and handpumps are provided in Marda and Yekona village. Apart from this, other works such as Constant
			Activities such as Medical Camps, Health survey/ check-up, Skill Development training for people in nearby villages, development of roads, Rain Water Harvesting works, Avenue Plantation, providing saplings for plantation in nearby villages are being done under CSR and Environment Head However, as the project is running/already operational, works taken up in
			nearby village are accounted in CSR Head.
(ii)	•	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any intringemental down in the course and interpretable of the course and intringemental down in the course any intringemental down in the course and interpretable of the course any intringemental down in the course any intringemental down in the course and interpretable and inte	Coal India Limited has its well laid down environmental policy duly approve by the CIL Board.  The Environment Policy prescribes for standard operating process/procedures to bring into focus any intringements (desire line).
<u></u> _		focus any infringements/ deviation/ violation of the environmental/	intringements/deviation/violation of the

	forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders.	environmental or forest norms/conditions.  The company has a well taid down system of reporting of noncompliances/ violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.
(iii)	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Environment Cell exists at HQ, Area, & project level. GM (Environment) directly reports to the head of the Organization.  GM (ENVIRONMENT)  Area Nodal Officer (ENV)/Dy. Mgr. (Env)  Nodal Officer (ENV)/Dy. Mgr. (C)  At UNIT LEVEL
(iv)	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Report Compliance Report.	The year wise funds earmarked for environmental protection measures are kept in separate account and not diverted for any other purpose.
(v)	Self environmental audit shall be conducted annually. Every three tears third party environmental audit shall be carried out.	Environmental Audit Cell has been formulated to ensure implementation of all the EC Conditions vide letter no. WCL/HQ/ENV/20-B & 25-1/71-81 dated 18.02.2017.

#### (J) Miscellaneous

	The project proponent shall make	Advertisement given in following 2
{i}	public the environmental clearance	
	granted for their project along with	1) Chandrapur Şamachar (Marathi) dated
İ	the environmental conditions and	06.01.2021
İ	safeguards at their cost by	2) Mahavidharbha (Hindi) dated 06.01.2021
İ	prominently advertising it at least in i	2) Manarananana (milan) aaroa volo 12021
	two local newspapers of the District	
	or State, of which one shall be in the	

	<del></del>	
·	vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	
(ii)	The copies of the environmental clearance shall be submitted by the project proponent to the heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Copies of the environmental clearance is submitted to the heads of local bodies, and Municipal Bodies and relevant offices of the Government between 02.01.21 to 05.01.21 and submission to Pañchayat offices on 19.02.2021 due to panchayat election in January 2021.
(iii)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including result of monitored data on their website and update the same on half-yearly basis.	Compliance of the stipulated environment clearance conditions, including result of monitored data are uploaded on WCL website regularly (http://www.westerncoal.in/?q=node/270).
(iv)	The project proponent shall monitor the criteria, pollutants level namely; PM10, SO2, NOx (ambient levels) or critical sectoral parameters, indicated for the projects and display the same at a convenient location	Pollutants level namely; PM10, PM2.5, CO, SO2, NOx are being monitored at CAAQMS and same is displayed at LED Board installed at CAAQMS Station.
•	for disclosure to the public and put on the website of the company.	Moreover, Ambient AAQ monitoring in core and buffer zone. Data of same is displayed on manual handwritten board installed at Manager Office.  CAAQMS data also displayed by LED Display Board at CAAQMS Entrance also
(v)	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the mirristry of environment, Forest and Climate Change at environment clearance portal.	Six-monthly EC Compliance reports are uploaded on MoEF Website/ portal regularly. Same can also be accessed from Company's webpage showing Environmental compliance
(vi)	The project proponent shall follow the mitigation measures provided in this Ministry's OM No. Z-11013/5712014-IA. II (M) dated 29th Ocober,2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.	There is no habitation within the Project area/ near project area working as on date. Further, with reference to the OM dtd 29.10.2014, we have been practicing best mine practices such as providing catch drains, garland drains to arrest runoff from the dumps. Adequate rain water harvesting measures are also being taken in and around mine area to recharge the groundwater levels. Regular monitoring of ground water level is also being done in core and buffer zone of the mine.
		Illumination and sound level of the mine are being monitored inside mine as well as at nearby habitation.

		Designated patch of land near village and along the mine boundary is left out for livestock grazing.
		Vibration monitoring is also being done to ascertain the impact of blasting.
;		Mobile water tankers are used for dust suppression on haul road and Fixed sprinklers are provided for dust suppression on coal transportation road.
(∨ii) ·	The project proponent shall submit the environmental statement for each financial year in Form-v to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Environment Statement (Amalg. Yekona I≪ OC mine) for 2022-23 has been submitted to MPCB vide UAN No. 70103 on dated 17.09.2024 as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently.
		Same is also been uploaded on the Company's website along with the status of compliance of EC conditions
(∨iii)	The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.	Information regarding commencement of mining operations of Amalg. Yekona I & II OC Mine is given to the Regional Office of the MOEF&CC vide e.mail dated 27.11.2021
(ix)	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and is being complied
(×) .	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Rublic Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted and is being complied
(xi)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change.	Noted
(xii)	Concealing factual data or submission of false/ fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted
(xiii)	The ministry may revoke or suspend the clearance, if implementation of any of the above condition is not satisfactory.	Noted
(xiv)	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted

(xv)	The regional office of this ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information/	Noted
	monitoring reports.	
(xvi)	The above conditions shall be enforced. Inter-alia under the provisions of the water (Prevention & Control of pollution) Act, 1974, the Air (Prevention & Control of pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous	Noted
•	and Other Wastes (Management and Trans-boundary Movement) Rules, 2016 and the public liability insurance Act, 1991 along with their amendments and rules and any other orders passed by the Hon'ble supreme court of india/ High courts	
	and any other court of law relating to	
	the subject matter.	
5.	The proponent shall abide by all the commitment and recommendations made in the EIA/EMP report and also that during presentation to the EAC. All the commitments made on the issues raised during public hearing	Noted *
	shall also be implemented in letter	
6.	and spirit. The proponent shall obtain all necessary clearances/ approvals	Noted and complied
<b>:</b>	that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection. The Ministry or any other competent authority may stipulate any further condition for environmental protection.	
7.	Any appeal against this environmental clearance shall lie with the National Green Tribunal. If preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted
8.	The coal company/ project proponent shall be liable to pay the compensation against the illegal mining, if any, and as raised by the respective State Governments at any point of time. In terms of the orders dated 2 <sup>nd</sup> August, 2017 of Hon'ble Supreme Court in WP(Civil) No.114/2014 in the matter of	There is no illegal mining in the jurisdiction of WCL Majri Area. The production is within the permitted EC & CTO Capacity

	*Common Cause Vs Union of India & others.	-
9.	The concerned State Government shall ensure no mining operations to commence till the entire compensation for illegal mining, if any, is paid by the project proponent through their respective Department of mining & Geology, in strict compliance of the judgment of Hon'ble Supreme Court.	There is no illegal mining in the jurisdiction of WCL Majri Area. The production is within the permitted EC & CTO Capacity
10.	This environmental compliance shall not be operational till such time the project proponent complies with the above said judgment of Hon ble Supreme Court, as applicable, and other statutory requirements.	Noted .

Sub Area Manager For/- Amalg. Yekona I & II OC Mine Amalg. Yekona Sub Area