

WESTERN COALFIELDS LIMITED
OFFICE OF THE SUB AREA MANAGER
PENGANGA OPEN CAST PROJECT: WANI AREA
PO:-Wirur, Gadegaon Dist:- Chandrapur, MH-442917

RefNo.WCL/WA/POCP/SAM/2024-25/ 247

Date: 01/06/2024

To
Deputy Director General of Forests (Central)
Ministry of Environment, Forest & Climate Change
Integrated Regional Office, Ground Floor, East
Wing, "New Secretariat Building", Civil Lines,
Nagpur, Maharashtra-440001


Sub: - Six monthly EC Compliance Report for Penganga Opencast Project, Wani Area for the period from 1st October 2023 to 31st March 2024

Respected Sir,

Please find enclosed herewith the Six Monthly EC Compliance Report in respect of Penganga Opencast Project, Wani Area for the period from 1st October 2023 to 31st March 2024.

Thanking you.

Yours faithfully



**Sub Area Manager
(Penganga Opencast Project)**

Copy To,

1. Regional Officer, MPCB Chandrapur.
2. The General Manager (Env) WCL, Nagpur
3. Area Nodal Officer (Env), Wani Area.
4. Office Copy

WESTERN COAL FIELD LIMITED

SIX MONTHLY

EC COMPLIANCE REPORT

FOR PERIOD OF

1st October 2023 to 31st March 2024



PENGANGA OPENCAST

PROJECT WCL

WANI AREA

DATA SHEET


(as on 31/03/2024)

Sr. No.	Particulars	Data			
1.	Project Type: River-valley/Mining/Industry/Thermal/Nuclear/other (specify)	Mining (Opencast Coal Mining)			
2.	Name of the project	Penganga Opencast Project			
3.	Clearance Letter(s)/OM No. and date	No.J-11015/46/2009-IA.II (M) dtd. 26 Dec, 2019			
4.	Location				
	a. District(s)	Chandrapur			
	b. State(s)	Maharashtra			
	c. Latitude/Longitude	Latitude: 19°48'19" to 19°49'27"N Longitude: 79°13'48" to 79°15'36"E			
5.	Address for correspondence				
	a. Address of the Concerned Project Chief Engineer (With Pin Code & Telephone/Telex/Fax Numbers)	Office of Project Officer, Penganga Project. At Wirur- Gadegaon, PO:-Wirur , Teh.:- Korpana, Dist. Chandrapur. Maharashtra. Pin:- 441804 Mobile – 9850731170 Email – Id – waniarea.environdept@gmail.com			
	b. Address of the Executive Project Engineer (With Pin Code & Telephone/Telex/Fax Numbers)	Mr. Chetan Kumar Jain Sub Area Manager, Penganga Sub Area At Wirur- Gadegaon, PO:-Wirur , Teh.:- Korpana, Dist. Chandrapur. Maharashtra. Pin:- 441804 Mobile – 9850731170 Email – Id – waniarea.environdept@gmail.com			
6.	Salient Features				
	a. of the project	Opencast Coal Mining project with production capacity of 6.30 MTPA			
	b. of the environmental management plans	Budget allocation made for Environment Pollution Control Measure (as per completion report approved on 04/08/2020) is for Rs. 330.21 Lakhs			
7	Breakup of Project Area				
	EXISTING LEASE HOLD AREA				
	Sr. No	Land details	Within ML	Outside ML	Total

	1.	Tenancy Land	596.95	0.00	596.95	
	2.	Govt. Land including Gaothan land of Wirur Village	100.84	0.00	100.84	
	3.	Forest Land	46.04	0.00	46.04	
	4.	R & R Land	0.00	0.925	0.925	
	5.	Tenancy Land - Acquired for Bridge	0.00	4.23	4.23	
		Total Area	743.83	19.23	763.06	
8	Breakup of the project affected population with enumeration of those losing houses/dwelling units only agricultural land only Both dwelling units & agricultural land and landless labourers/artisans		Nos. Of project affected families (PAF) – 404 Nos. Of families losing houses/ dwelling structures – 404 Nos. Of families losing agricultural land- 514 Nos. Of artisans – 5			
	a. SC, ST/Adivasi		Total families	SC	ST/Adivasi	OTHERS
			404	36	30	338
	b. Others		338			
	(Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried our give details and year of survey)		Based on the Rehabilitation Action Plan of Penganga Opencast Project submitted by facilitating NGO VIKALPA (A Society For Sustainable Development, Nagpur) duly approved by Hon'ble Collector, Chandrapur on dtd. 26/02/2018			
9	Financial Details					
	a. Project cost as originally planned and subsequent revised estimates and the year of price reference		As per PR approved (August 2014) Rs. 441.82 Crores and Rs. 378.735 Crores as per project completion report approved on 04/08/2020.			
	b. Capital Investment on Environmental Protection measures		As per completion report approved on 04/08/2020, the total capital investment proposed on Environmental Protection measures is Rs. 3.30 Crores.			

	c. Benefit cost ratio / Internal Rate of Return and the year of assessment	As per PR approved (August 2014),the IRR of the project at 100% and 85% capacity comes out to be 36.31% and 12.21% respectively.
	d. Whether (a.) includes the cost of environmental management as shown in the above	Yes, the cost of environmental management included in PR cost.
	e. Actual expenditure incurred on the project so far	Rs. 535.40 Crores as on 31.03.2024
	f. Actual expenditure incurred on the environmental management plans so far	Capital: 212.03 Lakhs (Cumulative upto 31/03/2024) Revenue: 350.58 Lakhs (FY 2023-24)
10	Forest land requirement	
a.	a.The status of approval for diversion of forest land for non-forestry use	Stage I Clearance /in principle approval of the Central Govt. is granted for diversion of 46.05 Ha Forest Land under Forest (Conservative) Act 1980 (Copy Enclosed).
b.	The status of clearing felling trees	No trees have been cleared in forest area
c.	The status of compensatory afforestation, if any	No compensatory afforestation done
d.	Comments on the viability and sustainability of compensatory afforestation program in the light of actual field experience so far	None
11	The status of clear felling in non-forest areas (such as submergence area or reservoir, approach roads.), if any with quantitative information required.	Not Applicable.
12	Status of Project Establishment (Actual	

	&/or Planned)	
	a. Date of commencement (Actual &/or Planned)	Actual-01.06.2015, Planned-23.03.2015
	b. Date of Completion (Actual &/or Planned)	Date of completion of Project- As per approved mining plan for 6.3 MTPA 24.08.2018, Revenue life: 7 years
13	Reason for the delay if the project is yet to start	Project started within timeframe.
14	Status of legal compliances	
A.	Consent under Air (Prevention and Control of Pollution) act	The consent to establish & operate for the peak capacity of 6.30 MTPA has been obtained from the Maharashtra Pollution Control Board vide letter No. Red/LSI Consent no : Format 1.0/BO/CAC-cell/CAC-UAN No 63699 and 63749/ CAC- 1902001161 Date 25.02.2019 which is valid till 31.03.2022. Renewal of consent has been obtained vide Format 1.0/CAC/UAN No. MPCB - CONSENT-0000166191/CR/2307001625 dtd. 26/07/2023 valid till 31/03/2024. Further plain renewal of CTO for capacity 6.3 MTPA has been applied vide UAN No. 0000196464 dtd. 30/01/2023 for application valid till 31/03/2025
B.	Consent under water (prevention and control of pollution) act	
C.	Environmental Protection Act	Environmental clearance accorded by MoEF&CC vide letter No. J11015/46/2009-IA.II (M) dtd. 11.01.2019 and J11015/46/2009-IA.II (M) Pt.dtd. 26.12.2020
D.	Forest (Conservation) Act	Stage I Clearance /in principle approval of the Central Govt. is granted for diversion of 46.06 Ha Forest Land under Forest (Conservative) Act 1980.


Project Officer
 Penganga OCP
 Wani Area, WCL

CAPITAL EXPENDITURE

Sr. No.	Name of Work	Amount
1	Supply installation and commissioning of Modular Portable type STP at POCP	724170.00
2	Installation of CAAQMS	5365617.00
3	Construction of room for installation of CAAQMS at POCP	221546.50
4	Construction of sedimentation tank at POCP	605400.90
5	Making dust suppression arrangement along coal transportation road and at coal stock yard by providing raingun system.	4298838.28
6.	Piezometer borewell construction	805000.00
7.	Piezomter sensor	120000.00
8.	Truck mounted mist canon (2022 May)	3410200.00
9.	Construction of ETP	2282225.58
10.	Trolley mounted mist cannon (5 Nos.)	3370000.00
	Total	21202998.26

REVENUE EXPENDITURE

Sr. No.	Year	Expenditure
1	2015-16	3607922
2	2016-17	12998132
3	2017-18	35617384
4	2018-19	45625524
5	2019-20	48435127
6	2020 – 21	20262123
7	2021 -22	15670740
8	2022 - 23	17223760
9	2023 - 24	35058100
	Total	234498812

EC COMPLIANCE

STATUS OF COMPLIANCE OF EC CONDITIONS OF PENGANGA PROJECT

MOEF Clearance Letter No.J-11015/46/2009-IA.II (M) 11th January 2019 and subsequent EC for extension issued vide letter No.J-11015/46/2009-IA.II (M) dated 26 December, 2019

Sr. No	CONDITION	STATUS OF COMPLIANCE (as on 31.03.2024)
	SPECIFIC CONDITIONS	
4		
i)	The project proponent shall collect and analyze one season data for environmental parameters and submit for consideration of the EAC before 31st December 2019.	One season data has been collected for the duration March, 2019 to June, 2019 covering pre - monsoon season for Environmental parameters and the same was submitted to MoEF&CC, based on which the further extension of EC has been accorded by MoEF&CC.
ii)	The project proponent shall obtain consent to establish from the state pollution control boards for the proposed peak capacity of 6.30 MTPA prior to commencement of the increased production.	The consent to establish & operate for the peak capacity of 6.30 MTPA has been obtained from the Maharashtra Pollution Control Board vide letter No. Red/LSI Consent no : Format 1.0/BO/CAC-cell/CAC-UAN No 63699 and 63749/ CAC-1902001161 Date 25.02.2019 which is valid till 31.03.2022. Renewal of consent has been obtained vide Format 1.0/CAC/UAN No. MPCB – CONSENT-0000166191/CR/2307001625 dtd. 26/07/2023 valid till 31/03/2024. Further plain renewal of CTO for capacity 6.3 MTPA has been applied vide UAN No. 0000196464 dtd. 30/01/2024 for application valid till 31/03/2025 The copy of consent is enclosed.
iii)	Transportation of coal from face to coal heap shall be carried out by truck. Further, the coal transportation from coal heap to coal handling plant shall be carried out through covered trucks.	The coal transportation from coal face to coal stockyard is carried out by truck. Coal handling plant is not established in mine as coal is extracted through surface miner which provides coal of -100mm size. As such, coal from pit head is transported by truck and before it leaves the mine premises, the truck is covered with tarpaulin.
Iv)	To control the production of dust at source, the crusher and in-pit	In order to control the production of dust at source, it may be mentioned here that, the coal extraction is carried out by Surface Miner, the size of coal is (-) 100 mm and as such further crushing is not required. There is no CHP constructed.

	belt conveyors shall be provided with mist type sprinklers.	Surface miner is fitted with mist sprinkling arrangement and it is fitted with sensors so that cutting of coal by surface miner is executed only when misting nozzles are turned on.																																				
V	Mitigating measures shall be undertaken to control dust and other fugitive emission all along the roads by providing sufficient water sprinklers. Adequate corrective measures shall be undertaken to control dust emission, which would include mechanized sweeping, water sprinkling/ mist spraying on haul roads and loading sites, long range misting/ fogging arrangement and wind barrier wall and vertical greenary system, green belt, dust suppression arrangement at railway siding etc.	<p>Mitigating measures to control dust and other fugitive emission along the roads/ haul roads etc. following arrangements are already in place:-</p> <ol style="list-style-type: none"> 1. Along coal transportation road and at coal stock yard a total 30 nos high radial throw of 50m radius rainguns have been provided and are under operation. 2. The water tankers deployed at various location are given below: <ol style="list-style-type: none"> a. 2 Nos. 12KL water tanker (at coal transportation road upto Sakhara village) b. Departmental 2 Nos. of 28KL water tanker for dust suppression at haul roads c. Contractual 5 Nos. of 18KL and 1 No. 20KL Water tanker for dust suppression at contractual patch d. 1 No. Truck mounted mist cannon 3. 3 Nos. Trolley mounted mist cannon is installed at mine. <p>Regarding development of green belt, the status as on 30/09/2023 is as follows:-</p> <table border="1"> <thead> <tr> <th>Year</th> <th>River/safety zone</th> <th>OB dump/embankment</th> <th>Plain</th> <th>Avenue / CTR</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>2018- 19</td> <td>17000</td> <td>8000</td> <td>0</td> <td>0</td> <td>25000</td> </tr> <tr> <td>2019- 20</td> <td>0</td> <td>13800</td> <td>0</td> <td>1200</td> <td>15000</td> </tr> <tr> <td>2020- 21</td> <td>13000</td> <td>3000</td> <td>4000</td> <td>0</td> <td>20000</td> </tr> <tr> <td>2023-24</td> <td>0</td> <td>115000</td> <td>0</td> <td>0</td> <td>115000</td> </tr> <tr> <td>Total</td> <td>30000</td> <td>139800</td> <td>4000</td> <td>1200</td> <td>175000</td> </tr> </tbody> </table> <p>The coal from the pithead is transported to Ghugus Railway Siding over WBM road of 4.50 Km, Concrete Road of 2.478 Km and Bitumen Road 9.76 Km by tarpaulin covered trucks. In the Railway siding, there are 14 Nos. 50 m throw fixed sprinklers/ rainguns. In addition, there is one truck mounted mist spray system in operation at Railway Siding.</p>	Year	River/safety zone	OB dump/embankment	Plain	Avenue / CTR	Total	2018- 19	17000	8000	0	0	25000	2019- 20	0	13800	0	1200	15000	2020- 21	13000	3000	4000	0	20000	2023-24	0	115000	0	0	115000	Total	30000	139800	4000	1200	175000
Year	River/safety zone	OB dump/embankment	Plain	Avenue / CTR	Total																																	
2018- 19	17000	8000	0	0	25000																																	
2019- 20	0	13800	0	1200	15000																																	
2020- 21	13000	3000	4000	0	20000																																	
2023-24	0	115000	0	0	115000																																	
Total	30000	139800	4000	1200	175000																																	
Vi	The company shall obtain approval of CGWA for use of groundwater for mining operations at its enhanced capacity of 6.30 MTPA.	Approval for Groundwater from CGWA is being obtained vide letter no. CGWA/ NOC/ MIN/ ORIG/ 2019/5530 valid from 10/06/2019 to 09/06/2021. Further CGWA NOC renewal application has been submitted and renewal is under process.																																				

Vii	<p>Continuous monitoring of occupational safety and other health hazards, and the corrective actions need to be ensured.</p>	<p>Continuous monitoring of occupational safety and health hazard is conducted through periodical medical examinations. Periodical medical examination (PME) of all the workmen once in 5 years as per the statue and workers above 55 years of age once in a year is conducted.</p> <p>The medical examination is done separately for Departmental as well as Contractual workers at Rajiv Ratan Central Hospital, Ghugus. The hospital is well equipped with all medical instruments, paramedics and doctors needed for conducting PME and IME. Year-wise details of PME and IME are given below:-</p> <table border="1" data-bbox="586 594 1258 852"> <thead> <tr> <th>Year</th> <th>PME (in Nos.)</th> <th>Cont IME (in Nos.)</th> </tr> </thead> <tbody> <tr> <td>2019</td> <td>156</td> <td>363</td> </tr> <tr> <td>2020</td> <td>173</td> <td>80</td> </tr> <tr> <td>2021</td> <td>278</td> <td>834</td> </tr> <tr> <td>2022</td> <td>171</td> <td>1099</td> </tr> <tr> <td>2023</td> <td>189</td> <td>449</td> </tr> <tr> <td>2024 (Till April)</td> <td>62</td> <td>48</td> </tr> </tbody> </table> <p>All the activities within the mine are carried out with complying safety aspect and regular awareness is created among employees regarding safety and to avoid any accidents.</p> <p>Regarding safety hazards, mine has well laid down SOPs for different activities (Total 31 Nos. activities with 117 Nos. of SOP) viz. blasting operation, shovel/ excavator operation, drill operation etc.</p> <p>Every year before, onset of monsoon, various activities are carried out viz. arrangements of Pumps and Pipes, Cleaning of Sumps, Garland Drains, Establishment of Control Room, providing essential safety jackets, Checking of all float alarms etc.</p> <p>Further, under Vocational Training, various awareness programmes of duration from 12 to 18 days are conducted round the year covering topics viz coal mining statute, organization structure, safety policy of company, handling of HEMM, safety on surface mine and precaution to be taken, danger from moving HEMM, safety from falling object, safe handling of explosive and surface, firefighting arrangement on the surface, use of PPE, first aid, housekeeping, quality awareness etc. for both departmental and contractual workers.</p> <p>Category wise refreshers training is conducted once in every five year.</p>	Year	PME (in Nos.)	Cont IME (in Nos.)	2019	156	363	2020	173	80	2021	278	834	2022	171	1099	2023	189	449	2024 (Till April)	62	48
Year	PME (in Nos.)	Cont IME (in Nos.)																					
2019	156	363																					
2020	173	80																					
2021	278	834																					
2022	171	1099																					
2023	189	449																					
2024 (Till April)	62	48																					

		<p>The number of departmental and contractual workers imparted training in last years is given below:</p> <table border="1"> <thead> <tr> <th rowspan="2">Calender year</th> <th colspan="2">Training</th> <th rowspan="2">Refresher Training</th> <th rowspan="2">Need based special training</th> <th rowspan="2">Total people trained (in Nos.)</th> </tr> <tr> <th>Dept.</th> <th>Cont.</th> </tr> </thead> <tbody> <tr> <td>2016</td> <td>2</td> <td>279</td> <td>15</td> <td>19</td> <td>315</td> </tr> <tr> <td>2017</td> <td>3</td> <td>196</td> <td>43</td> <td>48</td> <td>290</td> </tr> <tr> <td>2018</td> <td>10</td> <td>344</td> <td>79</td> <td>216</td> <td>649</td> </tr> <tr> <td>2019</td> <td>12</td> <td>341</td> <td>110</td> <td>133</td> <td>596</td> </tr> <tr> <td>2020</td> <td>169</td> <td>99</td> <td>73</td> <td>85</td> <td>426</td> </tr> <tr> <td>2021</td> <td>20</td> <td>739</td> <td>120</td> <td>131</td> <td>1010</td> </tr> <tr> <td>2022</td> <td>5</td> <td>672</td> <td>87</td> <td>73</td> <td>837</td> </tr> <tr> <td>2023</td> <td>19</td> <td>0</td> <td>103</td> <td>122</td> <td>244</td> </tr> </tbody> </table>	Calender year	Training		Refresher Training	Need based special training	Total people trained (in Nos.)	Dept.	Cont.	2016	2	279	15	19	315	2017	3	196	43	48	290	2018	10	344	79	216	649	2019	12	341	110	133	596	2020	169	99	73	85	426	2021	20	739	120	131	1010	2022	5	672	87	73	837	2023	19	0	103	122	244
Calender year	Training			Refresher Training	Need based special training				Total people trained (in Nos.)																																																	
	Dept.	Cont.																																																								
2016	2	279	15	19	315																																																					
2017	3	196	43	48	290																																																					
2018	10	344	79	216	649																																																					
2019	12	341	110	133	596																																																					
2020	169	99	73	85	426																																																					
2021	20	739	120	131	1010																																																					
2022	5	672	87	73	837																																																					
2023	19	0	103	122	244																																																					
Vii	<p>Persons of nearby villages shall be given training on livelihood and skill development to make them employable.</p>	<p>Skill development training, for increasing the employ-ability as well as for increasing opportunities for his income generation is provided to project affected people of nearby villages in Wani Area at Vocational Training Center, Ghugus on regular basis. A total of 352 Nos. of Skill Development Training like Welding & Fabrication, Electrician, Agro based, Beauty Parlour, Solar System, Basic Tailoring Course, and Electrical Gadget Repairing Course have been Provided To PAP and Rural Youth At Wani Area Under CSR.</p> <p>WCL HQ have tied up with institutions CIPET, Chandrapur, Maharashtra and Ashok Leyland Driver Training and Research Centre, Chindwara, MP which provide accredited courses which can help in providing employment opportunities to rural youth. Under this, awareness and mobilization activity was done in villages to inform youths about this programme.</p> <p>In addition to this people from nearby villages approx 150 Nos. are deployed in contractual mining and civil works.</p>																																																								
Ix	<p>To ensure health and welfare of nereby villages, regular medical camps shall be organized at least once in six months.</p>	<p>Mine has dedicated ambulance which is for utilization of mine and nearby villages.</p> <p>Health camps are being conducted in nearby villages with our company doctors and medical staff for improving awareness and health consciousness among people .</p> <p>Frequent special camps at Rajiv Ratan Central Hospital Ghugus have been conducted related Blood Sugar test Camp, Diabetes & Sickle Cell test, Diagnostic & Blood Test, Laparoscopic TT Camp, Eye check up camp, Bone Disease checkup and Cancer Detection camp.</p> <p>CSR clinic is provided at Area Hospital, Rajiv Ratan Central Hospital for PAF. CSR day is scheduled on Monday and</p>																																																								

		<p>Thursday. An average of 1100 Nos. of people from project affected families from nearby villages of mines of Wani Area gets treated in the hospital every month.</p> <p>The details of medical camps conducted in nearby villages of mines of Wani Area and Rajiv Ratan Central Hospital Ghugus is tabulated below:</p> <table border="1"> <thead> <tr> <th>S.N.</th> <th>NAME OF VILLAGE/ LOCATION</th> <th>NO. OF BENEFICIARIES</th> <th>DATE</th> <th>NAME OF CAMP</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RRCH HOSPITAL</td> <td>35</td> <td>11.02.2024</td> <td>BLOOD DONATION CAMP</td> </tr> <tr> <td>2</td> <td>RRCH HOSPITAL</td> <td>59</td> <td>01.04.2023</td> <td>CANCER AWARENESS CHEKUP CAMP</td> </tr> <tr> <td>3</td> <td>USGAON</td> <td>324</td> <td>23.05.2023</td> <td>VILLAGE HELATH CHEKUP CAMP</td> </tr> <tr> <td>4</td> <td>BELSANI</td> <td>187</td> <td>30.05.2023</td> <td>VILLAGE HELATH CHEKUP CAMP</td> </tr> <tr> <td>5</td> <td>RRCH HOSPITAL</td> <td>50</td> <td>25.07.2023</td> <td>DIAGNOSTIC CAMP</td> </tr> <tr> <td>6</td> <td>MUNGOLI</td> <td>55</td> <td>14.08.2023</td> <td>VILLAGE HELATH CHEKUP CAMP</td> </tr> <tr> <td>7</td> <td>MUNGOLI</td> <td>144</td> <td>23.09.2023</td> <td>VILLAGE HELATH CHEKUP CAMP</td> </tr> <tr> <td>8</td> <td>RRCH HOSPITAL</td> <td>41</td> <td>06.10.2023</td> <td>EYE CHECKUP CAMP</td> </tr> <tr> <td>9</td> <td>TARODA</td> <td>128</td> <td>27.10.2023</td> <td>VILLAGE HELATH CHEKUP CAMP</td> </tr> <tr> <td>10</td> <td>VIRUR</td> <td>108</td> <td>25.11.2023</td> <td>VILLAGE HELATH CHEKUP CAMP</td> </tr> <tr> <td>11</td> <td>RRCH HOSPITAL</td> <td>102</td> <td>26.11.2023</td> <td>ORTHOPAEDIC CHEKUP CAMP</td> </tr> <tr> <td>12</td> <td>RRCH HOSPITAL</td> <td>52</td> <td>17.12.2023</td> <td>HEALTH CHECKUP CAMP</td> </tr> <tr> <td>13</td> <td>RRCH HOSPITAL</td> <td>35</td> <td>22.03.2024</td> <td>HEALTH CHECKUP CAMP</td> </tr> <tr> <td></td> <td>TOTAL</td> <td>1320</td> <td></td> <td></td> </tr> </tbody> </table>	S.N.	NAME OF VILLAGE/ LOCATION	NO. OF BENEFICIARIES	DATE	NAME OF CAMP	1	RRCH HOSPITAL	35	11.02.2024	BLOOD DONATION CAMP	2	RRCH HOSPITAL	59	01.04.2023	CANCER AWARENESS CHEKUP CAMP	3	USGAON	324	23.05.2023	VILLAGE HELATH CHEKUP CAMP	4	BELSANI	187	30.05.2023	VILLAGE HELATH CHEKUP CAMP	5	RRCH HOSPITAL	50	25.07.2023	DIAGNOSTIC CAMP	6	MUNGOLI	55	14.08.2023	VILLAGE HELATH CHEKUP CAMP	7	MUNGOLI	144	23.09.2023	VILLAGE HELATH CHEKUP CAMP	8	RRCH HOSPITAL	41	06.10.2023	EYE CHECKUP CAMP	9	TARODA	128	27.10.2023	VILLAGE HELATH CHEKUP CAMP	10	VIRUR	108	25.11.2023	VILLAGE HELATH CHEKUP CAMP	11	RRCH HOSPITAL	102	26.11.2023	ORTHOPAEDIC CHEKUP CAMP	12	RRCH HOSPITAL	52	17.12.2023	HEALTH CHECKUP CAMP	13	RRCH HOSPITAL	35	22.03.2024	HEALTH CHECKUP CAMP		TOTAL	1320		
S.N.	NAME OF VILLAGE/ LOCATION	NO. OF BENEFICIARIES	DATE	NAME OF CAMP																																																																									
1	RRCH HOSPITAL	35	11.02.2024	BLOOD DONATION CAMP																																																																									
2	RRCH HOSPITAL	59	01.04.2023	CANCER AWARENESS CHEKUP CAMP																																																																									
3	USGAON	324	23.05.2023	VILLAGE HELATH CHEKUP CAMP																																																																									
4	BELSANI	187	30.05.2023	VILLAGE HELATH CHEKUP CAMP																																																																									
5	RRCH HOSPITAL	50	25.07.2023	DIAGNOSTIC CAMP																																																																									
6	MUNGOLI	55	14.08.2023	VILLAGE HELATH CHEKUP CAMP																																																																									
7	MUNGOLI	144	23.09.2023	VILLAGE HELATH CHEKUP CAMP																																																																									
8	RRCH HOSPITAL	41	06.10.2023	EYE CHECKUP CAMP																																																																									
9	TARODA	128	27.10.2023	VILLAGE HELATH CHEKUP CAMP																																																																									
10	VIRUR	108	25.11.2023	VILLAGE HELATH CHEKUP CAMP																																																																									
11	RRCH HOSPITAL	102	26.11.2023	ORTHOPAEDIC CHEKUP CAMP																																																																									
12	RRCH HOSPITAL	52	17.12.2023	HEALTH CHECKUP CAMP																																																																									
13	RRCH HOSPITAL	35	22.03.2024	HEALTH CHECKUP CAMP																																																																									
	TOTAL	1320																																																																											
X	<p>Thick green belt of adequate width at the final boundary in the down wind direction of the project site shall be developed to mitigate/ check the dust pollution.</p>	<p>The mine has started mining operation in June 2015. Upto 31/03/2024, 175000 Nos. plantation in 70.00 Ha of land has been carried out by Madhya Pradesh Rajya Van Vikas Nigam (MPRVVN) under long term MoU with maintenance of four years after each year of planting. The species of plants planted are shishu, Imli, Jambhul, Awala, Neem, Karanj, Bamboo, Raintree, Arjun, Amalthas.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>River/safety zone</th> <th>OB dump/ embankment</th> <th>Plain</th> <th>Avenue / CTR</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>2018- 19</td> <td>17000</td> <td>8000</td> <td>0</td> <td>0</td> <td>25000</td> </tr> <tr> <td>2019- 20</td> <td>0</td> <td>13800</td> <td>0</td> <td>1200</td> <td>15000</td> </tr> <tr> <td>2020- 21</td> <td>13000</td> <td>3000</td> <td>4000</td> <td>0</td> <td>20000</td> </tr> <tr> <td>2023-24</td> <td>0</td> <td>115000</td> <td>0</td> <td>0</td> <td>115000</td> </tr> <tr> <td>Total</td> <td>30000</td> <td>139800</td> <td>4000</td> <td>1200</td> <td>175000</td> </tr> </tbody> </table>	Year	River/safety zone	OB dump/ embankment	Plain	Avenue / CTR	Total	2018- 19	17000	8000	0	0	25000	2019- 20	0	13800	0	1200	15000	2020- 21	13000	3000	4000	0	20000	2023-24	0	115000	0	0	115000	Total	30000	139800	4000	1200	175000																																							
Year	River/safety zone	OB dump/ embankment	Plain	Avenue / CTR	Total																																																																								
2018- 19	17000	8000	0	0	25000																																																																								
2019- 20	0	13800	0	1200	15000																																																																								
2020- 21	13000	3000	4000	0	20000																																																																								
2023-24	0	115000	0	0	115000																																																																								
Total	30000	139800	4000	1200	175000																																																																								

		From the above, it may be seen that, along the boundary on the river side 30000 Nos. saplings have been planted. Further, 139800 Nos. saplings have been planted on External OB Dump and over Embankment. On coal transportation road 1200 Nos. saplings and on plain land 4000 Nos. saplings have also been planted.
Xi	Efforts shall be made for utilizing alternate sources off surface water, abandoned mines or else whatsoever and thus minimizing the dependability on a single source.	Surface water is not being used for mining and allied purposes. There is sufficient water available through abstraction of water from the mine. The mine water/seepage water is being collected in mines in the sump, initially it is being sedimented to free from any particles. The same water is being used for firefighting and dust suppression in mines.
Xi i	A third party assessment of EC compliance shall be undertaken through agency like ICFRI/NEERI/IIT or any other expert agency identified by the ministry.	Third party assessment of EC compliance has been done by NEERI in March 2023 for EC granted vide Ref NoJ-11015/46/2009-IA-II(M) dtd. 11-01-2019.
Xi ii	In case of additional forest land, if any, after reconciliation/delineation, approval under the forest (conservation) Act, 1980 for its diversion to non-forestry use shall be obtained.	Stage I In principal Forest Clearance is obtained for 46.06 Ha of land vide letter No. F. No. 8 – 10/2018-FC dtd. 18.05.2018. Further , in case of additional forest land after reconciliation / delineation approved under FC act‘ 1980 will be obtained. Copy of FC is enclosed. Diversion of 46.04 Ha forest land FAC observed total forest land involved in project is around 112 Ha. As per directives, a committee has been constituted vide Government Resolution no. FLD-3615/CR-295/F10 dt. 14.12.2018. Vide letter no. 9873 dt 22.12.2018 for delineation of forest land. Compliance report of 46.04 ha Stage - I FC has also been submitted to CCF, Chandrapur for further appraisal.
4.1	The grant of environmental clearance is further subject to compliance of the generic conditions as under.	
a)	Mining	
I	Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and	Mining operations are being carried out and continue to be carried out as per provisions of Mines act 1952 and subordinate legislation made there under. No deviation is being made during operations.

	subordinate legislations made there- under as applicable.																																									
ii	No change in mining method, calendar programme and scope of work shall be made without obtaining prior approval of the Ministry of Environmental, Forest and climate change.	<p>There is no change in mining method, calendar programme and scope of the work as given in the EC.</p> <p>The coal extracted since inception is given below and can be seen that there is no excess production beyond EC:</p> <table border="1"> <thead> <tr> <th>Year</th> <th>Coal (MT)</th> <th>EC Capacity in MTPA</th> <th>OB (Mm3)</th> </tr> </thead> <tbody> <tr> <td>2015-16</td> <td>1.05</td> <td>4.50</td> <td>2.03</td> </tr> <tr> <td>2016-17</td> <td>2.70</td> <td>4.50</td> <td>2.40</td> </tr> <tr> <td>2017-18</td> <td>3.70</td> <td>4.50</td> <td>5.93</td> </tr> <tr> <td>2018-19</td> <td>6.30</td> <td>6.30</td> <td>12.72</td> </tr> <tr> <td>2019-20</td> <td>6.30</td> <td>6.30</td> <td>12.78</td> </tr> <tr> <td>2020-21</td> <td>5.25</td> <td>6.30</td> <td>14.71</td> </tr> <tr> <td>2021-22</td> <td>6.30</td> <td>6.30</td> <td>19.01</td> </tr> <tr> <td>2022-23</td> <td>5.706</td> <td>6.30</td> <td>18.367</td> </tr> <tr> <td>2023-24</td> <td>4.806</td> <td>6.30</td> <td>20.25</td> </tr> </tbody> </table>	Year	Coal (MT)	EC Capacity in MTPA	OB (Mm3)	2015-16	1.05	4.50	2.03	2016-17	2.70	4.50	2.40	2017-18	3.70	4.50	5.93	2018-19	6.30	6.30	12.72	2019-20	6.30	6.30	12.78	2020-21	5.25	6.30	14.71	2021-22	6.30	6.30	19.01	2022-23	5.706	6.30	18.367	2023-24	4.806	6.30	20.25
Year	Coal (MT)	EC Capacity in MTPA	OB (Mm3)																																							
2015-16	1.05	4.50	2.03																																							
2016-17	2.70	4.50	2.40																																							
2017-18	3.70	4.50	5.93																																							
2018-19	6.30	6.30	12.72																																							
2019-20	6.30	6.30	12.78																																							
2020-21	5.25	6.30	14.71																																							
2021-22	6.30	6.30	19.01																																							
2022-23	5.706	6.30	18.367																																							
2023-24	4.806	6.30	20.25																																							
iii	Mining shall be carried out as per the approved mining plan including mine closure plan, abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).	Mining is being carried out as per the approved mining plan including mine closure plan, abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS). The same will continue to be carried out in the balance life of the mine. In this regard, it may be worthwhile to mention here that, the claim for release of eligible claim under the Progressive Mine Closure for the first five year cycle since inception has been submitted to CCO after third party audit by CSIR V- NEERI and partial amount is reimbursed.																																								
Iv	No mining shall be carried out in forest land without obtaining forestry clearance as per forest (Conservation) Act, 1980 and also adhering to the scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act,	<p>No mining activity is being carried out in Forest Land.</p> <p>Forest Clearance is being pursued vigorously. The latest status in nutshell is given below:-</p> <p>Stage I In principal Forest Clearance is obtained for 46.06 Ha of land vide letter No. F. No. 8 – 10/2018-FC dtd. 18.05.2018.</p> <p>FAC observed total forest land involved in project is around 112 Ha. As per directives, a committee has been constituted vide Government Resolution no. FLD-3615/CR-295/F10 dt. 14.12.2018. Vide letter no. 9873 dt 22.12.2018 for delineation of forest land.</p> <p>Compliance report of 46.04 ha Stage - I FC has also been submitted to CCF, Chandrapur for further appraisal.</p>																																								

	2006 read with provisions of Indian Forest Act, 1927.	
B	Land reclamation and water conservation	
I	Digital survey of entire lease hold area/ core zone using satellite remote sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale shall be submitted to Ministry of Environment, forest and climate change/ Regional office (RO).	Restoration/Reclamation Monitoring of all mine of WCL having more than 5 million cum. (Coal+OB) capacity is being done by Satellite every year and the data is available in the website of WCL. In this regard, Penganga OC has been included in the list from the year 2020 since grant of EC in 2019. The satellite data for Penganga OC mine for year 2023 is enclosed. It may be worthwhile to mention that till 31/03/2024, 175000 Nos. of plantation have been done in 70 Ha area. 25000 Nos. in 2018-19, 15000 Nos. in 2019-20 and 20000 Nos. in 2020-21 and 1,15,000 Nos. in 2023-24 And further plantation will be taken up in subsequent years.
ii	The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations, considering the presence of river/rivulet/pond/lake etc, shall be prepared and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the approved mining plan /EIA/EMP report	As indicated in previous points, the mining is being carried out as per the approved Mining Plan following all the provisions of Mines Act, 1952 and allied subordinate legislation as well as the DGM Circulars. As indicated in the approved Mining Plan, the mine area is falling below the HFL of Penganga River. As such, it is essential to protect the mine from the danger of surface water/ Inundation following the provisions of Coal Mines Regulation, 2017 and allied DGMS Circulars. Total length of embankment is 7.80 Km, out of which 1760 m is along the Penganga river with base width 60m and top width of embankment is 30m. The height of the embankment is more than HFL (HFL of Penganga river = RL 185m, height of embankment = RL 188 to 192m, slope = 1:1). Stone pitching at critical patches have been done to withstand the peak water flow and mine inundation. The details of stone pitching with retaining wall is given below: a. From Penganga Bridge to Weighbridge No. 5: Stone pitching – 201.00m x 12.00 m (avg) and retaining wall over length 201.00 m x 1.7m height.

	<p>and with due approval of the concerned state/GOI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved mining plan and as per the permission of DGMS.</p>	<p>b. From Penganga bridge towards Gadegaon village: Stone pitching – 60.00m x 12.00 m (avg) and retaining wall over length 60.00 m x 1.7m height.</p> <p>Garland drain along mine boundary and catch drain along OB dump is provided. Details are given below:</p> <p>a. Garland Drain of dimension of length 5.6 Km x width 2.0 m x height 2.0 m is provided.</p> <p>b. Catch Drain of dimension – length 3.0 Km x width 2.0m x height 1.50 m is provided.</p> <p>These garland drains and catch drains are cleaned before onset of monsoon on routine basis, so that danger of surface inundation is adequately controlled. The amount of silt removed in last FY 2023-34 was – 5500 m3.</p>																												
<p>iii</p>	<p>The final mine void depth should preferably be as per the approved Mine Closure Plan, in case it exceeds 40 m, adequate engineering interventions shall be for provided sustenance of aquatic life therein. The remaining area shall be backfilled and covered withthick shall and alive be top soil. Post-mining land be rendered usable for aricultural/forestry purposes and shall be handed over to the respective state government as specified in the guidelines for preparation of mine closure plan issued by the Ministry of Coal dated 27th August, 2009 and subsequent amendments.</p>	<p>At present mine is active and progressive mine closure activities are being executed. After closure of mine the final mine void depth, backfilling and afforestation will be done as per approved Mine closure plan. All the mining work as being carried out as present shall be continued.</p> <p>The Present Status of the mine is as follows (as on 31/03/2024)</p> <table border="1" data-bbox="586 940 1385 1394"> <thead> <tr> <th>Sr. No.</th> <th>Description</th> <th>As per EC</th> <th>As on 31/03/2024</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Excavated Area (Ha)</td> <td>240.10</td> <td>240.10</td> </tr> <tr> <td>2</td> <td>Depth (m)</td> <td>170.00</td> <td>105.00</td> </tr> <tr> <td>3</td> <td>Backfilled Area on surface (Ha)</td> <td>53.00</td> <td>115.68 Ha partially backfilled, 20m above GL</td> </tr> <tr> <td>4</td> <td>External OB Dump Area (Ha)</td> <td>253.60</td> <td>163.51</td> </tr> <tr> <td>5</td> <td>Plantation (Ha)</td> <td>448.60</td> <td>70.00</td> </tr> <tr> <td>6</td> <td>Embankment/ Approach road (Ha)</td> <td>95.30</td> <td>49.50</td> </tr> </tbody> </table> <p>Mine Closure Plan is a part of Project Report/ Mining plan and a mine closure plan was approved by the WCL Board along with opening of a corpus fund / account having account no. 08973161005875 was opened at the Oriental Bank of Commerce, Jaripataka Branch, Nagpur. The total corpus amounts available in the account as on date 31.03.2024 is Rs 680319254.17 (Including the principal along with the interest). In this regard, it may be worthwhile to mention that progressive claim Mine Closure activities for first five years cycle (period 2015-16 to 2019-20) as per the MoC guidelines has already been submitted to CCO after due certification by CSIR – NEERI (Third Party) and partial</p>	Sr. No.	Description	As per EC	As on 31/03/2024	1	Excavated Area (Ha)	240.10	240.10	2	Depth (m)	170.00	105.00	3	Backfilled Area on surface (Ha)	53.00	115.68 Ha partially backfilled, 20m above GL	4	External OB Dump Area (Ha)	253.60	163.51	5	Plantation (Ha)	448.60	70.00	6	Embankment/ Approach road (Ha)	95.30	49.50
Sr. No.	Description	As per EC	As on 31/03/2024																											
1	Excavated Area (Ha)	240.10	240.10																											
2	Depth (m)	170.00	105.00																											
3	Backfilled Area on surface (Ha)	53.00	115.68 Ha partially backfilled, 20m above GL																											
4	External OB Dump Area (Ha)	253.60	163.51																											
5	Plantation (Ha)	448.60	70.00																											
6	Embankment/ Approach road (Ha)	95.30	49.50																											

Iv	<p>The entire excavated area, backfilling, external OB dumping (including top soil) and afforestation plan shall be in conformity with the “during mining / post mining“ land-use pattern which is an integral part of the approved mining plan and the EIA/EMP submitted to this Ministry. Progressive compliance status vis-a-vis the post mining land use pattern shall be submitted to the Ministry of Environment, Forest Change/Regional Office on six monthly basis.</p>	<p>The salient features of progressive mine closure plan of the mine is as follows (as on 31/03/2024):-</p> <table border="1" data-bbox="584 283 1385 745"> <thead> <tr> <th>Sr. No.</th> <th>Description</th> <th>As per EC</th> <th>As on 31/03/2024</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Excavated Area (Ha)</td> <td>240.10</td> <td>240.10</td> </tr> <tr> <td>2</td> <td>Depth (m)</td> <td>170.00</td> <td>105.00</td> </tr> <tr> <td>3</td> <td>Backfilled Area on surface (Ha)</td> <td>53.00</td> <td>115.68 Ha partially backfilled, 20m above GL</td> </tr> <tr> <td>4</td> <td>External OB Dump Area (Ha)</td> <td>253.60</td> <td>163.51</td> </tr> <tr> <td>5</td> <td>Plantation (Ha)</td> <td>448.60</td> <td>70.00</td> </tr> <tr> <td>6</td> <td>Embankment/ Approach road (Ha)</td> <td>95.30</td> <td>49.50</td> </tr> </tbody> </table> <p>Six monthly EC compliance report is regularly being submitted to Ministry of Environment, Forest Climate Change/Regional Office which comprises data sheet with data excavated area, backfilling, external OB dump including top soil & afforestation data.</p> <p>Online six monthly compliance report is submitted to Regional Officer, MoEF&CC, Nagpur and Regional Officer MPCB Chandrapur from waniarea.environtdept@gmail.com on dtd. 10/05/2024</p>	Sr. No.	Description	As per EC	As on 31/03/2024	1	Excavated Area (Ha)	240.10	240.10	2	Depth (m)	170.00	105.00	3	Backfilled Area on surface (Ha)	53.00	115.68 Ha partially backfilled, 20m above GL	4	External OB Dump Area (Ha)	253.60	163.51	5	Plantation (Ha)	448.60	70.00	6	Embankment/ Approach road (Ha)	95.30	49.50									
Sr. No.	Description	As per EC	As on 31/03/2024																																				
1	Excavated Area (Ha)	240.10	240.10																																				
2	Depth (m)	170.00	105.00																																				
3	Backfilled Area on surface (Ha)	53.00	115.68 Ha partially backfilled, 20m above GL																																				
4	External OB Dump Area (Ha)	253.60	163.51																																				
5	Plantation (Ha)	448.60	70.00																																				
6	Embankment/ Approach road (Ha)	95.30	49.50																																				
V	<p>The top soil shall temporarily be stored at earmarked site(s) only and shall not be kept unutilized for long. The top soil shall be used for land reclamation and plantation purposes. Active OB dumps shall be stabilized with native grass species to prevent erosion and surface run off. The other overburden dumps shall be vegetated with native flora species. The excavated area shall</p>	<p>The top soil is being dumped separately at earmarked site and this soil will be used while blanketting and for creation of vegetation site after backfilling is done, in accordance with mine closure plan.</p> <p>The quantity of top soil dump generated and OB dump generated from beginning of the mine is given below (data as on 31/03/2024):</p> <table border="1" data-bbox="584 1417 1385 1848"> <thead> <tr> <th>Sr. No.</th> <th>Dump Name</th> <th>Dump type (Black cotton/ Hard)</th> <th>Internal/ External</th> <th>Quantity (in Mm3)</th> <th>Area (in Ha)</th> </tr> </thead> <tbody> <tr> <td rowspan="2">1</td> <td>14</td> <td rowspan="2">BC SOIL</td> <td rowspan="2">EXTERNAL</td> <td rowspan="2">5.106</td> <td rowspan="2">18.58</td> </tr> <tr> <td>14A</td> </tr> <tr> <td>2</td> <td>12</td> <td>HARD SOIL</td> <td>INTERNAL + EXTERNAL</td> <td>18.446</td> <td>65.62</td> </tr> <tr> <td>3</td> <td>13</td> <td>HARD SOIL</td> <td>INTERNAL + EXTERNAL</td> <td>8.367</td> <td>49.02</td> </tr> <tr> <td>4</td> <td>13A</td> <td>HARD SOIL</td> <td>INTERNAL</td> <td>1.227</td> <td>10.07</td> </tr> <tr> <td>5</td> <td>14B</td> <td>LOOSE SOIL</td> <td>EXTERNAL OVER HARD DUMP NO.6</td> <td>0.78</td> <td>-----</td> </tr> </tbody> </table>	Sr. No.	Dump Name	Dump type (Black cotton/ Hard)	Internal/ External	Quantity (in Mm3)	Area (in Ha)	1	14	BC SOIL	EXTERNAL	5.106	18.58	14A	2	12	HARD SOIL	INTERNAL + EXTERNAL	18.446	65.62	3	13	HARD SOIL	INTERNAL + EXTERNAL	8.367	49.02	4	13A	HARD SOIL	INTERNAL	1.227	10.07	5	14B	LOOSE SOIL	EXTERNAL OVER HARD DUMP NO.6	0.78	-----
Sr. No.	Dump Name	Dump type (Black cotton/ Hard)	Internal/ External	Quantity (in Mm3)	Area (in Ha)																																		
1	14	BC SOIL	EXTERNAL	5.106	18.58																																		
	14A																																						
2	12	HARD SOIL	INTERNAL + EXTERNAL	18.446	65.62																																		
3	13	HARD SOIL	INTERNAL + EXTERNAL	8.367	49.02																																		
4	13A	HARD SOIL	INTERNAL	1.227	10.07																																		
5	14B	LOOSE SOIL	EXTERNAL OVER HARD DUMP NO.6	0.78	-----																																		

	<p>be backfilled and afforested in line with the approved Mine Closure Plan. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment, Forest and Climate Change Regional Office on six monthly basis</p>	<p>Till 31/03/2024, 12.60 Mm³ of top soil have been generated out of which 3.2 Mm³ of top soil has been utilized for spreading on OB Dump. In this dump, plantation during FY 2023-24 has been carried out, where plantation on OB Top (plain land) for 32.00 Ha (80,000 Nos. Saplings) and OB Slope 14.00 Ha (35,000 Nos. Saplings) has been done.</p> <p>Till 31/03/2024, 24800 Nos. of saplings have been planted on embankment of mixed native species viz. neem, karanj, awala, gulmohar, sisu etc.</p> <p>Six monthly EC compliance report comprising all the details is submitted to MoEF&CC on six monthly basis.</p>
	<p>Emissions, effluents, and waste disposal</p>	
<p>I</p>	<p>Transportation of coal, to the extent permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water/mist sprinkling/rain gun etc shall be carried out in critical areas prone to air pollution (with higher values of PM10/PM2.5) such as haul road, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central/ State</p>	<p>The coal from the pithead is transported to Ghugus Railway Siding over WBM road of 4.50 Km, Concrete Road of 2.478 Km and Bitumen Road 9.76 Km by tarpaulin covered trucks. In the Railway siding, there are 14 Nos. 50 m throw fixed sprinklers/rainguns. In addition, there is one truck mounted mist spray system in operation at Railway Siding.</p> <p>Mitigating measures to control dust and other fugitive emission along the roads/ haul roads etc. following arrangements are already in place:-</p> <ol style="list-style-type: none"> 4. Along coal transportation road and at coal stock yard a total 30 nos high radial throw of 50m radius rainguns have been provided and are under operation. 5. The water tankers deployed at various location are given below: <ol style="list-style-type: none"> e. 2 Nos. 12KL water tanker (at coal transportation road upto Sakhara village) f. Departmental 2 Nos. of 28KL water tanker for dust suppression at haul roads g. Contractual 5 Nos. of 18KL and 1 No. 20KL Water tanker for dust suppression at contractual patch h. 1 No. Truck mounted mist cannon 6. 3 Nos. Trolley mounted mist cannon is installed at mine. <p>Fugitive dust emission is monitored near Weighbridge at Penganga Check-post. Air quality standards at core zone follows GSR 742(E) standards and is monitored at 2 Nos. location i.e. near mine and Manager</p>

	Pollution Control Board.	<p>office.</p> <p>Ambient Air Quality is monitored based on NAAQS, 2009 at 2 Nos. buffer location i.e. at Virur and Gadegaon village.</p> <p>Ambient air quality is being monitored on fortnightly basis by CMPDIL, RI – IV, Nagpur and reports are being sent to Regional Office MoEF&CC and Regional Office Maharashtra Pollution Control Board, Chandrapur. The results are sent to Regional Officer, MoEF&CC Nagpur, Regional Officer MPCB Chandrapur and Sub Regional Officer Chandrapur MPCB through Email on six monthly basis (from email id waniarea.environdept@gmail.com on dtd. 10/05/2024)</p>																																				
ii	<p>Greenbelt consisting of 3-tier plantation of width not less than 7.5 m shall be developed all along the mine lease area in a phased manner. The green belt comprising a mix of native species shall be developed all along the major approach/ coal transportation roads.</p>	<p>The mine has started mining operation in June 2015. Upto 31/03/2024, 175000 Nos. plantation in 70.00 Ha of land has been carried out by Madhya Pradesh Rajya Van Vikas Nigam (MPRVVN) under long term MoU with maintenance of four years after each year of planting. The species of plants planted are shishu, Imli, Jambhul, Awala, Neem, Karanj, Bamboo, Raintree, Arjun, Amalthas.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>River/safety zone</th> <th>OB dump/embankment</th> <th>Plain</th> <th>Avenue / CTR</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>2018- 19</td> <td>17000</td> <td>8000</td> <td>0</td> <td>0</td> <td>25000</td> </tr> <tr> <td>2019- 20</td> <td>0</td> <td>13800</td> <td>0</td> <td>1200</td> <td>15000</td> </tr> <tr> <td>2020- 21</td> <td>13000</td> <td>3000</td> <td>4000</td> <td>0</td> <td>20000</td> </tr> <tr> <td>2023-24</td> <td>0</td> <td>115000</td> <td>0</td> <td>0</td> <td>115000</td> </tr> <tr> <td>Total</td> <td>30000</td> <td>139800</td> <td>4000</td> <td>1200</td> <td>175000</td> </tr> </tbody> </table> <p>From the above, it may be seen that, along the boundary on the river side 30000 Nos. saplings have been planted. Further, 139800 Nos. saplings have been planted on External OB Dump and over Embankment. On coal transportation road 1200 Nos. saplings and on plain land 4000 Nos. saplings have also been planted.</p>	Year	River/safety zone	OB dump/embankment	Plain	Avenue / CTR	Total	2018- 19	17000	8000	0	0	25000	2019- 20	0	13800	0	1200	15000	2020- 21	13000	3000	4000	0	20000	2023-24	0	115000	0	0	115000	Total	30000	139800	4000	1200	175000
Year	River/safety zone	OB dump/embankment	Plain	Avenue / CTR	Total																																	
2018- 19	17000	8000	0	0	25000																																	
2019- 20	0	13800	0	1200	15000																																	
2020- 21	13000	3000	4000	0	20000																																	
2023-24	0	115000	0	0	115000																																	
Total	30000	139800	4000	1200	175000																																	
iii	<p>The transportation of coal shall be carried out as per the provisions and route proposed in the approved Mining Plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed to construct a 'bypass'</p>	<p>As per the Approved Mining Plan, coal transportation is to be carried out from the pithead (Surface Miner) to Ghugus Railway Siding through Road. The road is of 16.738 Km length out of which WBM road of 4.50 Km is WBM, 2.478 Km is concrete and 9.76 Km is bituminous.</p> <p>The coal transportation road has been constructed as per mining plan, the bypass, to avoid passing near Nakoda village, bitumen road has been constructed for movement of vehicles. Appropriate measures as per norms have been set up to avoid accidents like speed breakers are constructed, proper signals and glow boards are placed throughout coal transportation road.</p>																																				

	road, it should be so constructed so that the impact of sound, dust and accidents could be appropriately mitigated.	
iv	Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.	The monitoring of ambient air quality in the mining area is fortnightly carried out. Vehicular emissions are being monitored on regular basis and controlled through PUC certificates which are mandatory requirement for all contractual vehicles as well as departmental vehicles.
v	Coal stock pile/crusher/feeder and breaker material transfer points shall invariably be provided with dust suppression system. Belt-conveyors shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.	As per the approved Mining Plan, the coal extraction is being carried out through Surface miner. The coal coming out of Surface Miner is (-) 100 mm and does not require any further crushing. The coal thus produced is without drilling and blasting. So there is considerable elimination of significant dust generating sources. There is no CHP and allied infrastructure like crushers, conveyor belts, side cladding etc. Mobile crusher is provided for the coal which cannot be extracted by the surface miner and provided with water sprinkling arrangement. At present there are only 3 drills at Penganga OC. All are fitted with dust extractor and in one drill, wet drilling provision alongside dust extractor is also provided.
vi	Coal handling plant shall be operated with effective control measures viz. bag filters/water or mist sprinkling system etc to check fugitive emissions from crushing operations, conveyor system, transfer points, etc.	As per the approved Mining Plan, the coal extraction is being carried out through Surface miner. The coal coming out of Surface Miner is (-) 100 mm and does not require any further crushing. The coal thus produced is without drilling and blasting. So there is considerable elimination of significant dust generating sources. There is no CHP and allied infrastructure like crushers, conveyor belts, side cladding etc. Mobile crusher is provided for the coal which cannot be extracted by the surface miner and provided with water sprinkling arrangement.

vii	<p>Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.</p>	<p>For day to day mining operations, water is used for dust suppression, and firefighting. The entire demand is met from the mine pumped out water of quantity 2620 m³/day. No groundwater is being extracted for any mining activities. For Conservation and augmentation of ground water resources, 03 nos. of roof top rain water harvesting structure and a check dam is provided. Details are placed below:</p> <ol style="list-style-type: none"> Sub Area office (Rooftop area – 277.62 m², recharge pit size – 2m x 2m x 1.5m and borehole depth – 50 m) Manager Office (Rooftop area – 176 m², recharge pit size – 2m x 2m x 1.5m and borehole depth – 45 m) Canteen building (Rooftop area – 216.48 m², Recharge pit size – 2m x 2 m x 1.5m and borehole depth – 50 m. Check dam of length – 350 m, width – 15 m and depth – 1.5m is made on local nallah passing within mine <p>As on date (upto 31/03/2024), out of 743.83Ha of land within mining lease area only 462.62 Ha (Broken land – 240.10 Ha, Ext Dump – 163.51 Ha, Road – 8.54 Ha (WBM, Bitumen & Concrete road) , Infrastructure – 0.97 Ha (with & without slanting roof) and Embankment 49.50 Ha) of land has been utilized for mining and allied activities.</p> <p>Remaining undisturbed land 281.12 Ha(37.8%),which has same rainwater absorption potential as pre mining condition.</p> <p>At present two Nos. groundwater level monitoring device have been installed to tap the piezometric head of Ground Water on continuous basis at shallow and deep aquifer of the mine at a depth of 40m and 121m respectively.</p>
viii	<p>Catch/garland drains and siltation ponds of appropriate size shall be constructed around the mine working, coal heaps & OB dumps to prevent run off of water and flow of sediments directly into the river and water bodies. Further, dump material shall be properly consolidated/ compacted and</p>	<p>Catch Drain of dimension – length 3.0 Km x width 2.0 m x height 1.50 m have been provided all along periphery of existing OB dump to arrest silt and sediment flow from the respective dump sites.</p> <p>Garland Drain of dimension of length 5.6 Km x width 2.0 m x height 2.0 m is provided along the mine boundary.</p> <p>These garland drains and catch drains are cleaned before onset of monsoon on routine basis, so that danger of surface inundation is adequately controlled The amount of silt removed in last FY 2023-24 was – 5500 m³.</p> <p>Mine water after initial sedimentation in the mine sump is pumped out & collected into Ground water tank of 4 Lakh litre capacity for inhouse utilization.</p>

	<p>accumulation of water over dumps shall be avoided by providing adequate channels for flow of silt into the drains. The drains/ ponds so constructed shall be regularly de-silted particularly before onset of monsoon and maintained properly. Sump capacity should provide adequate retention period to allow proper settling of silt material. The water so collect in the sump shall be utilised for dust suppression measures and green belt development. Dimension of the retaining wall constructed, if any, at the toe of the OB dumps with in the mines to check run-off and siltation should be based on the rainfall data. The plantation of native species to be made between toe of the dump and adjacent field/habitation/water bodies.</p>	<p>Mine water after initial sedimentation in the mine sump is pumped out & collected into RCC sedimentation pond for further settlement each having dimension Top - 23m x 14m, Bottom – 20m x 11m and 1.5m height.</p> <p>Mine water is initially collected in the sump of following dimension:</p> <ol style="list-style-type: none"> 1. South side – Length – 220 m, width 20 m and height 12 m 2. Middle part - Length – 720m, Width- 70 m and height 12m 3. North side - Length – 320m, Width- 48 m and height 12 m <p>The mine sump water is settled in the sump and super-natant water free from silt is entirely used for dust suppression and fire fighting. Approximately 3127 m³/day water is pumped for Dust Suppression and firefighting purpose. Mine water is being used completely no discharge is being done outside mine premises.</p> <p>02 nos of RCC sedimentation pond for further settlement of excess mine water during monsoon each having dimensions Top - 23m x 14m, Bottom – 20m x 11m and 1.5m height have been provided.</p> <p>Considering the present situation and the existing measures, there is no such requirement of toe wall at the OB dump.</p> <p>Plantation of 30000 Nos. of plants of mixed native species viz Neem, Karanj, Casia, Jamun, Sishu, Awala, Gulmohar, Jackfruit etc. have done between toe of the dump & river; and 24800 Nos. of plantation is done along the embankment till adjacent field.</p>
ix	<p>Industrial waste water generated from CHP, workshop and other waste water, shall be properly collected and treated so as to</p>	<p>There is no CHP in the mine as such there is no chances of effluent. ETP of 150 KLD is provided.</p> <p>At present, workshop with washing ramp have been constructed. The proposal for Effluent Treatment Plant is under approval and will be started immediately after award of the same.</p> <p>At present mine is operated through contractual means and all the</p>

	<p>confirm to the standards prescribed under the Environment (Protection) Act 1986 and the rules made there under, and as amended from time to time. Oil and grease trap shall be installed and maintained fully functional with effluents discharge adhering to the norms. Sewage treatment plant of adequate capacity shall be installed for treatment of domestic waste.</p>	<p>HEMMS are washed and maintained by contractor.</p> <p>There is no colony in the mining lease area of Penganga OC. Employees of Penganga OC reside at Kailashnagar Colony of Mungoli Sub Area where 0.4 MLD STP is provided.</p> <p>28 KLD STP is provided in the SAM Office building of Penganga Sub Area.</p>
x	<p>Adequate groundwater recharge measures shall be taken up for augmentation of groundwater. The project authorities shall meet water requirement of nearby villages in case the village wells go dry due to de-watering of mine.</p>	<p>For conservation and augmentation of ground water resources, 03 nos. of roof top rain water harvesting structure and a check dam is provided. Details are placed below:</p> <ol style="list-style-type: none"> Sub Area office (Rooftop area – 277.62 m², recharge pit size – 2m x 2m x 1.5m and borehole depth – 50 m) Manager Office (Rooftop area – 176 m², recharge pit size – 2m x 2m x 1.5m and borehole depth – 45 m) Canteen building (Rooftop area – 216.48 m², Recharge pit size – 2m x 2 m x 1.5m and borehole depth – 50 m. Check dam of length – 350 m, width – 15 m and depth – 1.5m is made on local nallah passing within mine <p>As on date (upto 31/03/2024), out of 743.83Ha of land within mining lease area only 462.62 Ha (Broken land – 240.10 Ha, Ext Dump – 163.51 Ha, Road – 8.54 Ha (WBM, Bitumen & Concrete road) , Infrastructure – 0.97 Ha (with & without slanting roof) and Embankment 49.50 Ha) of land has been utilized for mining and allied activities.</p> <p>Remaining undisturbed land 281.12 Ha(37.8%),which has same rainwater absorption potential as pre mining condition.</p> <p>At present two Nos. groundwater level monitoring device have been installed to tap the piezometric head of Ground Water on continuous basis at shallow and deep aquifer of the mine at a depth of 40m and 121m respectively.</p>
D	Illumination, noise & vibration	

i	Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored weekly. The report on the same shall be submitted to the ministry & its RO on six-monthly basis.	Adequate Illumination has been provided as per the norms. Illumination is being monitored on regular basis as per guidelines of DGMS																																																																							
ii	Adequate measures shall be taken for control of noise levels below 85 dB(A) in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipment (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.	<p>As detailed out in the approved EIA/EMP, adequate measures are taken for control of noise levels. These include maintenance of equipment, providing protective equipment to workmen. The workmen engaged in drilling, blasting, operation of HEMMs are invariably provided with Personal Protective Equipment (PPE) like ear plugs/muffs in conformity with the prescribed norms. The issuance of safety equipment like dust mask, safety jacket, helmet, mining shoe and gumboot is given below:</p> <table border="1" data-bbox="586 905 1219 1188"> <thead> <tr> <th>Sr. No.</th> <th>Safety equipment</th> <th>PPE issued (in Nos.) in FY 2023-24</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Safety jacket</td> <td>410</td> </tr> <tr> <td>2</td> <td>Helmet</td> <td>90</td> </tr> <tr> <td>3</td> <td>Earplug</td> <td>50</td> </tr> <tr> <td>4</td> <td>Dust Mask</td> <td>250</td> </tr> <tr> <td>5</td> <td>Mining shoe</td> <td>695</td> </tr> <tr> <td>6</td> <td>Gumboot</td> <td>230</td> </tr> </tbody> </table> <p>Adequate awareness programme as per safety norms specified by DGMS are being rendered at Vocational Training Center at the Area Vocational Training Centre both Fresher as well as Refresher.</p> <p>Number of departmental and contractual workers trained is given below:</p> <table border="1" data-bbox="586 1499 1349 1887"> <thead> <tr> <th rowspan="2">Calendar year</th> <th colspan="2">Training</th> <th rowspan="2">Refresher Training</th> <th rowspan="2">Need based special training</th> <th rowspan="2">Total people trained (in Nos.)</th> </tr> <tr> <th>Dept.</th> <th>Cont.</th> </tr> </thead> <tbody> <tr> <td>2016</td> <td>2</td> <td>279</td> <td>15</td> <td>19</td> <td>315</td> </tr> <tr> <td>2017</td> <td>3</td> <td>196</td> <td>43</td> <td>48</td> <td>290</td> </tr> <tr> <td>2018</td> <td>10</td> <td>344</td> <td>79</td> <td>216</td> <td>649</td> </tr> <tr> <td>2019</td> <td>12</td> <td>341</td> <td>110</td> <td>133</td> <td>596</td> </tr> <tr> <td>2020</td> <td>169</td> <td>99</td> <td>73</td> <td>85</td> <td>426</td> </tr> <tr> <td>2021</td> <td>20</td> <td>739</td> <td>120</td> <td>131</td> <td>1010</td> </tr> <tr> <td>2022</td> <td>5</td> <td>672</td> <td>87</td> <td>73</td> <td>837</td> </tr> </tbody> </table>	Sr. No.	Safety equipment	PPE issued (in Nos.) in FY 2023-24	1	Safety jacket	410	2	Helmet	90	3	Earplug	50	4	Dust Mask	250	5	Mining shoe	695	6	Gumboot	230	Calendar year	Training		Refresher Training	Need based special training	Total people trained (in Nos.)	Dept.	Cont.	2016	2	279	15	19	315	2017	3	196	43	48	290	2018	10	344	79	216	649	2019	12	341	110	133	596	2020	169	99	73	85	426	2021	20	739	120	131	1010	2022	5	672	87	73	837
Sr. No.	Safety equipment	PPE issued (in Nos.) in FY 2023-24																																																																							
1	Safety jacket	410																																																																							
2	Helmet	90																																																																							
3	Earplug	50																																																																							
4	Dust Mask	250																																																																							
5	Mining shoe	695																																																																							
6	Gumboot	230																																																																							
Calendar year	Training		Refresher Training	Need based special training	Total people trained (in Nos.)																																																																				
	Dept.	Cont.																																																																							
2016	2	279	15	19	315																																																																				
2017	3	196	43	48	290																																																																				
2018	10	344	79	216	649																																																																				
2019	12	341	110	133	596																																																																				
2020	169	99	73	85	426																																																																				
2021	20	739	120	131	1010																																																																				
2022	5	672	87	73	837																																																																				

		2023	19	0	103	122	244																																																																
iii	Controlled blasting techniques shall be practiced in order to mitigate ground vibrations and fly rocks as per the guidelines prescribed by the DGMS.	There is surface miner deployed at the mine for coal and thus no blasting involved in the operation of coal extraction. Whereas controlled blasting is practised for excavation of OB in the mine as per permission of Directorate General of Mines Safety (DGMS) and all the precautions are taken to control the ground vibration to arrest the fly rocks and boulders and regular monitoring is done with the help of vibrometer. The results of vibrometer is enclosed.																																																																					
iv	The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to ministry/ RO on six monthly basis.	<p>The noise level survey is being carried out by CMPDIL on fortnightly basis and reports are being sent in six months to Regional officer, MPCB and MOEFCC. The latest report is attached here and the summary is placed below:-</p> <table border="1"> <thead> <tr> <th rowspan="3">Sr.No.</th> <th rowspan="3">Date</th> <th colspan="2">WORKSHOP</th> </tr> <tr> <th colspan="2">Noise Level in dB(A)</th> </tr> <tr> <th>Day Time</th> <th>Night Time</th> </tr> </thead> <tbody> <tr><td>1</td><td>12/04/2023</td><td>54.8</td><td>53.2</td></tr> <tr><td>2</td><td>27/04/2023</td><td>55.4</td><td>54.1</td></tr> <tr><td>3</td><td>13/05/2023</td><td>55.4</td><td>54.3</td></tr> <tr><td>4</td><td>24/05/2023</td><td>56.7</td><td>55.4</td></tr> <tr><td>5</td><td>11/06/2023</td><td>56.2</td><td>55.0</td></tr> <tr><td>6</td><td>24/06/2023</td><td>55.7</td><td>54.9</td></tr> <tr><td>7</td><td>12/07/2023</td><td>58.8</td><td>55.5</td></tr> <tr><td>8</td><td>28/07/2023</td><td>58.4</td><td>57.5</td></tr> <tr><td>9</td><td>13/08/2023</td><td>61.2</td><td>59.4</td></tr> <tr><td>10</td><td>19/08/2023</td><td>56.5</td><td>54.3</td></tr> <tr><td>11</td><td>14/09/2023</td><td>64.3</td><td>61.6</td></tr> <tr><td>12</td><td>26/09/2023</td><td>65.0</td><td>63.1</td></tr> <tr> <td colspan="2">Limit as per Noise pollution (Regulation and Control) Rules</td> <td>75</td> <td>70</td> <td colspan="2"></td> <td colspan="2"></td> </tr> </tbody> </table> <p>The work zone noise level is monitored at workshop where avg daytime noise level is 63.42 dB (A) (permissible limit 75 db(A)) and night time is 60.86 dB (A) (permissible limit 70 db(A))</p>						Sr.No.	Date	WORKSHOP		Noise Level in dB(A)		Day Time	Night Time	1	12/04/2023	54.8	53.2	2	27/04/2023	55.4	54.1	3	13/05/2023	55.4	54.3	4	24/05/2023	56.7	55.4	5	11/06/2023	56.2	55.0	6	24/06/2023	55.7	54.9	7	12/07/2023	58.8	55.5	8	28/07/2023	58.4	57.5	9	13/08/2023	61.2	59.4	10	19/08/2023	56.5	54.3	11	14/09/2023	64.3	61.6	12	26/09/2023	65.0	63.1	Limit as per Noise pollution (Regulation and Control) Rules		75	70				
Sr.No.	Date	WORKSHOP																																																																					
		Noise Level in dB(A)																																																																					
		Day Time	Night Time																																																																				
1	12/04/2023	54.8	53.2																																																																				
2	27/04/2023	55.4	54.1																																																																				
3	13/05/2023	55.4	54.3																																																																				
4	24/05/2023	56.7	55.4																																																																				
5	11/06/2023	56.2	55.0																																																																				
6	24/06/2023	55.7	54.9																																																																				
7	12/07/2023	58.8	55.5																																																																				
8	28/07/2023	58.4	57.5																																																																				
9	13/08/2023	61.2	59.4																																																																				
10	19/08/2023	56.5	54.3																																																																				
11	14/09/2023	64.3	61.6																																																																				
12	26/09/2023	65.0	63.1																																																																				
Limit as per Noise pollution (Regulation and Control) Rules		75	70																																																																				
e	Occupational Health & Safety																																																																						
i	The project proponent shall undertake occupational health survey for initial	Continuous monitoring of occupational safety and health hazard is conducted through periodical medical examinations. Periodical medical examination (PME) of all the workmen once in 5 years as per the statue and workers above 55 years of age once in a year is conducted.																																																																					

and periodical medical examination of the workers engaged in the project and maintain records accordingly as per the provision of the mines rules, 1955 and DGMS circulars. Beside regular periodic check up, 20 % of the workers identified from workforce engaged in active mining operations shall be subjected to health check up for occupational diseases and hearing impairment, if any.

The medical examination is done separately for Departmental as well as Contractual workers at Rajiv Ratan Central Hospital, Ghugus. The hospital is well equipped with all medical instruments, paramedics and doctors needed for conducting PME and IME.

All the activities within the mine are carried out with complying safety aspect and regular awareness is created among employees regarding safety and to avoid any accidents.

Details of both PME & IME conducted in last years are given below:

Year	PME (in Nos.)	Cont IME (in Nos.)
2019	156	363
2020	173	80
2021	278	834
2022	171	1099
2023	189	449
2024 (Till April)	62	48

Further, under Vocational Training, various awareness programmes of duration from 12 to 18 days are conducted round the year covering topics viz coal mining statute, organization structure, safety policy of company, handling of HEMM, safety on surface mine and precaution to be taken, danger from moving HEMM, safety from falling object, safe handling of explosive and surface, firefighting arrangement on the surface, use of PPE, first aid, housekeeping, quality awareness etc. for both departmental and contractual workers.

Calendar year	Training		Refresher Training	Need based special training	Total people trained (in Nos.)
	Dept.	Cont.			
2016	2	279	15	19	315
2017	3	196	43	48	290
2018	10	344	79	216	649
2019	12	341	110	133	596
2020	169	99	73	85	426
2021	20	739	120	131	1010
2022	5	672	87	73	837
2023	19	0	103	122	244

From the results of IME & PME it is observed that there is no occurrence of any noticeable / reportable diseases. Further, it is observed that the prevailing health issues in the employees and




		<p>family members are of low to moderate intensity which are usually observed in rural and urban populations and are not specific to occurrence due to mining activities.</p> <p>It may be seen that there is neither any incidence of occupational disease as per Mining Statute nor any report of hearing impairment.</p>																																																																													
ii	<p>Personnel (including outsourcing employees) working in dusty areas shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.</p>	<p>All the personnel including outsourcing employees are being provided with protective respiratory devices and adequate training and information on safety and health at VTC.</p> <p>Nos. Of PPE issued is given below:</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Safety equipment</th> <th>PPE issued (in Nos.) in FY 2023-24</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Safety jacket</td> <td>410</td> </tr> <tr> <td>2</td> <td>Helmet</td> <td>90</td> </tr> <tr> <td>3</td> <td>Earplug</td> <td>50</td> </tr> <tr> <td>4</td> <td>Dust Mask</td> <td>250</td> </tr> <tr> <td>5</td> <td>Mining shoe</td> <td>695</td> </tr> <tr> <td>6</td> <td>Gumboot</td> <td>230</td> </tr> </tbody> </table> <p>Number of departmental and contractual workers trained at VTC is given below:</p> <table border="1"> <thead> <tr> <th rowspan="2">Calender year</th> <th colspan="2">Training</th> <th rowspan="2">Refresher Training</th> <th rowspan="2">Need based special training</th> <th rowspan="2">Total people trained (in Nos.)</th> </tr> <tr> <th>Dept.</th> <th>Cont.</th> </tr> </thead> <tbody> <tr> <td>2016</td> <td>2</td> <td>279</td> <td>15</td> <td>19</td> <td>315</td> </tr> <tr> <td>2017</td> <td>3</td> <td>196</td> <td>43</td> <td>48</td> <td>290</td> </tr> <tr> <td>2018</td> <td>10</td> <td>344</td> <td>79</td> <td>216</td> <td>649</td> </tr> <tr> <td>2019</td> <td>12</td> <td>341</td> <td>110</td> <td>133</td> <td>596</td> </tr> <tr> <td>2020</td> <td>169</td> <td>99</td> <td>73</td> <td>85</td> <td>426</td> </tr> <tr> <td>2021</td> <td>20</td> <td>739</td> <td>120</td> <td>131</td> <td>1010</td> </tr> <tr> <td>2022</td> <td>5</td> <td>672</td> <td>87</td> <td>73</td> <td>837</td> </tr> <tr> <td>2023</td> <td>19</td> <td>0</td> <td>103</td> <td>122</td> <td>244</td> </tr> </tbody> </table>	Sr. No.	Safety equipment	PPE issued (in Nos.) in FY 2023-24	1	Safety jacket	410	2	Helmet	90	3	Earplug	50	4	Dust Mask	250	5	Mining shoe	695	6	Gumboot	230	Calender year	Training		Refresher Training	Need based special training	Total people trained (in Nos.)	Dept.	Cont.	2016	2	279	15	19	315	2017	3	196	43	48	290	2018	10	344	79	216	649	2019	12	341	110	133	596	2020	169	99	73	85	426	2021	20	739	120	131	1010	2022	5	672	87	73	837	2023	19	0	103	122	244
Sr. No.	Safety equipment	PPE issued (in Nos.) in FY 2023-24																																																																													
1	Safety jacket	410																																																																													
2	Helmet	90																																																																													
3	Earplug	50																																																																													
4	Dust Mask	250																																																																													
5	Mining shoe	695																																																																													
6	Gumboot	230																																																																													
Calender year	Training		Refresher Training	Need based special training	Total people trained (in Nos.)																																																																										
	Dept.	Cont.																																																																													
2016	2	279	15	19	315																																																																										
2017	3	196	43	48	290																																																																										
2018	10	344	79	216	649																																																																										
2019	12	341	110	133	596																																																																										
2020	169	99	73	85	426																																																																										
2021	20	739	120	131	1010																																																																										
2022	5	672	87	73	837																																																																										
2023	19	0	103	122	244																																																																										
iii	<p>Skill training as per safety norms specified by DGMS shall be provided to all workmen including the outsourcing employees to ensure high safety standards in mines.</p>	<p>Skill training as per safety norms specified by DGMS are being rendered at Vocational Training Center, Ghugus.</p> <p>Number of departmental and contractual workers trained is given below:</p> <table border="1"> <thead> <tr> <th rowspan="2">Calendar year</th> <th colspan="2">Training</th> <th rowspan="2">Refresher Training</th> <th rowspan="2">Need based special training</th> <th rowspan="2">Total people trained (in Nos.)</th> </tr> <tr> <th>Dept.</th> <th>Cont.</th> </tr> </thead> <tbody> <tr> <td>2016</td> <td>2</td> <td>279</td> <td>15</td> <td>19</td> <td>315</td> </tr> <tr> <td>2017</td> <td>3</td> <td>196</td> <td>43</td> <td>48</td> <td>290</td> </tr> <tr> <td>2018</td> <td>10</td> <td>344</td> <td>79</td> <td>216</td> <td>649</td> </tr> </tbody> </table>	Calendar year	Training		Refresher Training	Need based special training	Total people trained (in Nos.)	Dept.	Cont.	2016	2	279	15	19	315	2017	3	196	43	48	290	2018	10	344	79	216	649																																																			
Calendar year	Training			Refresher Training	Need based special training				Total people trained (in Nos.)																																																																						
	Dept.	Cont.																																																																													
2016	2	279	15	19	315																																																																										
2017	3	196	43	48	290																																																																										
2018	10	344	79	216	649																																																																										

		2019	12	341	110	133	596
		2020	169	99	73	85	426
		2021	20	739	120	131	1010
		2022	5	672	87	73	837
		2023	19	0	103	122	244
f	Ecosystem and biodiversity conservation						
i	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered flora/fauna, if any, spotted/reported in the study area. The action plan in this regard, if any, shall be prepared and implemented in consultation with the State Forest and Wildlife Department.	<p>There is no endangered flora/fauna as per baseline data generated for Flora and Fauna in Environment Impct Assessment / Environment Management Plan.</p> <p>As such, no precautionary measures are needed for conservation and protection of endangered flora / fauna.</p> <p>The study details is enclosed.</p> <p>It may be worthwhile to mention here that, till 31/03/2024, 175000 saplings have already been planted in the mine lease area. The species of plants planted are shishu, Imli, Jambhul, Awala, Neem, Karanj, Bamboo, Raintree, Arjun, Amalthas. So with the development of such vegetation cover, it is expected that the scenario would be much better in terms of green cover vis - a - vis the pre-mining condition.</p>					
g	Public hearing, R&R and CSR						
i	Implementation of the action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the action plan submitted with budgetary provisions during the public hearing.	<p>Noted and all the issues will be ensured addressed during public hearing. Land outsees have been compensated and employment has been given to all the eligible persons as per R&R policy. All the guidelines will be adhered from time to time framed by Government body in future.</p> <p>The major issue raised during public hearing was related to employment and rehab site.</p> <p>Till date (as on 31/03/2024), 419 Nos. of persons from local villages viz. Borgaon, Danoda&Wirur (Gadegaon) PAPs have been provided employment in the company. Further 62 Nos. have been provided with Monetary Compensation in lieu of employment for Rs. 11.67 Crores. Total Land Compensation paid till 31/03/2024 is Rs. 115.44 Crores.</p> <p>Rehabilitation Action Plan recommended by the Collector,</p>					

	<p>Land outsees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.</p>	<p>Chandrapur and administratively approved by WCL on 11.05.2018 for 404 families. Out of which 385 families have opted for M/C in lieu of plot at resettlement site and 19 families have opted for plot at resettlement site.</p> <p>Out of 404 families to be shifted, 385 families have been shifted by providing Monetary Compensation in lieu of plot by disbursing Rs 36.00 Crores approx. towards house compensation and Monetary compensation (as on 31/03/2024).</p> <p>For rehabilitation of 19 families, a Rehab site of 0.925 Ha of village Khairgaon 2 has been acquired through direct purchase. Work of development of Rehab site is completed and all the families have been shifted to the rehab site. House compensation has been provided to all the families.</p>																										
ii	<p>The project proponent shall ensure the expenditure towards socio-economic development in and around the mine, in every financial year as per the Corporate Social Responsibility Policy as per the provisions under Section 135 of the Companies Act, 2013</p>	<p>Every year need based assessment of CSR activities at nearby villages of mine is done in consultation with local village sarpanch and submitted for approval to WCL HQ.</p> <p>The activities are approved from WCL HQ and budgetary provisions are provided.</p> <p style="text-align: center;">Expenditure incurred in CSR- Wani Area</p> <table border="1" data-bbox="649 871 1307 1417"> <thead> <tr> <th>Year</th> <th>Expenditure incurred on CSR activities (Rupees in lakhs)</th> </tr> </thead> <tbody> <tr><td>2012-2013</td><td>116.07</td></tr> <tr><td>2013-2014</td><td>146.80</td></tr> <tr><td>2014-2015</td><td>167.02</td></tr> <tr><td>2015-2016</td><td>45.28</td></tr> <tr><td>2016-2017</td><td>61.04</td></tr> <tr><td>2017-2018</td><td>35.44</td></tr> <tr><td>2018-2019</td><td>31.80</td></tr> <tr><td>2019-2020</td><td>45.98</td></tr> <tr><td>2020-2021</td><td>37.42</td></tr> <tr><td>2021-2022</td><td>19.71</td></tr> <tr><td>2022-2023</td><td>58.32</td></tr> <tr><td>2023-2024</td><td>94.40</td></tr> </tbody> </table>	Year	Expenditure incurred on CSR activities (Rupees in lakhs)	2012-2013	116.07	2013-2014	146.80	2014-2015	167.02	2015-2016	45.28	2016-2017	61.04	2017-2018	35.44	2018-2019	31.80	2019-2020	45.98	2020-2021	37.42	2021-2022	19.71	2022-2023	58.32	2023-2024	94.40
Year	Expenditure incurred on CSR activities (Rupees in lakhs)																											
2012-2013	116.07																											
2013-2014	146.80																											
2014-2015	167.02																											
2015-2016	45.28																											
2016-2017	61.04																											
2017-2018	35.44																											
2018-2019	31.80																											
2019-2020	45.98																											
2020-2021	37.42																											
2021-2022	19.71																											
2022-2023	58.32																											
2023-2024	94.40																											
iii	<p>The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29th October, 2014, titled 'Impact of mining activities on</p>	<p>The project proponent is adhering to the mitigation measures as per the guideline specific under the title 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area' OM No.Z-11013/5712014- IA.II (M) dated 29th October, 2014.</p> <p>As per the approved Mining Plan, Wirur (Gadegaon) village located in the mine lease area, is proposed to be relocated at a new site. There is adequate financial provision for shifting of 404 families for Rs. 41.88 Crores (as per Project Report). The present status of relocation is as given below:</p>																										

	<p>habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.</p>	<p>Rehabilitation Action Plan recommended by the Collector, Chandrapur and administratively approved by WCL on 11.05.2018 for 404 families. Out of which 385 families have opted for M/C in lieu of plot at resettlement site and 19 families have opted for plot at resettlement site.</p> <p>Out of 404 families to be shifted, 385 families have been shifted by providing Monetary Compensation in lieu of plot by disbursing Rs 36.00 Crores approx. towards house compensation and Monetary compensation (as on 31/03/2024).</p> <p>For rehabilitation of 19 families, a Rehab site of 0.925 Ha of village Khairgaon 2 has been acquired through direct purchase. Work of development of Rehab site is completed and all the families have been shifted to the rehab site. House compensation has been provided to all the families.</p> <p>Till date (as on 31/03/2024), 419 Nos. of persons from local villages viz. Borgaon, Danoda&Wirur (Gadegaon) PAPs have been provided employment in the company. Further 62 Nos. have been provided with Monetary Compensation in lieu of employment for Rs. 11.67 Crores. Total Land Compensation paid till 31/03/2024 is Rs. 115.44 Crores.</p>
iv	<p>The project proponent shall make necessary alternative arrangements. if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.</p>	<p>No prominent grassland was found in core zone as per baseline data generated for Flora and Fauna in Environment Impact Assessment / Environment Management Plan.</p> <p>So, there is no necessity of making alternate arrangement for livestock grazing.</p>
h	<p>Corporate Environment responsibility</p>	
i	<p>The Company shall have a well laid</p>	<p>Coal India Limited (CIL) has formulated a comprehensive Environment Policy only in March 2012, followed by a revised</p>


	<p>down environment policy duly approved by Board of Directors. The environment policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation /violation of the environmental or forest norms/conditions. Also, the company shall have a defined system of reporting of non-compliance /violations of environmental norms to the Board of Directors and/or shareholders/ stakeholders.</p>	<p>policy in December 2018 approved by CIL Board in its 377th Meeting held on 20th December'2018 for implementation at CIL and its subsidiaries.</p> <p>This Corporate Environment Policy 2018 of CIL was subsequently discussed in the 309th Meeting of the Board of Directors of WCL held on 04.03.2019. After deliberation, WCL Board has adopted the policy in principle for implementation in WCL and the same was communicated vide Ref: WCL/BD/SECTT/BM-309/2019/267 dated 15.03.2019.</p> <p>For monitoring of EC/FC norms & conditions, an online MDMS portal (Mine Data Management System) of MoC, GoI is already existing where in the environmental data namely, air quality, water quality, noise quality data are uploaded and regularly updated. In addition to that, compliance report of each condition of EC is also uploaded in the portal and the same is also updated every six months.</p> <p>This management system has the access of CIL & MoC</p> <p>To deal with environmental issues and for ensuring compliance with environmental clearance conditions, At project level Environmental management cell is headed by Sub Area Manager and is assisted by Project Nodal officer (Env).</p> <p>At area level, Area General Manager, Heads the environment cell and is assisted by General Manager (Op) and Nodal officer (Env).</p> <p>At corporate level at HQ,there is full fledged Environment Department which is headed by General Manager (Env) with a multi disciplinary team of qualified and experienced engineers. The head of Corporate Environment department reports directly the Director (Tech), who is nominated owner of the company.</p> <p>In this regard, it may be mentioned here that at the Company Level a Sustainable Development Cell has been set up with multi disciplinary officials.This cell is being monitored at the level of Director of the Company and further monitoring is being also done by CIL and thereafter at the highest level.</p>
ii	<p>The project proponent shall comply with the provisions contained in this Ministry's OM dated 1st May, 2018, as applicable, regarding Corporate Environment Responsibility.</p>	<p>As per the O.M dated 1st may 2018, the provisions of CER is not applicable as mention in clause no. (ix) of the O.M i.e there is no additional capital investment for proposed expansion which has been duly approved by WCL Board vide its resolution no. WCL / BD/ SECTT./ BM-303/2018/429 dated 03.09.2018. Further, as par the latest O.M. dated 20.10.2020, the commitments made in Public Hearing are being done within the provisions of the Project.</p>
iii	<p>The hierarchical system or Administrative</p>	<p>To deal with environmental issues and for ensuring compliance with environmental clearance conditions, environment cell is established at project level, area level and WCL HQ level.</p>


	<p>Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions should be displayed on website of the Company.</p>	<p style="text-align: center;">WCL HQ LEVEL</p>  <pre> graph TD DT["Director Technical (Project & Planning)"] --- GM["GM (Environment)"] GM --- TDO["Team of multi disciplinary Officers"] </pre> <p style="text-align: center;">AREA LEVEL</p>  <pre> graph TD AGM["Area General Manager"] --- GM["GM (Operation)"] GM --- ANO["Area Nodal Officer (Env)"] </pre> <p style="text-align: center;">SUB AREA LEVEL</p>  <pre> graph TD SAM["Sub Area Manager"] --- PNO["Project Nodal Officer (Env)"] </pre>
<p>iv</p>	<p>A separate environmental management cell both at the project and company headquarter level, with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.</p>	<p>At project level, the Environmental management cell headed by Sub Area Manager and is assisted directly by Project Nodal Officer (Env). At Area level, Area General Manager heads the cell and is assisted by GM (Op) & Area Nodal Officer (Env). GM (Env) heads the environment department at HQ/corporate level with a multi-disciplinary team of qualified & experienced Engineers.</p>
<p>v</p>	<p>Action plan for implementing EMP</p>	<p>Action plan for implementation of environmental conditions has been prepared and approved by competent authority. The</p>

	<p>and environmental conditions shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.</p>	<p>separate fund is being kept for Environment protection works and this funds are not diverted by any means. The environment expenditure made is accounted and reported in six monthly compliance sent to Regional officer and MOEF. The expenditure incurred for Capital and Revenue work (including plantation, dust suppression, consent fees, environment monitoring etc.) for Penganga OC is given below:</p> <p>Capital expenditure (as on 31/03/2024) – 2.12 Crores comprising of CAAQMS, sedimentation tank, ETP , raingun installed from coalstockyard to haul road, 1 No. Truck mounted mist spray system etc.</p> <p>Revenue expenditure comprises of expenditure made towards plantation, consent fees, dust suppression, environment quality monitoring fees, other statutory fees and misc. Works. Details of revenue expenditure made in last 6 years is listed below: 2015 -16 – 36.08 Lakhs 2016-17 – 129.98 Lakhs 2017-18 – 356.17 Lakhs 2018-19- 456.25 Lakhs 2019-20 – 484.35 Lakhs 2020-21 – 2.02 Crores 2021 -22 – 1.42 Crores 2022-23 – 1.35 Crores 2023-24 – 2.12 Crores</p>
vi	<p>Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.</p>	<p>Self internal environmental audit system has been setup in the company. At Area level, a multi disciplinary committee has been constituted by order of competent authority to review the compliance status every month through a formatted checklist. Inter-area inspection to review compliance status is being done on quarterly basis. The report of the inspection is put up to the subsidiary level apex committee which has been constituted under the chairmanship of Director (Technical), WCL. The internal monitoring was conducted for 1st quarter of FY 2022-23. Every three years the third party environment audit will be carried out. The work of third part assessment of EC compliance has been awarded vide letter no. WCL / ENV/ HQ/ 20-K / 51 dated 07.08.2019 to NEERI – expert agency identified by the ministry. The inspection of Penganga OC has been carried out on dated 16.08.2019.</p> <p>Third party assessment of EC compliance has also been done by NEERI on dtd. 23/03/2023</p>
I	Statutory Obligations	
i	<p>The environmental clearance shall be subject to orders of Hon'ble Supreme Court of india,</p>	<p>Noted.</p>


	Hon'ble High Court, NGT and any other Court of Law from time to time, and as applicable to the project,	
ii	This environmental clearance shall be subject to obtaining wildlife clearance, if applicable, from the Standing Committee of National Board for Wildlife.	No endangered fauna was observed in core and buffer zone as per the baseline data generated for Flora and Fauna detailed out in Environment Impact Assessment/Environment Management Plan. As such wildlife clearance is not applicable.
iii	The project proponent shall obtain Consent to Establish/Operate under the Air Act, 1981 and the Water Act, 1974 from the concerned State Pollution Control Board.	The consent to establish & operate for the peak capacity of 6.30 MTPA has been obtained from the Maharashtra Pollution Control Board vide letter No. Red/LSI Consent no : Format 1.0/BO/CAC-cell/CAC-UAN No 63699 and 63749/ CAC-1902001161 Date 25.02.2019 which is valid till 31.03.2022. Renewal of consent has been obtained vide Format 1.0/CAC/UAN No. MPCB – CONSENT-0000166191/CR/2307001625 dtd. 26/07/2023 valid till 31/03/2024. Further plain renewal of CTO for capacity 6.3 MTPA has been applied vide UAN No. 0000196464 dtd. 30/01/2024 for application valid till 31/03/2025 The copy of consent is enclosed.
iv	The project proponent shall obtain the necessary permission from the Central Ground Water Authority (CGWA).	Approval for Groundwater from CGWA is being obtained vide letter no. CGWA/ NOC/ MIN/ ORIG/ 2019/5530 valid from 10/06/2019 to 09/06/2021. Further CGWA NOC renewal application is submitted and copy awaited.
J	Monitoring of Project	
i	Adequate ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely PM10, PM2.5, SO2 and NOX. Location of the stations shall be decided based on	Four monitoring stations has been established in the project. Two core zones stations i.e. Sub station and SAM office. Two buffer zone stations has been established at villages namely Kailashnagar township filter plant and Tubewell in Sakhara. SPM, PM10, PM 2.5, SOx, NOx is being monitored regularly at this stations on fortnightly basis. Location of the stations has been decided based on the meteorological data, topographical data features and environmentally and ecologically sensitive targets and the same has been communicated to MPCB. Online air monitoring station is installed at location 19°50'28.77"N, near sedimentation tank but due to multiple system failure machine is not operational. Another CAAQMS is


	<p>the meteorological data, topographical data features and environmentally and ecologically sensitive targets in consultation with the State pollution Control Board. Online ambient air quality monitoring stations may also be installed in addition to the regular monitoring stations as per the requirement and/or in consultation with the SPCB. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc to be carried out at least once in six months.</p>	<p>installed at adjacent Mungoli Nirguda deep OC Mine at 19°52'15.89"N, 79° 6'44.25"E near kolgaon checkpost at downwind side. This CAAQMS acts crosswind to Penganga OC mine. Moreover additional 1 No. CAAQMS is being installed at Sub station, Penganga OC.</p> <p>Further, heavy metal monitoring is also being done once in every six months.</p> <p>Data on ambient air quality monitored fortnightly for parameter SPM, PM10, NOx & SO2 and heavy metal monitored on six monthly basis is submitted to Regional Office, MoEF&CC Nagpur and Regional office Maharashtra Pollution Control Board, Chandrapur via email from email id waniarea.environdept@gmail.com on dtd. 10/05/2024.</p>
<p>ii</p>	<p>The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the coal Industry Standards notified vide GSR 742 (E) dated 25.9.2000 and as amended from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/ Regional Office and to the CPCB/SPCB.</p>	<p>The Ambient Air Quality monitoring in the core zone is carried out to ensure the Coal Industry Standards notified vide GSR 742 (E) dated 25.9.2000. Simultaneously, heavy metals such as Hg, As, Ni, Cd, Cr are also being monitored at six monthly interval. Copy of monitoring report is enclosed.</p> <p>The results are sent to Regional Officer, MoEF&CC Nagpur, Regional Officer MPCB Chandrapur and Sub Regional Officer Chandrapur MPCB through Email (sent from email id waniarea.environdept@gmail.com on dtd. 10/05/2024)</p>
<p>iii</p>	<p>The effluent discharge (mine</p>	<p>The effluent discharge (mine waste water) is monitored on fortnightly basis in terms of the parameters notified under the</p>

	<p>waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Coal Industry Standards vide GSR 742 (E) dated 25.9.2000 and as amended from time to time by the Central Pollution Control Board.</p>	<p>Coal Industry Standards vide GSR 742 (E) dated 25.9.2000.</p> <p>The results are sent to Regional Officer, MoEF&CC Nagpur, Regional Officer MPCB Chandrapur and Sub Regional Officer Chandrapur MPCB through Email (sent from email id waniarea.environdept@gmail.com on dtd. 10/05/2024)</p>
<p>iv</p>	<p>The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location, The circular No. J-20012/1/2006-1A.11 (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.</p>	<p>Monitoring data is being regularly uploaded at WCL official website www.westerncoal.in and also displayed at the project site i.e Entrance of Sub Area Manager's Office.</p> 
<p>v</p>	<p>Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, post-</p>	<p>Regular monitoring of ground water level from existing wells at 19 locations of Buffer zone is being done by M/s. Anacon Laboratories Pvt. Ltd. Nagpur, for four times a year i.e. during pre-monsoon (May), monsoon (August), post-monsoon (November), and winter (January) seasons as per EC condition in 23 buffer location.</p> <p>At present two Nos. groundwater level monitoring device have been installed to tap the piezometric head of Ground Water on continuous basis at shallow and deep aquifer of the mine at a depth of 40m and 121m respectively</p> <p>Quality of groundwater as per IS: 10500 : 2012 is being analyzed once a year.</p> <p>The groundwater level and water quality data is submitted to Regional office of ministry, CGWA and MPCB. Copy of Ground water level monitoring report for the period Nov 2023 (Post Monsoon) & Jan 2024 (Winter) and Ground water quality analysis report for the year has been forwarded via. Email to rdr_cgwb@nic.in on dtd. 10/05/2024 from waniarea.environdept@gmail.com.</p>

	<p>monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to Ministry of Environment, Forest and Climate Change/Regional Office.</p>	<p>The monitoring results is attached. The results of water level monitoring show that , there is no decline in water level in the villages in buffer zone. The quality of ground water is also satisfactory.</p>												
<p>vi</p>	<p>Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.</p>	<p>Monitoring of surface water quality analysis is done for 18 parameters once in six months and the results are being online submitted via email id waniarea.environdept@gmail.com on dtd. 10/05/2024 to Regional office MPCB Chandrapur and Regional Office MoEF&CC Nagpur.</p>												
<p>vii</p>	<p>The project proponent shall submit six monthly reports on the status of the implementatton of the stipulated environmental conditions to the Ministry of Environnment, Forest and Climate Charige/Regional Office. For half yearly monitoring reports, the data should be monitored for the period of April to September and October to March of the</p>	<p>Six monthly compliance report along with monitoring report is regularly submitted to Regional Office of MoEF&CC via email id waniarea.environdept.com and even uploaded at WCL official website www.westerncoal.in</p>  <table border="1"> <thead> <tr> <th colspan="2">Wani Area</th> </tr> </thead> <tbody> <tr> <td>Ghughus OC</td> <td>View</td> </tr> <tr> <td>Kolgaon OC</td> <td>View</td> </tr> <tr> <td>Murgoli OC</td> <td>View</td> </tr> <tr> <td>Nalgaon OC</td> <td>View</td> </tr> <tr> <td>Penganga OC</td> <td>View</td> </tr> </tbody> </table>	Wani Area		Ghughus OC	View	Kolgaon OC	View	Murgoli OC	View	Nalgaon OC	View	Penganga OC	View
Wani Area														
Ghughus OC	View													
Kolgaon OC	View													
Murgoli OC	View													
Nalgaon OC	View													
Penganga OC	View													

	financial years.	
vii i	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Noted. Full cooperation will be extended to all the statutory Govt Bodies for monitoring and the required information/ data will be submitted.
K	Miscellaneous	
i	Efforts should be made to reduce energy consumption by conservation, efficiency improvements and use of renewable energy.	All the electrical equipment installed like tubelight and fans are power saving in nature. LED fittings are provided in the mine to conserve energy
ii	The project authorities shall inform to the Regional Office regarding commencement of mining operations.	Informed with submission of six monthly report vide letter WCL/WA/POCP/PO/CIVIL/ENV/2019-20/504 dtd. 18/12/2019
iii	A copy of the environmental clearance shall be marked to concerned Panchayat. A copy of the same shall also be sent to the concerned State Pollution Control Board, Regional Office, District Industry Sector and Collector's Office/Tehsildar Office for	EC was circulated to grampanchayat Wirur and Gadegaon.

	<p>information in public domain within 30 days.</p>	
<p>iv</p>	<p>The EC shall be uploaded on the company's website. The compliance status of the stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain.</p>	<p>EC is uploaded on WCL website. Six monthly compliance status is also uploaded in WCL website.</p>
<p>v</p>	<p>The project authorities shall</p>	<p>Environment Clearance copy was advertised in Newspaper 1. Chandrapur Samachar dtd. 29.01.2019</p>


<p>advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of this clearance, informing that the project has been accorded environmental clearance and a copy of the same is available with the State Pollution Control Board and also at website of the Ministry,</p>	<p>2. Mahavidharba dtd. 29.01.2019 EC copy was uploaded in MPCB online portal and environmentclearance.nic.in</p>  
<p>vi The environmental statement for each financial year ending 31 March in Form-V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the Company's website along with the status of</p>	<p>Environment Statement Form- V is being submitted regularly at online portal of Maharashtra Pollution Control Board website and also uploaded in Western Coalfields Limited official website. The latest Environment statement was submitted on 21/09/2023 for FY 2022-23. Copy of Environment statement is enclosed.</p>

	compliance of EC conditions and shall be sent to the respective Regional Offices of the MOEF & CC by e-mail. Concerns raised during public hearing.	
vii	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/High Courts and any other Court of Law relating to the subject matter	Noted.
5	The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during presentation to the EAC. All the commitments made on the issues raised	Every effort is being made to fulfill the commitments and recommendations made in the EIA/EMP report and public hearing.

	during public hearing shall also be implemented in letter and spirit.	
6	The proponent shall obtain all necessary clearances/approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Production for enhanced quantity started only after obtaining permission from Maharashtra Pollution Control Board. Consent to Establish and Operate was obtained vide letter no. BO/CAC Cell/UAN No. 63699 and 63749/ CAC- 1902001161 dtd. 25/02/2019.
7	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
8	The coal company/Project proponent shall be liable to pay the compensation against the illegal mining, if any, and raised by the respective state Governments at any point of time, in terms of the orders dated 2nd August, 2017 of Hon'ble supreme court in WP (Civil) No. 114/2014 in the matter of common cause Vs Union of India & others.	Noted and no illegal mining is being done in the project.
9	The concerned State Government shall	Noted and no illegal mining is being done in the project.

	ensure no mining operations to commence till the entire compensation for illegal mining, if any, is paid by the Project proponent through their respective department of mining & geology, in strict compliance of the judgement of Ho'ble Supreme Court.	
10	This environmental clearance shall not be operational till such time the project proponent complies with the above said judgement of Ho'ble Supreme court, as applicable, and other statutory requirements	Noted.
11	This issues in supersession of the earlier EC granted vide letter No.J-11015/46/2009-14.II (M) dated 31st January,2013.	Noted.

Yours faithfully



Sub Area Manager

Penganga opencast Project